

SDG COVER PAGE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51817 MA No.: 3225.1,3226.1 SDG No.: MYE4H0
 SOW No. : SFAM01.1

EPA Sample No.	Lab Sample Id	Analysis Method			
		ICP-AES	ICP-MS	Mercury	Cyanide
MYE4H0	P4484-01	X	X		
MYE4H1	P4484-02	X	X		
MYE4H2	P4484-03	X	X		
MYE4H2D	P4484-04	X	X		
MYE4H2S	P4484-05	X	X		
MYE4H3	P4484-06	X	X		
MYE4H4	P4484-07	X	X		
MYE4H5	P4484-08	X	X		
MYE4H6	P4484-09	X	X		
MYE4H8	P4484-10	X	X		
MYE4H9	P4484-11	X	X		
MYE4J0	P4484-12	X	X		
MYE4J1	P4484-13	X	X		
MYE4J2	P4484-14	X	X		
MYE4J3	P4484-15	X	X		
MYE4J4	P4484-16	X	X		
MYE4J5	P4484-17	X	X		
MYE4J6	P4484-18	X	X		
MYE4J7	P4484-19	X	X		
MYE4J8	P4484-20	X	X		
MYE4J9	P4484-21	X	X		
MYE4L3	P4484-22	X	X		

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: _____ Name: _____
 Date: _____ Title: _____


No: 9-101424-084332-0137

Lab: Alliance Technical Group LLC
Lab Contact: Mohammad Ahmed
Lab Phone: 908-728-3151

[illegible]

Shipment for Case Complete? N	Samples Transferred From Chain of Custody #

Analysis Key: ICP-AES and ICP-MS=Metals ICP-AES and ICP-MS

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	Terry W. Martin R9 ESAT	10/18/21 15:55		10-22-24 1003	13-32 20L GIVE #1
					custody seals 12/20/24
					120 Terry 2024.

68HERH20D0011

SDG # MYE4H0

USEPA CLP COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 9-101424-084342-0138

DateShipped: 10/22/2024

CarrierName: FedEx

AirbillNo: 7793 0492 1720

Case #: 51817

Cooler #: EPA Cooler 04

Lab: Alliance Technical Group LLC

Lab Contact: Mohammad Ahmed

Lab Phone: 908-728-3151

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
90029-E-0008-01	MYE4H1	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8019 (None) (1)	90029-E-0008	04/24/2024 14:42	✓ 1
90029-E-0009-03	MYE4H2	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8020 (None) (1)	90029-E-0009	04/24/2024 14:56	✓ 1
90029-E-0010-01	MYE4H3	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8021 (None) (1)	90029-E-0010	04/24/2024 14:47	✓ 1
90029-F-0001-01	MYE4H4	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8022 (None) (1)	90029-F-0001	04/24/2024 14:18	✓ 1
90029-F-0002-01	MYE4H5	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8023 (None) (1)	90029-F-0002	04/24/2024 14:24	✓ 1
90029-F-0003-01	MYE4H6	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8024 (None) (1)	90029-F-0003	04/24/2024 14:36	✓ 1
90029-F-0004-03	MYE4H7	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8025 (None) (1)	90029-F-0004	04/24/2024 13:58	✓ 1
90029-F-0005-01	MYE4H8	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8026 (None) (1)	90029-F-0005	04/24/2024 14:08	✓ 1
90029-F-0006-01	MYE4H9	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8027 (None) (1)	90029-F-0006	04/24/2024 14:22	✓ 1
90029-F-0007-01	MYE4J0	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8028 (None) (1)	90029-F-0007	04/24/2024 14:32	✓ 1
90029-F-0008-01	MYE4J1	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8029 (None) (1)	90029-F-0008	04/24/2024 14:14	✓ 1
90029-F-0009-01	MYE4J2	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8030 (None) (1)	90029-F-0009	04/24/2024 14:28	✓ 1
90029-F-0010-01	MYE4J3	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8031 (None) (1)	90029-F-0010	04/24/2024 14:02	✓ 1
90029-F-0011-01	MYE4J4	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8032 (None) (1)	90029-F-0011	04/24/2024 14:10	✓ 1
90028-B-00001-01	MYE4J5	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8033 (None) (1)	90028-B-00001	04/24/2024 10:32	✓ 1
90028-B-00002-01	MYE4J6	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8034 (None) (1)	90028-B-00002	04/24/2024 09:49	✓ 1
90028-B-00003-01	MYE4J7	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8035 (None) (1)	90028-B-00003	04/24/2024 10:29	✓ 1
90028-B-00004-01	MYE4J8	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8036 (None) (1)	90028-B-00004	04/24/2024 10:14	✓ 1
90028-B-00005-01	MYE4J9	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8037 (None) (1)	90028-B-00005	04/24/2024 10:26	✓ 1

Sample(s) to be used for Lab QC: 90029-E-0009-03 Tag 9-8020, 90029-F-0004-03 Tag 9-8025 - Special Instructions: ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se, Ti, V, Zn

Analysis Key: ICP-AES and ICP-MS=Metals ICP-AES and ICP-MS

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

057947-48

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	<i>Emily Adams</i> R9	10/18/24 15:50	<i>OK</i>	10-23-24 18:07	IR Gun #1 - 186
					Custody Seal Intact
					100 Temp Blank

No: 9-101424-084342-0138

Lab: Alliance Technical Group LLC
Lab Contact: Mohammad Ahmed

Lab Phone: 908-728-3151

FORM DC-1
SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC		Page <u>1</u> of <u>2</u>
Received By (Print Name) <u>GONGSI JESUN</u>		Log-in Date 10/22/2024
Received By (Signature) <u>[Signature]</u>		
Case Number 51817	SDG No. MYE4H0	MA No. 3225.1,3226.1

Remarks:			Aqueous/ Water Sample pH	Corresponding Sample Tag #	Assigned Lab #	Remarks: Condition of Sample Shipment, etc.
1. Custody Seal (s)	Present, Intact					
2. Custody Seal Nos.	<u>057839</u>					
3. Traffic Reports/Chain Of Custody Records	Present					
4. Airbill	Present					
5. Airbill No. and Shipping Container ID No.	<u>779304843582</u> <u>1</u>					
Shipping Container Temperature Indicator Bottle	Absent					
7. Shipping Container Temperature	<u>17.7</u> Degree C					
8. Sample Condition	Intact					
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report					
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes					
11. Date Received at Lab	<u>10/22/2024</u>					
12. Time Received	<u>10:03</u>					
		1	MYE4H0	N/A	9-8018	P4484-01 Intact
		2	N/A	N/A	N/A	N/A
		3	N/A	N/A	N/A	N/A
		4	N/A	N/A	N/A	N/A
		5	N/A	N/A	N/A	N/A
		6	N/A	N/A	N/A	N/A
		7	N/A	N/A	N/A	N/A
		8	N/A	N/A	N/A	N/A
		9	N/A	N/A	N/A	N/A
		10	N/A	N/A	N/A	N/A
		11	N/A	N/A	N/A	N/A
		12	N/A	N/A	N/A	N/A
		13	N/A	N/A	N/A	N/A
		14	N/A	N/A	N/A	N/A
		15	N/A	N/A	N/A	N/A
		16	N/A	N/A	N/A	N/A
		17	N/A	N/A	N/A	N/A
		18	N/A	N/A	N/A	N/A
		19	N/A	N/A	N/A	N/A
		20	N/A	N/A	N/A	N/A
		21	N/A	N/A	N/A	N/A
		22	N/A	N/A	N/A	N/A
		23	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By <u>[Signature]</u>	Logbook No. N/A
Date <u>10/24/24</u>	Logbook Page No. N/A

FORM DC-1
SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC		Page <u>2</u> of <u>2</u>
Received By (Print Name) <u>Casanova Eric</u>		Log-in Date 10/23/2024
Received By (Signature) <u>[Signature]</u>		
Case Number 51817	SDG No. MYE4H0	MA No. N/A 3255.1, 3226.1 <u>3225.1, 3226.1</u>

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	<u>057947-48</u>
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	<u>779304921720</u> <u>2</u>
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	<u>18.6</u> Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	<u>10/23/2024</u>
12. Time Received	<u>18:07</u>

	EPA Sample #	Aqueous Water Sample pH	Corresponding		Remarks: Condition of Sample Shipment, etc.
			Sample Tag #	Assigned Lab #	
1	MYE4H1	N/A	9-8019	P4484-02	Intact
2	MYE4H2	N/A	9-8020	P4484-03	Intact
3	MYE4H2D	N/A	9-8020	P4484-04	Intact
4	MYE4H2S	N/A	9-8020	P4484-05	Intact
5	MYE4H3	N/A	9-8021	P4484-06	Intact
6	MYE4H4	N/A	9-8022	P4484-07	Intact
7	MYE4H5	N/A	9-8023	P4484-08	Intact
8	MYE4H6	N/A	9-8024	P4484-09	Intact
9	MYE4H8	N/A	9-8026	P4484-10	Intact
10	MYE4H9	N/A	9-8027	P4484-11	Intact
11	MYE4J0	N/A	9-8028	P4484-12	Intact
12	MYE4J1	N/A	9-8029	P4484-13	Intact
13	MYE4J2	N/A	9-8030	P4484-14	Intact
14	MYE4J3	N/A	9-8031	P4484-15	Intact
15	MYE4J4	N/A	9-8032	P4484-16	Intact
16	MYE4J5	N/A	9-8033	P4484-17	Intact
17	MYE4J6	N/A	9-8034	P4484-18	Intact
18	MYE4J7	N/A	9-8035	P4484-19	Intact
19	MYE4J8	N/A	9-8036	P4484-20	Intact
20	MYE4J9	N/A	9-8037	P4484-21	Intact
21	MYE4L3	N/A	9-8051	P4484-22	Intact
22	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By <u>[Signature]</u>	Logbook No. N/A
Date <u>10/24/24</u>	Logbook Page No. N/A

FORM DC-2
COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical Group, LLC		
LAB CODE	ACE		
CONTRACT NO.	68HERH20D0011		
CASE NO.	51817	SDG NO.	MYE4H0
MA NO.	3225.1, 3226.1	SOW NO.	SFAM01.1

All documents delivered in the Complete SDG File must be original documents where possible.
(Reference - Exhibit B Section 2.4)

	PAGE NOS:		CHECK	
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	✓	
2. Traffic Report/Chain of Custody Record(s)	2	4	✓	
3. Sample Log-In Sheet (DC-1)	5	6	✓	
4. CSF Inventory Sheet (DC-2)	7	9	✓	
5. SDG Narrative	10	19	✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	20	22	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	23	42	✓	
9. Instrument raw data by instrument in analysis order	43	364	✓	
Other Data				
10. Standard and Reagent Preparation Logs	365	542	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	543	544	✓	
12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	545	557	✓	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
14. Extraction Logs for TCLP and SPLP	NA	NA	✓	
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	558	577	✓	
18. Instrument raw data by instrument in analysis order	578	1711	✓	
Other Data				
19. Standard and Reagent Preparation Logs	1712	1855	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	1856	1857	✓	
21. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	1858	1882	✓	
22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	

	PAGE NOS:		CHECK	
	FROM	TO	LAB	REGION
23 . Extraction Logs for TCLP and SPLP	NA	NA	✓	
24 . Raw GPC Data	NA	NA	✓	
25 . Raw Florisil Data	NA	NA	✓	

Analysis Forms and Data (Mercury)

26 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	NA	NA	✓	
27 . Instrument raw data by instrument in analysis order	NA	NA	✓	

Other Data

28 . Standard and Reagent Preparation Logs	NA	NA	✓	
29 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA	✓	
30 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	NA	NA	✓	
31 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
32 . Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	✓	
34 . Raw Florisil Data	NA	NA	✓	

Analysis Forms and Data (Cyanide)

35 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	NA	NA	✓	
36 . Instrument raw data by instrument in analysis order	NA	NA	✓	

Other Data

37 . Standard and Reagent Preparation Logs	NA	NA	✓	
38 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA	✓	
39 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	NA	NA	✓	
40 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
41 . Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	✓	
43 . Raw Florisil Data	NA	NA	✓	

Additional

44. EPA Shipping/Receiving Documents

Airbill (No. of Shipments 2)

Sample Tags

Sample Log-In Sheet (Lab)

45. Misc. Shipping/Receiving Records (list all individual records)

46. Internal Lab Sample Transfer Records and Tracking Sheets
(describe or list)

47. Other Records and related Communication Logs
(describe or list)

48. Comments:

Completed by:
(CLP Lab)

(Signature)

Nimisha Pandya, Document Control Officer

(Print Name & Title)

(Date)

Audited by:
(EPA)

(Signature)

(Print Name & Title)

(Date)

PAGE NOs:		CHECK	
FROM	TO	LAB	REGION
1883	1884	✓	
NA	NA	✓	
1885	1887	✓	
NA	NA	✓	
1888	1891	✓	
NA	NA	✓	



**284 Sheffield Street
Mountainside, NJ 07092**

SDG NARRATIVE

USEPA

SDG # MYE4H0

CASE # 51817

CONTRACT # 68HERH20D0011

SOW# SFAM01.1

LAB NAME: Alliance Technical Group, LLC

LAB CODE: ACE

LAB ORDER ID # P4484

MODIFIED ANALYSIS #3225.1, 3226.1

A. Number of Samples and Date of Receipt

20 Soil samples were delivered to the laboratory intact on 10/22/2024, 10/23/2024.

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/**Absence**

Cooler: 18.6°C, 17.7°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution: To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



**284 Sheffield Street
Mountainside, NJ 07092**

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

V_f = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYE4H0 For Antimony:

If C = 0.0048645 ppm

V_f = 100 ml

W = 1.18 g

S = 0.969(96.9/100)

DF = 2

$$\text{Concentration (mg/kg)} = 0.0048645 \times \frac{100}{1.18 \times 0.969} \times 2$$

$$= 0.850868 \text{ mg/kg}$$

$$= 0.85 \text{ mg/kg (Reported Result with Signification)}$$

Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

V_f = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)



**284 Sheffield Street
Mountainside, NJ 07092**

DF = Dilution Factor

Example Calculation For Sample MYE4H0 For Antimony:

If C = 1.43 ppb

Vf = 500 ml

W = 1.18 g

S = 0.969(96.9/100)

DF = 1

$$\text{Concentration (mg/kg)} = 1.43 \times \frac{500}{1.18 \times 0.969} \times 1 / 1000$$

$$= 0.625317 \text{ mg/kg}$$

$$= 0.63 \text{ mg/kg (Reported Result with Signification)}$$

H. QA/ QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. AES Spike sample did meet requirements except for Chromium. MS Spike sample (MYE4H2SRE) did meet requirements except for Arsenic, Chromium, Nickel, Vanadium. MS Spike sample (MYE4H2S) did meet requirements except for Barium, Beryllium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Vanadium. Duplicate sample did meet requirements except for Barium, Chromium, Cobalt, Nickel, Vanadium. Serial Dilution did meet requirements except for Barium, Chromium, Cobalt, Nickel, Vanadium.

Chemical or physical interference effect was suspected and the data for all affected analytes in the sample received and associated with this serial dilution were flagged.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb



**284 Sheffield Street
Mountainside, NJ 07092**

Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc
Cobalt	45Sc
Copper	45Sc
Lead	209Bi
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature _____

Name: Nimisha Pandya

Date _____

Title: Document Control Officer

Date: 09/11/2024	MA: 3225.1	Title: ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	
Matrix: Soil/Sediment		
Summary of Modification		
<p>The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>		
I. Analyte Modifications		Not applicable <input checked="" type="checkbox"/>
II. Calibration and QC Requirements		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C. • Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required. • Prepare a Matrix Spike spiked at three times the levels specified in the SOW. • Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW). • Post-Digestion Spike requirements apply to the 5x Matrix Spike only. • Post-Digestion Spike corrective actions apply to Sb. 		
III. Preparation and Method Modifications		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Prepare and analyze the sample by EPA Draft Method 3050C as follows: <ul style="list-style-type: none"> ○ Mix sample thoroughly and transfer 1.00 – 1.50 g to a digestion vessel. ○ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10-15 minutes. ○ Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete. ○ Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal. ○ Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis. • The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses. • Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW. • Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted. 		

IV. Special Reporting Requirements**Not applicable**☐

The Laboratory shall:

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the resolution or corrective actions taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses and/or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analyses, including a copy of the approved modification form with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/11/2024	MA: 3226.1	Title: ICP-AES with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	
Matrix: Soil/Sediment		
Summary of Modification		
<p>The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>		
I. Analyte Modifications		Not applicable <input checked="" type="checkbox"/>
II. Calibration and QC Requirements		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C. • Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required. • Prepare a Matrix Spike spiked at two times the levels specified in the SOW. • Post-Digestion Spike requirements apply to the 2x Matrix Spike. • Post-Digestion Spike corrective actions apply to Sb. 		
III. Preparation and Method Modifications		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Prepare and analyze the sample by EPA Draft Method 3050C as follows: <ul style="list-style-type: none"> ○ Mix sample thoroughly and transfer 1.00 – 1.50 g to a digestion vessel. ○ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes. ○ Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete. ○ Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal. ○ Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis. • The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses. • Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW. • Verify that the dilution was adequate to reduce interferents to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst. • Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted. 		

IV. Special Reporting Requirements	Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none">• Ensure the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the resolution or corrective actions taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses and/or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analyses, including a copy of the approved modification form with the SDG Narrative.• Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.• Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".• Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.	

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit?
As 189.042 {479}	<input checked="" type="checkbox"/>	1	Fe	-0.000064	0.000000	No
Ti 190.856 {477}	<input checked="" type="checkbox"/>	5	Mo	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
			Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	<input checked="" type="checkbox"/>	6	Mo	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
			Cu	0.001400	0.000000	No
			Fe	0.000030	0.000000	No
			Mn	0.000340	0.000000	No
			Ni	0.000630	0.000000	No
Se 196.090 {472}	<input checked="" type="checkbox"/>	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Co	-0.000630	0.000000	No
Sb 206.833 {463}	<input checked="" type="checkbox"/>	4	Cr	0.010700	0.000000	No
			V	-0.001168	0.000000	No
			Mo	-0.002850	0.000000	No
			Ni	-0.000440	0.000000	No
Al 396.152 { 85}	<input checked="" type="checkbox"/>	1	Mo	0.037230	0.000000	No
Ba 493.409 { 68}	<input type="checkbox"/>	None				
Be 234.861 {144}	<input checked="" type="checkbox"/>	3	Mo	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
			Mn	-0.000047	0.000000	No
Cd 214.438 {457}	<input checked="" type="checkbox"/>	1	Fe	0.000040	0.000000	No
Ca 373.690 { 90}	<input type="checkbox"/>	None				
Cr 267.716 {126}	<input checked="" type="checkbox"/>	1	Mn	0.000160	0.000000	No
Co 228.616 {448}	<input checked="" type="checkbox"/>	2	Ti	0.001840	0.000000	No
			Mo	-0.001230	0.000000	No
Cu 324.754 {104}	<input checked="" type="checkbox"/>	4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
			Mn	0.000345	0.000000	No
			Ni	0.000895	0.000000	No
Fe 259.837 {130}	<input type="checkbox"/>	None				
Mn 257.610 {131}	<input checked="" type="checkbox"/>	1	Ni	0.000897	0.000000	No
Mg 279.079 {121}	<input type="checkbox"/>	None				
Ni 231.604 {446}	<input type="checkbox"/>	None				
Ag 328.068 {103}	<input checked="" type="checkbox"/>	3	Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}	<input type="checkbox"/>	None				
V 292.402 {115}	<input checked="" type="checkbox"/>	2	Mo	-0.008480	0.000000	No
			Cr	-0.002220	0.000000	No
Zn 206.200 {464}	<input type="checkbox"/>	None				
Zn 213.856 {158}	<input checked="" type="checkbox"/>	1	Ni	0.007280	0.000000	No
K 769.896 { 44}	<input type="checkbox"/>	None				
P 177.495 {490}	<input checked="" type="checkbox"/>	2	Ni	0.001640	0.000000	No
			Cu	-0.012530	0.000000	No
B 249.678 {135}	<input checked="" type="checkbox"/>	3	Co	0.002880	0.000000	No
			V	-0.002000	0.000000	No
			Fe	-0.001360	0.000000	No
Mo 202.030 {467}	<input type="checkbox"/>	None				
S 182.034 {485}	<input checked="" type="checkbox"/>	2	Mo	-0.008000	0.000000	No
			Mn	0.002700	0.000000	No

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-In-fit?
Si 251.611 {134}	<input checked="" type="checkbox"/>	2	Mo	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478}	<input type="checkbox"/>	None				
Ti 336.121 {100}	<input checked="" type="checkbox"/>	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}	<input type="checkbox"/>	None				
Y 224.306 {450}*	<input type="checkbox"/>	None				
Y 360.073 { 94}*	<input type="checkbox"/>	None				
Y 371.030 { 91}*	<input type="checkbox"/>	None				
Y 224.306 {150}*	<input type="checkbox"/>	None				
In 230.606 {446}*	<input type="checkbox"/>	None				
Sr 407.771 { 83}	<input type="checkbox"/>	None				



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:25
In Date: 10/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:30
Out Date: 10/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133127

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P4484-01	MYE4H0	1	1.15	8.36	9.51	9.25	96.9	
P4484-02	MYE4H1	2	1.15	8.70	9.85	9.77	99.1	
P4484-03	MYE4H2	3	1.15	8.67	9.82	9.41	95.3	
P4484-04	MYE4H2D	4	1.15	8.67	9.82	9.41	95.3	
P4484-05	MYE4H2S	5	1.15	8.67	9.82	9.41	95.3	
P4484-06	MYE4H3	6	1.15	8.45	9.6	8.95	92.3	
P4484-07	MYE4H4	7	1.14	8.40	9.54	9.47	99.2	
P4484-08	MYE4H5	8	1.14	8.47	9.61	9.33	96.7	
P4484-09	MYE4H6	9	1.12	8.40	9.52	9.39	98.5	
P4484-10	MYE4H8	10	1.13	8.73	9.86	9.67	97.8	
P4484-11	MYE4H9	11	1.15	8.40	9.55	9.33	97.4	
P4484-12	MYE4J0	12	1.15	8.78	9.93	9.74	97.8	
P4484-13	MYE4J1	13	1.15	8.57	9.72	9.55	98.0	
P4484-14	MYE4J2	14	1.15	8.51	9.66	9.51	98.2	
P4484-15	MYE4J3	15	1.17	8.48	9.65	9.56	98.9	
P4484-16	MYE4J4	16	1.17	8.42	9.59	9.44	98.2	
P4484-17	MYE4J5	17	1.17	8.36	9.53	9.22	96.3	
P4484-18	MYE4J6	18	1.17	8.61	9.78	9.47	96.4	
P4484-19	MYE4J7	19	1.17	8.60	9.77	9.63	98.4	
P4484-20	MYE4J8	20	1.16	8.78	9.94	9.7	97.3	
P4484-21	MYE4J9	21	1.16	8.61	9.77	9.34	95.0	
P4484-22	MYE4L3	22	1.17	8.60	9.77	8.55	85.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133127

WorkList Name : %1-p4484 WorkList ID : 184777 Department : Wet-Chemistry Date : 10-25-2024 11:36:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4484-01	MYE4H0	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/23/2024	Chemtech -SO
P4484-02	MYE4H1	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-03	MYE4H2	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-04	MYE4H2D	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-05	MYE4H2S	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-06	MYE4H3	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-07	MYE4H4	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-08	MYE4H5	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-09	MYE4H6	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-10	MYE4H8	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-11	MYE4H9	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-12	MYE4J0	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-13	MYE4J1	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-14	MYE4J2	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-15	MYE4J3	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-16	MYE4J4	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-17	MYE4J5	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-18	MYE4J6	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-19	MYE4J7	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-20	MYE4J8	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4484-21	MYE4J9	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO

Date/Time 10/25/24 12:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 10/25/24 12:30
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

WORKLIST(Hardcopy Internal Chain)

133127

WorkList Name : %1-p4484

WorkList ID : 184777

Department : Wet-Chemistry

Date : 10-25-2024 11:36:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4484-22	MYE4L3	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO

Date/Time 10/25/24 12:10:00
Raw Sample Received by: JH WDC
Raw Sample Relinquished by: JH WDC

Date/Time 10/25/24 12:30
Raw Sample Received by: JH WDC
Raw Sample Relinquished by: JH WDC