# SDG COVER PAGE

Lab Name:	Alliance	Technical Group, L	LC Contract	: <u>68HERH2</u>	0D0011	
Lab Code:	ACE	Case No.: 51817	MA No.:	3225.1,32	26.1	SDG No.: MYE4H7
SOW No. :	SFAM01.1					
EPA Sample	e No.	Lab Sample Id	ICP-AES	Analys: ICP-MS	is Method Mercury	Cyanide
MYE4H7		P4525-01	X	Х		
MYE4H7D		P4525-02	X	X		
MYE4H7S		P4525-03	X	Х		
contract, b in the SDG of the data submitted h	oth techni Narrative. contained as been au	data package is in cally and for comp All edits and mand in this hardcopy thorized by the Lapwing signature.	leteness, for ot ual integrations Complete SDG Fil	her than t have beer e and in t	the condition peer-review the electroni	ns detailed wed. Release .c data
Signature:	-		Name	e:		

Title:

Date:

# USEPA CLP COC (LAB COPY)

DateShipped: 10/22/2024
CarrierName: FedEx
AirbillNo: 7793 0492 1720

# CHAIN OF CUSTODY RECORD

Case #: 51817 Cooler #: EPA Cooler 04

No: 9-101424-084342-0138

Lab: Alliance Technical Group LLC
Lab Contact: Mohammad Ahmed
Lab Phone: 908-728-3151

sample identifier	Sample No.	Matrix/Sampier	Method	Analysis/ I urnaround (Days)	lag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
90029-E-0008-01	MYE4H1	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8019 (None) (1)	90029-E-0008	04/24/2024 14:42	
90029-E-0009-03	MYE4H2	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8020 (None) (1)	90029-E-0009	04/24/2024 14:56	å
90029-E-0010-01	MYE4H3	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8021 (None) (1)	9029-E-0010	04/24/2024 14:47	
90029-F-0001-01	MYE4H4	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8022 (None) (1)	∕90029-F-0001	04/24/2024 14:18	
90029-F-0002-01	MYE4H5	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8023 (None) (1)	90029-F-0002	04/24/2024 14:24	
90029-F-0003-01	MYE4H6	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8024 (None) (1)	90029-F-0003	04/24/2024 14:36	
90029-F-0004-03	MYE4H7	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8025 (None) (1)	90029-F-0004	04/24/2024 13:58	9
90029-F-0005-01	MYE4H8	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8026 (None) (1)	90029-F-0005	04/24/2024 14:08	
90029-F-0006-01	MYE4H9	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8027 (None) (1)	90029-F-0006	04/24/2024 14:22	
90029-F-0007-01	MYE4J0	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8028 (None) (1)	90029-F-0007	04/24/2024 14:32	
90029-F-0008-01	MYE4J1	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8029 (None) (1)	90029-F-0008	04/24/2024 14:14	
90029-F-0009-01	MYE4J2	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8030 (None) (1)	90029-F-0009	04/24/2024 14:28	
90029-F-0010-01	MYE4J3	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8031 (None) (1)	90029-F-0010	04/24/2024 14:02	
90029-F-0011-01	MYE4J4	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8032 (None) (1)	90029-F-0011	04/24/2024 14:10	
90028-B-00001-01	MYE4J5	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8033 (None) (1)	90028-B-00001	04/24/2024 10:32	
90028-B-00002-01	MYE4J6	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8034 (None) (1)	90028-B-00002	04/24/2024 09:49	
90028-B-00003-01	MYE4J7	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8035 (None) (1)	90028-B-00003	04/24/2024 10:29	
90028-B-00004-01	MYE4J8	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8036 (None) (1)	90028-B-00004	04/24/2024 10 14	
90028-B-00005-01	MYE4J9	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8037 (None) (1)	90028-B-00005	04/24/2024 10:26	

Sample(s) to be used for Lab QC: 90029-E-0009-03 Tag 9-8020, 90029-F-0004-03 Tag 9-8025 - Special Instructions: ICP-AES 11+Metals: Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, Pb, Sb, Se, TI, V, Zn ICP-MS 11+ Metals: Ag, As, Ba, Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se, TI, V, Zn

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #
057447 - 48

Analysis Key: ICP-AES and ICP-MS=Metals ICP-AES and ICP-MS

# FORM DC-1 SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group		Page_1_of_1
Received By (Print Name)	ava Rise	Log-in Date 10/23/2024
Received By (Signature)		
Case Number 51817	SDG No. MYE4H7	MA No. 3225.1,3226.1

Remarks:			
1. Custody Seal (s)	Present, Intact		
2. Custody Seal Nos.	057947-48		
3. Traffic Reports/Chain Of Custody Records	Present		
4. Airbill	Present		
5. Airbill No. and	779304921720		
Shipping Container ID No.	1		
6. Shipping Container Temperature Indicator Bottle	Absent		
7. Shipping Container Temperature	18.6 Degree C		
8. Sample Condition	Intact		
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report		
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes		
11. Date Received at Lab	10/23/2024		
12.Time Received	18:07		

		1			
			Correspondir	ng	Remarks:
	EPA Sample #	Aqueous Water Sample pH	Sample Tag #	Assigned	Condition of Sample
1	МҮЕ4Н7	N/A	9-8025	P4525-01	Intact
2	MYE4H7D	N/A	9-8025	P4525-02	Intact
3	MYE4H7S	N/A	9-8025	P4525-03	Intact
4	N/A	N/A	N/A	N/A	N/A :
5	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A
7	N/A	N/A	N/A	N/A	N/A
8	N/A	N/A	N/A	N/A	N/A
9	N/A	N/A	N/A	N/A	N/A
10	N/A	N/A	N/A	N/A	N/A
11	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A
17	N/A	N/A	N/A	N/A	N/A
18	N/A	N/A	N/A	N/A	N/A
19	N/A	N/A	N/A	N/A	N/A
20	N/A	N/A	N/A	N/A	N/A
21	N/A	N/A	N/A	N/A	N/A
22	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A

# \* Contact SMO and attach record of resolution

Reviewed By		Logbook No.	N/A	
Date	10/23/24	Logbook Page No.	N/A	

# FORM DC-2 COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical	l Group, LLC		
LAB CODE	ACE			
CONTRACT NO.	68HERH20D0011			
CASE NO.	51817	SDG NO.	MYE4H7	
MA NO.	3225.1,3226.1	SOW NO.	SFAM01.1	
				-

All documents delivered in the Complete SDG File must be original documents where possible. (Reference - Exhibit B Section 2.4)

1. SDG Cover Page  2. Traffic Report/Chain of Custody Record(s)  3. Sample Log-In Sheet (DC-1)  4. CSF Inventory Sheet (DC-2)  5. SDG Narrative  6. Communication Logs  1  1  2  1  1  1  1  1  1  1  1  1  1	: CHECK TO LAB REGI  1	ON
1. SDG Cover Page  2. Traffic Report/Chain of Custody Record(s)  3. Sample Log-In Sheet (DC-1)  4. CSF Inventory Sheet (DC-2)  5. SDG Narrative  6. Communication Logs  1  1  2  1  1  1  1  1  1  1  1  1  1	1	ON
2. Traffic Report/Chain of Custody Record(s)  3. Sample Log-In Sheet (DC-1)  4. CSF Inventory Sheet (DC-2)  5. SDG Narrative  6. Communication Logs  NA	2	_ _ _
2. Traffic Report/Chain of Custody Record(s)  3. Sample Log-In Sheet (DC-1)  4. CSF Inventory Sheet (DC-2)  5. SDG Narrative  6. Communication Logs  NA	2	_ _ _
3. Sample Log-In Sheet (DC-1)  4. CSF Inventory Sheet (DC-2)  5. SDG Narrative  6. Communication Logs  NA	3 6 16 ✓	
4. CSF Inventory Sheet (DC-2)  5. SDG Narrative  7. 10  6. Communication Logs	6	<u> </u>
5. SDG Narrative 7 1 1 6. Communication Logs NA NA	16 🗸	_
6. Communication Logs NA N		
	NA ✓	
7. Percent Solids Log 17		_
	18 🗸	
Analysis Forms and Data (ICP-AES)		
	19 🗸	
or sample analysis, laboratory QC as applicable  9. Instrument raw data by instrument in analysis order  20 29	96 ✓	
Other Data		
10. Standard and Reagent Preparation Logs 297 44	446 ✓	
11. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	48 🗸	_
	NA 🗸	_
14. Extraction Logs for TCLP and SPLP NA NA	NA	
15 . Raw GPC Data NA NA	NA 🗸	
16. Raw Florisil Data NA NA	NA 🗸	_
Analysis Forms and Data (ICP-MS)		
or sample analysis, laboratory QC as applicable  18. Instrument raw data by instrument in analysis order  458 134	342 🗸	_
Other Data		
19. Standard and Reagent Preparation Logs 1343 148	<b>.</b> 87 <b>.</b> ✓	
20. Original Preparation and Cleanup forms or copies of Preparation and 1488 148 Cleanup Logbooks	¥89 <b>✓</b>	_
21. Original Analysis or Instrument Run forms or copies of Analysis or 1490 1490 1490 1490 1490 1490 1490 1490	197 <b>√</b>	
	NA 🗸	

	PAGE 1	NOs:	СН	ECK
	FROM	TO	LAB	REGION
23. Extraction Logs for TCLP and SPLP	NA	NA		
24 . Raw GPC Data	NA	NA		
25 . Raw Florisil Data	NA	NA		
Analysis Forms and Data (Mercury)				
26. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA		
or sample analysis, laboratory QC as applicable 27. Instrument raw data by instrument in analysis order	NA .	NA	<b>✓</b>	
Other Data				
28. Standard and Reagent Preparation Logs	NA	NA	<b>✓</b>	
29. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA		
30 . Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA		
Instrument Logbooks 31. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA	NA	✓	
Instructions 32. Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	<b>√</b>	
34 . Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (Cyanide)				
35. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA	✓	
or sample analysis, laboratory QC as applicable 36. Instrument raw data by instrument in analysis order	NA	NA	✓	
Other Data				
37. Standard and Reagent Preparation Logs	NA	NA	✓	
38. Original Preparation and Cleanup forms or copies of Preparation and	NA	NA	<b>✓</b>	
Cleanup Logbooks 39. Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA	✓	
Instrument Logbooks 40. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA_	NA	✓	
Instructions 41. Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	<b>✓</b>	·
43 . Raw Florisil Data	NA	NA	✓	

			PAGE	PAGE NOs: CHEC		IECK
			FROM	TO	LAB	REGION
Additional						
44. EPA Ship	ping/Receiving Documents					
Airbill	(No. of Shipments)		1498	1498	✓	
Sample T	ags		NA	NA	✓	
Sample L	og-In Sheet (Lab)		1499	1499	✓	
45. Misc. Sh	ipping/Receiving Records(list al	l individual records)				
			NA	NA		
46. Internal	Lab Sample Transfer Records and	Tracking Sheets				
(describ	e or list)					
			1500	1501		
	cords and related Communication	Logs				
(describ	e or list)		NA	NA		
					-	<u> </u>
48. Comments	:					
Completed by (CLP Lab)	y:					
(CLF Lab)	(Signature)	Nimisha Pandya, Do (Print Name & Tit		Officer	(Da	te)
Audited by:	(======================================	(222110 210110 W 120	,		, Σα	/
(EPA)						
	(Signature)	(Print Name & Tit	le)		(Da	te)



#### **SDG NARRATIVE**

USEPA
SDG # MYE4H7
CASE # 51817
CONTRACT # 68HERH20D0011
SOW# SFAM01.1
LAB NAME: Alliance Technical Group, LLC
LAB CODE: ACE
LAB ORDER ID # P4525
MODIFIED ANALYSIS #3225.1, 3226.1

# A. Number of Samples and Date of Receipt

01 Soil sample was delivered to the laboratory intact on 10/23/2024.

#### **B.** Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

# C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 18.6°C

# D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

#### E. Corrective Action taken for above:

Resolution 1: To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

# F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



# 284 Sheffield Street Mountainside, NJ 07092

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

#### G. Calculation:

# **Calculation for ICP-AES Soil Sample:**

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

Concentration (mg/kg) = 
$$C \times \frac{Vf}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

# **Example Calculation For Sample MYE4H7 For Arsenic:**

If 
$$C = 0.2645858 \text{ ppm}$$

$$Vf = 100 \text{ ml}$$

W = 1.39g

S = 0.987(98.7/100)

DF = 2

Concentration (mg/kg) = 
$$0.2645858 \text{ x} \frac{100}{1.39 \text{ x } 0.987} \text{x } 2$$

$$= 38.5713 \text{ mg/kg}$$

= 39 mg/kg (Reported Result with Signification)

#### **Calculation for ICP-MS Soil Sample:**

Conversion of Results from µg /L or ppb to mg/kg:

Concentration (mg/kg) = 
$$C \times Vf \times DF / 1000$$
  
 $W \times S$ 

Where.

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)



# 284 Sheffield Street Mountainside, NJ 07092

DF = Dilution Factor

# **Example Calculation For Sample MYE4H7 For Antimony:**

If C = 1.76 ppb  
Vf = 500 ml  
W = 1.39 g  
S = 0.987(98.7/100)  
DF = 1  
Concentration (mg/kg) = 
$$1.76 \times \frac{500}{1.39 \times 0.987} \times 1/1000$$
  
= 0.6414 mg/kg  
= 0.64 mg/kg (Reported Result with Signification)

# H. QA/QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. Spike sample did meet requirements. Spike sample (MYE4H7SRE) did meet requirements except for Silver. Spike sample (MYE4H7S) did meet requirements except Silver. Duplicate sample did meet requirements. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc
Cobalt	45Sc



# 284 Sheffield Street Mountainside, NJ 07092

1110 antamoracy	- 1 <b>0</b> 0 : 0 > <b>-</b>
Copper	45Sc
Lead	209Bi
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature	Name: Nimisha Pandya
_	
Date	Title: Document Control Officer

Date: 09/04/2024	MA: 3225.0	<b>Title:</b> ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	Laboratory QC

Matrix: Soil/Sediment

# **Summary of Modification**

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

# I. Analyte Modifications

Not applicable

# II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at three times the levels specified in the SOW.
- Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW).
- Post-Digestion Spike requirements apply to the 5x Matrix Spike only.
- Post-Digestion Spike corrective actions apply to Sb.

#### **III. Preparation and Method Modifications**

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
  - $\circ$  Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
  - $\circ$  Add 10 mL 1:1 HNO<sub>3</sub> and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes.
  - Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
  - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
  - $\circ$  Cool sample, add 2mL water and 3 mL 30% H<sub>2</sub>O<sub>2</sub>. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H<sub>2</sub>O<sub>2</sub> until effervescence is minimal.
  - o Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted.

# **IV. Special Reporting Requirements**

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
  administrative problems encountered and the resolution or corrective actions taken. These
  problems may include interference problems encountered during analysis, dilutions, re-analyses
  and/or re-preparations performed, and problems with the analysis of samples. Also include a
  discussion of any SOW Modified Analyses, including a copy of the approved modification form
  with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory\_Control\_Sample\_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/04/2024	<b>MA:</b> 3226.0	Title: ICP-AES with Modified Preparation
		Method and Analysis of Soils with Additional
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	

Matrix: Soil/Sediment

#### **Summary of Modification**

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

# I. Analyte Modifications

Not applicable

# II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at two times the levels specified in the SOW.
- Post-Digestion Spike requirements apply to the 2x Matrix Spike.
- Post-Digestion Spike corrective actions apply to Sb.

# **III. Preparation and Method Modifications**

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
  - $\circ$  Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
  - $\circ$  Add 10 mL 1:1 HNO<sub>3</sub> and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes.
  - Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
  - o Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
  - $\circ$  Cool sample, add 2mL water and 3 mL 30% H<sub>2</sub>O<sub>2</sub>. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H<sub>2</sub>O<sub>2</sub> until effervescence is minimal.
  - Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Verify that the dilution was adequate to reduce interferents to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst.
- Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted.

# **IV. Special Reporting Requirements**

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
  administrative problems encountered and the resolution or corrective actions taken. These
  problems may include interference problems encountered during analysis, dilutions, re-analyses
  and/or re-preparations performed, and problems with the analysis of samples. Also include a
  discussion of any SOW Modified Analyses, including a copy of the approved modification form
  with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory\_Control\_Sample\_Duplicate".
- Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit
As 189.042 {479}		1	Fe	-0.000064	0.000000	No
TI 190.856 {477}	$\boxtimes$	5	Мо	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
	***************************************		Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	X	6	Мо	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
<u> </u>	***************************************	:	Cu	0.001400	0.000000	No
i	***************************************		Fe	0.000030	0.000000	No
	***************************************		Mn	0.000340	0.000000	No
	***************************************		Ni	0.000630	0.000000	No
Se 196.090 {472}	Ø	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Со	-0.000630	0.000000	No
Sb 206.833 {463}	Ø	4	Cr	0.010700	0.000000	No
		<u> </u>	V	-0.001168	0.000000	No
			Мо	-0.002850	0.000000	No
	14111414141414141414141414141414		Ni	-0.000440	0.000000	No
Al 396.152 { 85}	X	1	Мо	0.037230	0.000000	No
Ba 493.409 { 68}		None		0.007200	0.000000	1110
Be 234.861 {144}		3	Мо	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
	***************************************		Mn	-0.000047	0.000000	No
Cd 214.438 {457}	$\boxtimes$	1	Fe	0.000047	0.000000	No
Ca 373.690 { 90}	<u></u>	None	1.5	0.000040	0.000000	INO
Cr 267.716 {126}			Mn	0.000160	0.000000	No
Co 228.616 {448}		1				
00 220.010 (440)		2	Ti	0.001840	0.000000	No
Cu 324.754 {104}			Mo	-0.001230	0.000000	No
Cu 324.734 {104}		4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
		<u> </u>	Mn	0.000345	0.000000	No
F- 050 007 (400)			Ni	0.000895	0.000000	No
Fe 259.837 {130}		None				
Mn 257.610 {131}	<u> </u>	1	Ni Ni	0.000897	0.000000	No
Mg 279.079 {121}		None				
Ni 231.604 {446}		None			<b></b>	
Ag 328.068 {103}	$\square$	3 [	Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}		None			į	Į
V 292.402 {115}		2	Мо	-0.008480	0.000000	No
	<u></u>	<u>.</u>	Cr	-0.002220	0.000000	No
Zn 206.200 {464}		None				
Zn 213.856 {158}		1 [	Ni	0.007280	0.000000	No
< 769.896 { 44}		None				
P 177.495 {490}		2	Ni	0.001640	0.000000	No
		i	Cu	-0.012530	0.000000	No
3 249.678 {135}		3	Со	0.002880	0.000000	No
	<u> </u>		V	-0.002000	0.000000	No
	Ī	·····	Fe	-0.001360	0.000000	No
Ло 202.030 {467}		None				
§ 182.034 {485}	X	2	Мо	-0.008000	0.000000	No
	K		Mn	0.002700	0.000000	No

Element, Wavelength an Order	d Use?	# IECs	IEC	k1	k2	Calc-in-fit?
Si 251.611 {134		2	Мо	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478		None		· · · · · · · · · · · · · · · · · · ·		
Ti 336.121 {100}	$\square$	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}		None		İ		· · · · · · · · · · · · · · · · · · ·
Y 224.306 {450}*		None		<u>.</u>	*	
Y 360.073 { 94}*		None			· • • • • • • • • • • • • • • • • • • •	·
Y 371.030 { 91}*		None				
Y 224.306 {150}*		None			. <u></u>	<u> </u>
In 230.606 {446}*		None	***************************************	***************************************		
Sr 407.771 { 83}		None	***************************************	***************************************	<u> </u>	<u>:</u>



#### PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh

**Date:** 10/28/2024

OVENTEMP IN Celsius(°C): 107

Time IN: 13:50

In Date: 10/26/2024

Weight Check 1.0g: 1.00 Weight Check 10g: 10.00

OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 07:40

Out Date: 10/27/2024

Weight Check 1.0g: 1.00 Weight Check 10g: 10.00 BalanceID: M SC-4

Thermometer ID: % SOLID- OVEN

**QC:**LB133145

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)		Dish+Dry Sample Wt(g)(C)	% Solid	Comments
P4524-01	MYE4W0	1	1.15	8.82	9.97	9.83	98.4	
P4524-02	MYE4W1	2	1.15	8.70	9.85	9.41	94.9	
P4524-03	MYE4W2	3	1.15	8.39	9.54	9.12	95.0	
P4524-04	MYE4W3	4	1.17	8.50	9.67	9.52	98.2	
P4524-05	MYE4W4	5	1.17	8.60	9.77	9.58	97.8	
P4524-06	MYE4W5	6	1.15	8.54	9.69	9.45	97.2	
P4524-07	MYE4W5D	7	1.15	8.54	9.69	9.45	97.2	
P4524-08	MYE4W5S	8	1.15	8.54	9.69	9.45	97.2	
P4524-09	MYE4W6	9	1.16	8.71	9.87	9.71	98.2	
P4524-10	MYE4W7	10	1.18	8.55	9.73	9.58	98.2	
P4524-11	MYE4Y0	11	1.19	8.52	9.71	9.52	97.8	
P4524-12	MYE4Y1	12	1.18	8.68	9.86	9.44	95.2	
P4524-13	MYE4Y2	13	1.17	8.53	9.7	9.55	98.2	
P4524-14	MYE4Y3	14	1.19	8.55	9.74	9.45	96.6	
P4524-15	MYE4Y4	15	1.17	8.44	9.61	9.18	94.9	
P4524-16	MYE4Y5	16	1.17	8.36	9.53	9.08	94.6	
P4524-17	MYE4Y6	17	1.19	8.34	9.53	9.41	98.6	
P4525-01	MYE4H7	18	1.13	8.50	9.63	9.52	98.7	
P4525-02	MYE4H7D	19	1.13	8.50	9.63	9.52	98.7	
P4525-03	MYE4H7S	20	1.13	8.50	9.63	9.52	98.7	

# WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-p4524

WorkList ID: 184828

Department: Wet-Chemistry

Shier do

	1701	WorkList ID:	ID: 184828	Department:	Wet-Chemistry		Date: 10-26-2	10-26-2024 12:40:27
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Colle	Method
P4524-01	MYE4W0	rilos.	C. H. C.					
P4524-02	MYEAW1		Leicent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
04504 00		Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
F4524-U3	MYE4W2	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	1000/10/10	
P4524-04	MYE4W3	Solid	Percent Solids	Cool 4 dea C	INEEDO4	244	4707/47/50	- 1
P4524-05	MYE4W4	Solid	Percent Solids	Cool 4 dea C	20100		04/24/2024	- 1
P4524-06	MYE4W5	Solid	Percent Solids	2   COO	ומבומם ::	A11	04/24/2024	Chemtech -SO
P4524-07	MYE4W5D	Zilo O		Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
P4524-08	MYF4W5S		reicent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
DA524 00		Dilos	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
60-1-70-1	MYE4W6	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chomton do
P4524-10	MYE4W7	Solid	Percent Solids	Cool 4 deg C	USED01	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	17071110	Oc- Illeanine Ci
P4524-11	MYE4Y0	Solid	Percent Solids				04/24/2024	Chemtech -SO
P4524-12	MYE4Y1	3 3		Cool 4 deg C	USEP01	A11	10/24/2024	Chemtech -SO
P4524-13	MVE4V2	DIIOS	Percent Solids	Cool 4 deg C	USEP01	A11	10/24/2024	Chemtech -SO
DA524 44	W1 E412	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	10/24/2024	Chemtech -SO
41-4704	MYE4Y3	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	10/24/2024	Chemtech CO
P4524-15	MYE4Y4	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	10/04/0004	
P4524-16	MYE4Y5	Solid	Percent Solids	Cool 4 dea C	I ISEBOA		10/24/2024	Cnemtech -SO
P4524-17	MYE4Y6	Solid	Dercept Colide		OSEPUI	A11	10/24/2024	Chemtech -SO
P4525-01	MYF4H7		r el cerit colids	Cool 4 deg C	USEP01	A11	10/24/2024	Chemtech -SO
P4525_02	WC 417	Dilos	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech -SO
10000	MTC4H/D	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chemtech
F4525-03	MYE4H7S	Solid	Percent Solids	Cool 4 deg C	USEP01	A11	04/24/2024	Chomison do
							1707/17/10	OC- IDAIIIIAIN

Date/Time 18(26/24 13:25

Raw Sample Received by:

Raw Sample Relinquished by:

Page 1 of 1

Raw Sample Relinquished by: Date/Time  $|\partial/\lambda \zeta| \mathcal{U}_{l}$ Raw Sample Received by: