SDG COVER PAGE

Code: ACE Case No.: 51817		MA No.:	MA No.: 3225.1,3226.1		SDG No.: MYE596
DW No.: SFAM01	.1				
EPA Sample No.	Lab Sample Id	ICP-AES	Analysi ICP-MS	s Method Mercury	Cyanide
MYE596	P4573-01	X	X		
MYE597	P4573-02	X	X		
MYE598	P4573-03	X	X		
MYE599	P4573-04	X	X		
MYE5A0	P4573-05	X	X		
MYE5A1	P4573-06	X	X		
MYE5A2	P4573-07	X	X		
MYE5A2D	P4573-08	X	X		
MYE5A2S	P4573-09	X	X		
MYE5A3	P4573-10	X	X		
MYE5A4	P4573-11	X	X		
MYE5A5	P4573-12	X	X		
MYE5A6	P4573-13	X	X		
MYE5A7	P4573-14	X	Х		
MYE5A8	P4573-15	X	X		
MYE5A9	P4573-16	X	X		
MYE5B0	P4573-17	X	Х		
MYE5B1	P4573-18	X	X		
MYE5B2	P4573-19	X	X		

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:	Name:	
Date:	Title:	

Page 3 of 4

USEPA CLP COC (LAB COPY)
DateShipped: 10/24/2024
CarrierName: FedEx
AirbillNo: 7793 0503 8577

CHAIN OF CUSTODY RECORD

Case #: 51817 Cooler #: EPA Cooler 09 No: 9-101424-084539-0144 Lab: Alliance Technical Group LLC Lab Contact: Mohammad Ahmed Lab Phone: 908-728-3151

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
261-C-0001-01	MYE582	Soll/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8250 (None) (1)	261-C-0001	04/25/2024 15:08	
261-C-0002-01	MYE583	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8251 (None) (1)	261-C-0002	04/25/2024 15:17	
261-C-0003-01	MYE584	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8252 (None) (1)	261-C-0003	04/25/2024 15:10	
261-C-0004-01	MYE585	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8253 (None) (1)	261-C-0004	04/25/2024 15:17	
261-C-0005-03	MYE586	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8254 (None) (1)	261-C-0005	04/25/2024 15:22	AC.
261-C-0006-01	MYE587	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8255 (None) (1)	261-C-0006	04/25/2024 15:29	Cy
261-D-0001-01	MYE588	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8256 (None) (1)	261-D-0001	04/25/2024 15:24	
261-D-0002-01	MYE589	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8257 (None) (1)	261-D-0002	04/25/2024 15:27	
261-D-0003-01	MYE590	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8258 (None) (1)	261-D-0003	04/25/2024 15:22	-
261-D-0004-01	MYE591	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8259 (None) (1)	261-D-0004	04/25/2024 15:16	
261-D-0004-02	MYE592	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8260 (None) (1)	261-D-0004	04/25/2024 15:16	
261-D-0005-01	MYE593	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8261 (None) (1)	261-D-0005	04/25/2024 15:24	
261-D-0006-01	MYE594	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8262 (None) (1)	261-D-0006	04/25/2024 15:30	
2810-A-0001-01	MYE595	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8263 (None) (1)	2810-A-0001	04/25/2024 10:45	
2810-A-0002-01	MYE596	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8264 (None) (1)	2810-A-0002	04/25/2024 10:28	
2810-A-0003-01	MYE597	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8265 (None) (1)	2810-A-0003	04/25/2024 10:45	
2810-A-0004-01	MYE598	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8266 (None) (1)	2810-A-0004	04/25/2024 12:58	
2810-A-0005-01	MYE599	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8267 (None) (1)	2810-A-0005	04/25/2024 12:58	
2810-A-0006-01	MYE5A0	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8268 (None) (1)	2810-A-0006	04/25/2024 10:49	

Sample(s) to be used for Lab QC: 261-C-0005-03 Tag 9-8254 - Special Instructions: ICP-AES	Shipment for Case Complete? N
05 794	Samples Transferred From Chain of Custody #
Analysis Key: ICP-AES and ICP-MS=Metals ICP-AES and ICP-MS	

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Stanature and Organization)	Date/Time	Sample Condition Upon Receipt
	Lay Wuthen RGESAT	10/18/24 16:65	す('ゴン	10-25-2024	Temp 10.32
					Cust ody seal inter
					Temp \$14 NOT Perso

Page 4 of 4

USEPA CLP COC (LAB COPY)

DateShipped: 10/24/2024 CarrierName: FedEx AirbillNo: 7793 0503 8577 CHAIN OF CUSTODY RECORD

No: 9-101424-084539-0144

Lab: Alliance Technical Group LLC
Lab Contact: Mohammad Ahmed
Lab Phone: 908-728-3151

Case #: 51817 Cooler #: EPA Cooler 09

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
2810-A-0007-01	MYE5A1	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8269 (None) (1)	2810-A-0007	04/25/2024 10:44	
2810-A-0008-03	MYE5A2	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8270 (None) (1)	2810-A-0008	04/25/2024 10:30	QC
2810-A-0009-01	MYE5A3	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8271 (None) (1)	2810-A-0009	04/25/2024 10:32	
2810-B-0004-01	MYE5A4	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8272 (None) (1)	2810-B-0004	04/25/2024 11:00	
2810-B-0004-02	MYE5A5	Soil/ ERT	Grab	ICP-AES and ICP-MS(21)	9-8273 (None) (1)	2810-B-0004	04/25/2024 11:01	
2810-E-0001-01	MYE5A6	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8274 (None) (1)	2810-E-0001	04/25/2024 10:17	
2810-E-0002-01	MYE5A7	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8275 (None) (1)	2810-E-0002	04/25/2024 09:56	
2810-E-0003-01	MYE5A8	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8276 (None) (1)	2810-E-0003	04/25/2024 10:08	
2810-E-0004-01	MYE5A9	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8277 (None) (1)	2810-E-0004	04/25/2024 09:56	
2810-E-0004-02	MYE5B0	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8278 (None) (1)	2810-E-0004	04/25/2024 09:57	
2810-E-0005-01	MYE5B1	Soil/ REAC	Composite	ICP-AES and ICP-MS(21)	9-8279 (None) (1)	2810-E-0005	04/25/2024 10:02	
2810-E-0006-01	MYE5B2	Soil/ REAC	Grab	ICP-AES and ICP-MS(21)	9-8280 (None) (1)	2810-E-0006	04/25/2024 10:04	

Sample(s) to be used for Lab QC: 2810-A-0008-03 Tag 9-8270 - Special Instructions: ICP-AES	Shipment for Case Complete? N
11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se,Tl, V, Zn	Samples Transferred From Chain of Custody #
Analysis Key: ICP-AES and ICP-MS=Metals ICP-AES and ICP-MS	

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
	Jung Wathan RA ESAT	10/18/24	1.1.5	10:75-2024	Tem 18.32
			*	10.22 527	Custody ust intent
					Tem RC NOT Persel

FORM DC-1 SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC	Page 1_of 1
Received By (Print Name) GODSY USGION	Log-in Date 10/25/2024
Received By (Signature)	
Case Number 51817 SDG No. MYE596	MA No. 3225.1,3226.1

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	N= 057941 0
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	779305038577 1
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	18.3 Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	10/25/2024
12.Time Received	09:48

			Correspor	nding	Remarks:
	EPA Sample #	Aqueous Water Sample pH	Sample Tag #	Assigned Lab #	Condition of Sample
1	MYE596	N/A	9-8264	P4573-01	Intact
2	MYE597	N/A	9-8265	P4573-02	Intact
3	MYE598	N/A	9-8266	P4573-03	intact
4	MYE599	N/A	9-8267	P4573-04	Intact
5	MYE5A0	N/A	9-8268	P4573-05	Intact
6	MYE5A1	N/A	9-8269	P4573-06	Intact
7	MYE5A2	N/A	9-8270	P4573-07	Intact
8	MYE5A2D	N/A	9-8270	P4573-08	Intact
9	MYE5A2S	N/A	9-8270	P4573-09	Intact
10	MYE5A3	N/A	9-8271	P4573-10	Intact
11	MYE5A4	N/A	9-8272	P4573-11	Intact
12	MYE5A5	N/A	9-8273	P4573-12	Intact
13	MYE5A6	N/A	9-8274	P4573-13	Intact
14	MYE5A7	N/A	9-8275	P4573-14	Intact
15	MYE5A8	N/A	9-8276	P4573-15	Intact
16	MYE5A9	N/A	9-8277	P4573-16	Intact
17	MYE5B0	N/A	9-8278	P4573-17	Intact
18	MYE5B1	N/A	9-8279	P4573-18	Intact
19	MYE5B2	N/A	9-8280	P4573-19	Intact
20	N/A	N/A	N/A	N/A	N/A
21	N/A	N/A	N/A	N/A	N/A
22	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By	S.M. Jodhemi	Logbook No.	N/A
Date	10/45/2024	Logbook Page No.	N/A

FORM DC-2 COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical	l Group, LLC		
LAB CODE	ACE			
CONTRACT NO.	68HERH20D0011			
CASE NO.	51817	SDG NO.	MYE596	
MA NO.	3225.1,3226.1	SOW NO.	SFAM01.1	•
				•

All documents delivered in the Complete SDG File must be original documents where possible. (Reference - Exhibit B Section 2.4)

, , , , , , , , , , , , , , , , , , , ,				
	PAGE NOs:		СН	ECK
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1_	_ ✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	✓	
3. Sample Log-In Sheet (DC-1)	4	4	✓	
4. CSF Inventory Sheet (DC-2)	5	7	✓	
5. SDG Narrative	8	17	✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	18	19	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	20	36	✓	
or sample analysis, laboratory QC as applicable 9. Instrument raw data by instrument in analysis order	37	245	✓	
Other Data				
10. Standard and Reagent Preparation Logs	246	385	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and	386	387	✓	
Cleanup Logbooks 12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	388	392	✓	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA		
14. Extraction Logs for TCLP and SPLP	NA	NA		
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	393	409	✓	
or sample analysis, laboratory QC as applicable 18. Instrument raw data by instrument in analysis order	410	1663	✓	
Other Data				
19. Standard and Reagent Preparation Logs	1664	1802	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and	1803	1804	✓	
Cleanup Logbooks 21. Original Analysis or Instrument Run forms or copies of Analysis or	1805	1820	✓	
Instrument Logbooks 22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	

	PAGE 1	NOs:	СН	ECK
	FROM	TO	LAB	REGION
23. Extraction Logs for TCLP and SPLP	NA	NA		
24 . Raw GPC Data	NA	NA		
25 . Raw Florisil Data	NA	NA		
Analysis Forms and Data (Mercury)				
26. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA		
or sample analysis, laboratory QC as applicable 27. Instrument raw data by instrument in analysis order	NA .	NA	_	
Other Data				
28. Standard and Reagent Preparation Logs	NA	NA	✓	
29. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA		
30 . Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA		
Instrument Logbooks 31. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA	NA	✓	
Instructions 32. Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	√	
34 . Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (Cyanide)				
35. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA	✓	
or sample analysis, laboratory QC as applicable 36. Instrument raw data by instrument in analysis order	NA	NA	✓	
Other Data				
37. Standard and Reagent Preparation Logs	NA	NA	✓	
38. Original Preparation and Cleanup forms or copies of Preparation and	NA	NA	✓	
Cleanup Logbooks 39. Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA	✓	
Instrument Logbooks 40. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA_	NA	✓	
Instructions 41. Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	✓	·
43 . Raw Florisil Data	NA	NA	✓	

			PAGE NOs:		CHECK	
			FROM	TO	LAB	REGION
Additional						
44. EPA Shipp	ping/Receiving Documents					
Airbill ((No. of Shipments)		1821	1821	✓	_
Sample Ta	ags		NA	NA	✓	_
Sample Lo	og-In Sheet (Lab)		1822	1824	✓	
45. Misc. Shi	pping/Receiving Records(list all indivi	dual records)				-
			NA	NA		
	Lab Sample Transfer Records and Trackin	g Sheets				
(describe	e or list)		1825	1826	,	
<u></u>					√	
45 011 5						
	cords and related Communication Logs e or list)					
	,		NA	NA	✓	
4.0						
48. Comments:						
Completed by	:					
(CLP Lab)	(Signature)	Nimisha Pandya, Docum (Print Name & Title)		Officer	<u> </u>	+ - \
Audited by: (EPA)	(Signature)	(FIINC Name & IICIE)			(Da	ce)
\====/	(Signature)	(Print Name & Title)	1		(Da	te)
	-					



SDG NARRATIVE

USEPA
SDG # MYE596
CASE # 51817
CONTRACT # 68HERH20D0011
SOW# SFAM01.1
LAB NAME: Alliance Technical Group, LLC
LAB CODE: ACE
LAB ORDER ID # P4573
MODIFIED ANALYSIS #3225.1, 3226.1

A. Number of Samples and Date of Receipt

17 Soil samples were delivered to the laboratory intact on 10/25/2024

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 18.3°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution 1: To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



284 Sheffield Street Mountainside, NJ 07092

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

Concentration (mg/kg) =
$$C \times Vf \times VF$$

W x S

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYE596 For Arsenic:

If
$$C = 0.0161635$$
ppm

$$Vf = 100 ml$$

$$W = 1.35 g$$

$$S = 0.956(95.6/100)$$

$$DF = 2$$

Concentration (mg/kg) =
$$0.0161635x \frac{100}{1.35 \times 0.956}x^2$$

$$= 2.504803 \text{ mg/kg}$$

= 2.5 mg/kg (Reported Result with Signification)

Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg:

Concentration (mg/kg) =
$$C \times \frac{Vf}{W \times S} \times DF / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)



284 Sheffield Street Mountainside, NJ 07092

DF = Dilution Factor

Example Calculation For Sample MYE596 For Arsenic:

If C = 3.24 ppb
Vf = 500 ml
W = 1.35 g
S = 0.956(95.6/100)
DF = 1
Concentration (mg/kg) = 3.24 x
$$\frac{500}{1.35 \times 0.956}$$
 x 1 / 1000
= 1.255230 mg/kg

= 1.3 mg/kg (Reported Result with Signification)

H. QA/QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. AES Spike sample (MYE5A2S)did meet requirements except for Arsenic. MS Spike sample (MYE5A2SRE)did meet requirements except for Silver. Duplicate sample did meet requirements. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc
Cobalt	45Sc



284 Sheffield Street Mountainside, NJ 07092

1/10 diff difficiency 1 (0 0 / 0 / 2					
Copper	45Sc				
Lead	209Bi				
Nickel	45Sc				
Selenium	89Y				
Silver	159Tb				
Thallium	209Bi				
Vanadium	45Sc				
Zinc	45Sc				

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature	Name: Nimisha Pandya
Data	Title: Document Control Officer

Date: 09/11/2024	MA: 3225.1	Title: ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	

Matrix: Soil/Sediment

Summary of Modification

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

I. Analyte Modifications

Not applicable

II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at three times the levels specified in the SOW.
- Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW).
- Post-Digestion Spike requirements apply to the 5x Matrix Spike only.
- Post-Digestion Spike corrective actions apply to Sb.

III. Preparation and Method Modifications

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
 - Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
 - Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10-15 minutes.
 - o Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
 - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal.
 - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - o Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary
 to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted.

IV. Special Reporting Requirements

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
 administrative problems encountered and the resolution or corrective actions taken. These
 problems may include interference problems encountered during analysis, dilutions, re-analyses
 and/or re-preparations performed, and problems with the analysis of samples. Also include a
 discussion of any SOW Modified Analyses, including a copy of the approved modification form
 with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/11/2024	MA: 3226.1	Title: ICP-AES with Modified Preparation Method and Analysis of Soils with Additional
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	

Matrix: Soil/Sediment

Summary of Modification

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

I. Analyte Modifications

Not applicable

II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at two times the levels specified in the SOW.
- Post-Digestion Spike requirements apply to the 2x Matrix Spike.
- Post-Digestion Spike corrective actions apply to Sb.

III. Preparation and Method Modifications

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
 - \circ Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
 - \circ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes.
 - Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
 - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - \circ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal.
 - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Verify that the dilution was adequate to reduce interferents to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst.
- Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted.

IV. Special Reporting Requirements

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
 administrative problems encountered and the resolution or corrective actions taken. These
 problems may include interference problems encountered during analysis, dilutions, re-analyses
 and/or re-preparations performed, and problems with the analysis of samples. Also include a
 discussion of any SOW Modified Analyses, including a copy of the approved modification form
 with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit
As 189.042 {479}		1	Fe	-0.000064	0.000000	No
TI 190.856 {477}	\square	5	Мо	-0.002450	0.000000	No
	•		Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
			Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	Ø	6	Мо	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
			Cu	0.001400	0.000000	No
	***************************************		Fe	0.000030	0.000000	No
			Mn	0.000340	0.000000	No
		• • • • • • • • • • • • • • • • • • • •	Ni	0.000630	0.000000	No
Se 196.090 {472}	Ø	3	Fe	-0.000308	0.000000	No
	K		Mn	0.000470	0.000000	No
			Со	-0.000630	0.000000	No
Sb 206.833 {463}	Ø	4	Cr	0.010700	0.000000	No
			V	-0.001168	0.000000	No
			Мо	-0.002850	0.000000	No
	***************************************		Ni	-0.000440	0.000000	No
Al 396.152 { 85}	Ø	1	Mo	0.037230	0.000000	No
Ba 493.409 { 68}	H	None		0.007200	0.000000	
Be 234.861 {144}	X	3	Мо	-0.000320	0.000000	No
DC 204.007 (144)			Fe	0.000010	0.000000	No
	***************************************		Mn			
Cd 214.438 {457}	NZ	1		-0.000047	0.000000	No
	<u> </u>		Fe	0.000040	0.000000	No
Ca 373.690 { 90}		None	14.	0.000400		
Cr 267.716 {126}	<u> </u>	1	Mn T:	0.000160	0.000000	No
Co 228.616 {448}		2	Ti	0.001840	0.000000	No
Cu 224 754 (104)	N 2		Mo	-0.001230	0.000000	No
Cu 324.754 {104}		4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
			Mn	0.000345	0.000000	No
			Ni	0.000895	0.000000	No
Fe 259.837 {130}		None			***************************************	
Mn 257.610 {131}		1 [Ni	0.000897	0.000000	No
Mg 279.079 {121}		None				
Ni 231.604 {446}		None				
Ag 328.068 {103}		3	Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}		None				
V 292.402 {115}		2	Мо	-0.008480	0.000000	No
			Cr	-0.002220	0.000000	No
Zn 206.200 {464}		None		l		
Zn 213.856 {158}		1]	Ni	0.007280	0.000000	No
< 769.896 { 44}		None				
P 177.495 {490}		2	Ni	0.001640	0.000000	No
			Cu	-0.012530	0.000000	No
3 249.678 {135}	X	3	Со	0.002880	0.000000	No
			V	-0.002000	0.000000	No
	Ī	·····	Fe	-0.001360	0.000000	No
Ло 202.030 {467}		None				
§ 182.034 {485}	A	2	Мо	-0.008000	0.000000	No
			Mn	0.002700	0.000000	No

Element, Wavelength an Order	d Use?	# IECs	IEC	k1	k2	Calc-in-fit?
Si 251.611 {134		2	Мо	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478		None		· · · · · · · · · · · · · · · · · · ·		
Ti 336.121 {100}	\square	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}		None	***************************************	İ		· · · · · · · · · · · · · · · · · · ·
Y 224.306 {450}*		None		<u>.</u>	*	
Y 360.073 { 94}*		None			· • • • • • • • • • • • • • • • • • • •	·
Y 371.030 { 91}*		None	***************************************			
Y 224.306 {150}*		None				
In 230.606 {446}*		None	***************************************		·	
Sr 407.771 { 83}		None	***************************************	***************************************	<u> </u>	<u>:</u>



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh

Date: 10/28/2024

OVENTEMP IN Celsius(°C): 107

Time IN: 16:35

In Date: 10/27/2024

Weight Check 1.0g: 1.00 Weight Check 10g: 10.00

OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:14

Out Date: 10/28/2024

Weight Check 1.0g: 1.00 Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: % SOLID- OVEN

QC:LB133158

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g)(B)	Dish+Dry Sample Wt(g)(C)	% Solid	Comments
P4573-01	MYE596	1	1.18	8.64	9.82	9.44	95.6	
P4573-02	MYE597	2	1.18	8.54	9.72	9.27	94.7	
P4573-03	MYE598	3	1.15	8.38	9.53	8.67	89.7	
P4573-04	MYE599	4	1.16	8.69	9.85	9.32	93.9	
P4573-05	MYE5A0	5	1.15	8.40	9.55	9.09	94.5	
P4573-06	MYE5A1	6	1.14	8.84	9.98	9.55	95.1	
P4573-07	MYE5A2	7	1.15	8.45	9.6	9.00	92.9	
P4573-08	MYE5A2D	8	1.15	8.45	9.6	9.00	92.9	
P4573-09	MYE5A2S	9	1.15	8.45	9.6	9.00	92.9	
P4573-10	MYE5A3	10	1.18	8.49	9.67	9.44	97.3	
P4573-11	MYE5A4	11	1.18	8.48	9.66	9.16	94.1	
P4573-12	MYE5A5	12	1.19	8.55	9.74	9.3	94.9	
P4573-13	MYE5A6	13	1.15	8.65	9.8	9.11	92.0	
P4573-14	MYE5A7	14	1.16	8.60	9.76	9.14	92.8	
P4573-15	MYE5A8	15	1.14	8.55	9.69	9.27	95.1	
P4573-16	MYE5A9	16	1.15	8.44	9.59	9.05	93.6	
P4573-17	MYE5B0	17	1.12	8.51	9.63	9.08	93.5	
P4573-18	MYE5B1	18	1.14	8.44	9.58	8.28	84.6	
P4573-19	MYE5B2	19	1.14	8.48	9.62	9.28	96.0	

WORKLIST(Hardcopy Internal Chain)

%1-p4573 WorkList Name:

WorkList ID: 184844

Department: Wet-Chemistry

B 123158

	The state of the s			coparaiem :	wer-chemistry	Date:		10-27-2024 10:53:20
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date Method	Method
P4573-01	MYE596	-						
P4573_02		Solid	Percent Solids	Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
20-0-0-1	MITEOS	Solid	Percent Solids	Cool 4 deg C	USEP01	042	04/25/2024	Chomoto
P45/3-03	MYE598	Solid	Percent Solids	Cool 4 dea C	HEEDOA	250	+202/202/10	Oc- Inelliect
P4573-04	MYE599	Solid	Percent Solids	C 202 7		Q42	04/25/2024	Chemtech -SO
P4573-05	MYE5A0	Solid	Percent Solide	o o o o o o o o o o o o o o o o o o o	USEP01	Q42	04/25/2024	Chemtech -SO
P4573-06	MYE5A1	rilov.	Spino moore	Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
P4573-07	MYE5A2		reiceill Solids	Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
D4573.08		Solid	Percent Solids	Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
0000	MYESAZD	Solid	Percent Solids	Cool 4 deg C	USEP01	Q42	04/25/2024	Chombon do
P45/3-09	MYE5A2S	Solid	Percent Solids	Cool 4 dea C	I I SED04			Or- Doning Cl
P4573-10	MYE5A3	Solid	Percent Solids	0 6 7 7 1000			04/25/2024	Chemtech -SO
P4573-11	MYE5A4	rilou		Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
P4573-12	MYESAS		reicent Solids	Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
DAE72 42		pilos	Percent Solids	Cool 4 deg C	USEP01	Q42	04/25/2024	Chemtech -SO
61-6764-1	MYE5A6	Solid	Percent Solids	Cool 4 deg C	USEP01	042	1000	
P4573-14	MYE5A7	Solid	Percent Solids	Cool 4 dea C			04/25/2024	Chemtech -SO
P4573-15	MYE5A8	Solid	Percent Solide		OSEROI	Q42 (04/25/2024	Chemtech -SO
P4573-16	MYE5A9	rilo d		Cool 4 deg C	USEP01	Q42 (04/25/2024	Chemtech -SO
P4573-17			reicent solids	Cool 4 deg C	USEP01	Q42 (04/25/2024	Chemtech -SO
D4572 40		Solid	Percent Solids	Cool 4 deg C	USEP01	Q42 (04/25/2024	Chemtech -SO
01-02-10	MYESB1	Solid	Percent Solids	Cool 4 deg C	USFP04	040	10000	}
P4573-19	MYE5B2	Solid	Percent Solids	0 200 7 1000			04/25/2024	Chemtech -SO
				Cool 4 deg C	USEP01	Q42 (04/25/2024	Chemtech -SO

Date/Time 18124 15135

Raw Sample Received by: (6) Uell

Raw Sample Relinquished by:

Raw Sample Relinquished by: Date/Time 1011+124 Raw Sample Received by:

Page 1 of 1