SDG COVER PAGE

Alliance Technical Group, LLC Lab Name: Contract: 68HERH20D0011 Lab Code: Case No.: 51779 MA No.: 3225.1,3226.1 SDG No.: MYCZ39 SOW No. : SFAM01.1 Analysis Method EPA Sample No. Lab Sample Id ICP-AES ICP-MS Mercury Cyanide MYCZ39 P5173-01 Χ Χ MYCZ40 P5173-02 Χ Χ MYCZ41 P5173-03 Χ Χ MYCZ42 P5173-04 Χ MYCZ43 P5173-05 Χ Χ MYCZ44 P5173-06 Χ Χ MYCZ45 P5173-07 Χ Χ MYCZ46 P5173-08 Χ Χ MYCZ47 P5173-09 Χ Χ MYCZ48 P5173-10 Χ Χ MYCZ49 Χ Χ P5173-11 MYCZ50 P5173-12 Χ Χ MYCZ51 P5173-13 Χ Χ Χ Χ MYCZ52 P5173-14 MYCZ53 P5173-15 Χ Χ MYCZ54 P5173-16 Χ Χ MYCZ55 P5173-17 Χ Χ MYCZ56 P5173-18 Χ Χ MYCZ57 P5173-19 Χ Χ MYCZ58 P5173-20 Χ Χ MYCZ58D P5173-21 Χ Χ MYCZ58S P5173-22 Χ Χ I certify that this data package is in compliance with the terms and conditions of the

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:	Name:
Date:	Title:

Page 3 of 5

USEPA CLP COC (LAB COPY)

DateShipped: 12/5/2024 CarrierName: FedEx

CHAIN OF CUSTODY RECORD

Case #: 51779 Cooler #: 51779-115

No: 9-091724-124303-0115

Lab: Alliance Technical Group LLC
Lab Contact: Max Bonner
Lab Phone: 601-264-2854

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
2434-B-0004-03	MYCZ39	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7135 (None) (1)	2434-B-0004	09/16/2024 15:37	
2434-A-0005-01	MYCZ40	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7136 (None) (1)	2434-A-0005	09/16/2024 15:38	,
2434-B-0005-01	MYCZ41	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7137 (None) (1)	2434-B-0005	09/16/2024 15:39	
2434-A-0007-01	MYCZ42	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7138 (None) (1)	2434-A-0007	09/16/2024 15:41	۰
2434-B-0001-01	MYCZ43	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7139 (None) (1)	2434-B-0001	09/16/2024 15:41	
2434-B-0003-01	MYCZ44	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7140 (None) (1)	2434-B-0003	09/16/2024 15:43	
2434-A-0002-01	MYCZ45	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7141 (None) (1)	2434-A-0002	09/16/2024 15:44	-
2434-A-0001-02	MYCZ46	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7142 (None) (1)	2434-A-0001	09/16/2024 15:47	-
2434-A-0001-01	MYCZ47	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7143 (None) (1)	2434-A-0001	09/16/2024 15:47	
2434-A-0006-01	MYCZ48	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7144 (None) (1)	2434-A-0006	09/16/2024 15:48	

Special Instructions: Percent solids required for every sample, Use MAs 3225 and 3226. Lab should select samples for Lab QC. ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se,Tl, V, Zn

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

DAMPHO Items/Reason and Relinquished by (Signature and Organization) MINONE りまり 12/05/2024 Date/Time Received by Signature and Organization) 75.6.24 (0/0) Date/Time TP. G. #1 No ting But, No ICE Sample Condition Upon Receipt

Page 4 of 5

USEPA CLP COC (LAB COPY)

DateShipped: 12/5/2024 CarrierName: FedEx

CHAIN OF CUSTODY RECORD

Case #: 51779 Cooler #: 51779-115

No: 9-091724-124303-0115

Lab: Alliance Technical Group LLC
Lab Contact: Max Bonner
Lab Phone: 601-264-2854

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
2434-A-0003-01	MYCZ49	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7145 (None) (1)	2434-A-0003	09/16/2024 15:52	2
90381-C-S0004- 02	MYCZ50	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7146 (None) (1)	90381-C-S0004	09/16/2024 11:58	>
O07C-B-003-01	MYCZ51	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7147 (None) (1)	O07C-B-003	09/16/2024 16:01	,
O07C-B-004-03	MYCZ52	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7148 (None) (1)	O07C-B-004	09/16/2024 16:03	-
O07C-B-002-01	MYCZ53	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7149 (None) (1)	O07C-B-002	09/16/2024 16:08	•
O07C-B-001-01	MYCZ54	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7150 (None) (1)	O07C-B-001	09/16/2024 16:11	
O07C-B-005-01	MYCZ55	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7151 (None) (1)	O07C-B-005	09/16/2024 16:13	,
O07C-A-004-01	MYCZ56	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7152 (None) (1)	O07C-A-004	09/16/2024 16:16	,
O07C-A-004-02	MYCZ57	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7153 (None) (1)	O07C-A-004	09/16/2024 16:18	
O07C-A-001-01	MYCZ58	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7154 (None) (1)	O07C-A-001	09/16/2024 16:19	· Qe

Special Instructions: Percent solids required for every sample, Use MAs 3225 and 3226. Lab should select samples for Lab QC. ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se,Tl, V, Zn

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

not-plant, non xie					
, , ,					
Costody Seal Times					
S. C. Q. J. D. J. D. J. D.	12-6-29		(3:00	Morson	كالما
一00年1 日2:	(0)		12/05/2624	Carolina Certano	2 dus
Sample Condition Upon Receipt	Date/Time	Received by (Signature and Organization)	Date/Time	Relinquished by (Signature and Organization)	Items/Reason

FORM DC-1 SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group		Page 1 of
Received By (Print Name)	a Reja	Log-in Date 12/6/2024
Received By (Signature)		
Case Number 51779	SDG No. MYCZ39	MA No. 3225.1,3226.1

	1
Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	n/a
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and	770494783223
Shipping Container ID No.	1
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	8.3 Degree C
8. Sample Condition	Intact
9. Sample Tags	Absent
Sample Tag Numbers	Listed on Traffic
TVAINOVIS	Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree?	Yes
11. Date Received at Lab	12/06/2024
12.Time Received	10:10

	T				1
			Correspondi	ng	
	EPA Sample #	Aqueous Water Sample pH	Sample Tag #	Assigned	Remarks: Condition of Sample Shipment, etc.
1	MYCZ39	N/A	9-7135	P5173-01	Intact
2	MYCZ40	N/A	9-7136	P5173-02	Intact
3	MYCZ41	N/A	9-7137	P5173-03	Intact
4	MYCZ42	N/A	9-7138	P5173-04	Intact
5	MYCZ43	N/A	9-7139	P5173-05	Intact
6	MYCZ44	N/A	9-7140	P5173-06	Intact
7	MYCZ45	N/A	9-7141	P5173-07	Intact
8	MYCZ46	N/A	9-7142	P5173-08	Intact
9	MYCZ47	N/A	9-7143	P5173-09	Intact
10	MYCZ48	N/A	9-7144	P5173-10	Intact
11	MYCZ49	N/A	9-7145	P5173-11	Intact
12	MYCZ50	N/A	9-7146	P5173-12	Intact
13	MYCZ51	N/A	9-7147	P5173-13	Intact
14	MYCZ52	N/A	9-7148	P5173-14	Intact
15	MYCZ53	N/A	9-7149	P5173-15	Intact
16	MYCZ54	N/A	9-7150	P5173-16	Intact
17	MYCZ55	N/A	9-7151	P5173-17	Intact
18	MYCZ56	N/A	9-7152	P5173-18	Intact
19	MYCZ57	N/A	9-7153	P5173-19	Intact
20	MYCZ58	N/A	9-7154	P5173-20	Intact
21	MYCZ58D	N/A	9-7154	P5173-21	Intact
22	MYCZ58S	N/A	9-7154	P5173-22	Intact
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By		Logbook No.	N/A	
Date	12/6/27	Logbook Page No.	N/A	

FORM DC-2 COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical	l Group, LLC		
LAB CODE	ACE			
CONTRACT NO.	68HERH20D0011			
CASE NO.	51779	SDG NO.	MYCZ39	
MA NO.	3225.1,3226.1	SOW NO.	SFAM01.1	•
	-			-

All documents delivered in the Complete SDG File must be original documents where possible. (Reference - Exhibit B Section 2.4)

(Neterence Exhibit B Section 2.4)				
	PAGE	NOs:	CH	ECK
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	✓	
3. Sample Log-In Sheet (DC-1)	4	4	✓	
4. CSF Inventory Sheet (DC-2)	5	7	✓	
5. SDG Narrative	8	17	✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	18	20	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	21	40	✓	
or sample analysis, laboratory QC as applicable 9. Instrument raw data by instrument in analysis order	41	556	✓	
Other Data				
10 . Standard and Reagent Preparation Logs	557	694		
11. Original Preparation and Cleanup forms or copies of Preparation and	695	696		
Cleanup Logbooks 12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	697	720		
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	<u> </u>	
14. Extraction Logs for TCLP and SPLP	NA	NA_	<u> ✓</u>	
15. Raw GPC Data	NA	NA_	✓	
16. Raw Florisil Data	NA	NA_		
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	721	740		
or sample analysis, laboratory QC as applicable 18. Instrument raw data by instrument in analysis order	741	3317		
Other Data				
19. Standard and Reagent Preparation Logs	3318	3457	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and	3458	3459	_	
Cleanup Logbooks 21. Original Analysis or Instrument Run forms or copies of Analysis or	3460	3489		
Instrument Logbooks 22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA		

	PAGE 1	NOs:	СН	ECK
	FROM	TO	LAB	REGION
23. Extraction Logs for TCLP and SPLP	NA	NA		
24 . Raw GPC Data	NA	NA		
25 . Raw Florisil Data	NA	NA		
Analysis Forms and Data (Mercury)				
26. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA		
or sample analysis, laboratory QC as applicable 27. Instrument raw data by instrument in analysis order	NA .	NA	_	
Other Data				
28. Standard and Reagent Preparation Logs	NA	NA	✓	
29. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA		
30 . Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA		
Instrument Logbooks 31. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA	NA	✓	
Instructions 32. Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	√	
34 . Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (Cyanide)				
35. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA	✓	
or sample analysis, laboratory QC as applicable 36. Instrument raw data by instrument in analysis order	NA	NA	✓	
Other Data				
37. Standard and Reagent Preparation Logs	NA	NA	✓	
38. Original Preparation and Cleanup forms or copies of Preparation and	NA	NA	✓	
Cleanup Logbooks 39. Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA	✓	
Instrument Logbooks 40. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA_	NA	✓	
Instructions 41. Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	✓	·
43 . Raw Florisil Data	NA	NA	✓	

			PAGE	NOs:	CH	HECK
			FROM	TO	LAB	REGION
Additional						
44. EPA Shipp	ping/Receiving Documents					
Airbill ((No. of Shipments)		3490	3490	✓	
Sample Ta	ags		NA	NA	✓	
Sample Lo	og-In Sheet (Lab)		3491	3493	✓	
45. Misc. Shi	pping/Receiving Records(list all individ	dual records)				
			NA_	NA		
	Lab Sample Transfer Records and Tracking	g Sheets				
(describe	e or list)		3494	3497		
						-
						- —
	cords and related Communication Logs					
,			NA	NA	✓	
						-
10 0						-
48. Comments:						
Completed by	:					
(CLP Lab)		Nimisha Pandya, Docum	ent Control	l Officer	<u> </u>	
Audited by: (EPA)	(Signature)	(Print Name & Title)			(Da	te)
·/	(Signature)	(Print Name & Title)			(Da	te)



SDG NARRATIVE

USEPA
SDG # MYCZ39
CASE # 51779
CONTRACT # 68HERH20D0011
SOW# SFAM01.1
LAB NAME: Alliance Technical Group, LLC
LAB CODE: ACE
LAB ORDER ID # P5173
MODIFIED ANALYSIS #3225.1, 3226.1

A. Number of Samples and Date of Receipt

20 Soil samples was delivered to the laboratory intact on 12/06/2024

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 8.3°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1: A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution 1: To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



284 Sheffield Street

Mountainside, NJ 07092

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

Concentration (mg/kg) =
$$C \times \frac{Vf}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYCZ39 For Antimony:

If
$$C = 0.0160782 \text{ ppm}$$

$$Vf = 100 ml$$

$$W = 1.18 g$$

S = 0.976(97.6/100)

DF = 2

Concentration (mg/kg) =
$$0.0160782 \text{ x} \frac{100}{1.18 \text{ x } 0.976} \text{x } 2$$

$$= 2.79212 \text{ mg/kg}$$

= 2.8 mg/kg (Reported Result with Signification)

Calculation for ICP-MS Soil Sample:

Conversion of Results from μg /L or ppb to mg/kg:

Concentration (mg/kg) =
$$C \times \frac{Vf}{W \times S} \times DF / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)



DF = Dilution Factor

Example Calculation For Sample MYCZ39 For Antimony:

If C = 0.19 ppb
Vf = 500 ml
W = 1.18 g
S = 0.976(97.6/100)
DF = 1
Concentration (mg/kg) = 0.19 x
$$\frac{500}{1.18 \times 0.976}$$
 x 1 / 1000
= 0.08248 mg/kg
= 0.082 mg/kg (Reported Result with Signification)

H. QA/QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. AES Spike sample did meet requirements except for Silver. MS Spike sample (MYCZ58SRE) did meet requirements except for Silver . Duplicate sample did meet. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc
Cobalt	45Sc
Copper	45Sc



284 Sheffield Street Mountainside, NJ 07092

	110 07 07 =
Lead	209Bi
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature	Name: Nimisha Pandya
D /	Tid D 40 100
Date	Title: Document Control Officer

Date: 09/11/2024	MA: 3225.1	Title: ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	

Matrix: Soil/Sediment

Summary of Modification

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

I. Analyte Modifications

Not applicable

II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at three times the levels specified in the SOW.
- Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW).
- Post-Digestion Spike requirements apply to the 5x Matrix Spike only.
- Post-Digestion Spike corrective actions apply to Sb.

III. Preparation and Method Modifications

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
 - Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
 - Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10-15 minutes.
 - o Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
 - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal.
 - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - o Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary
 to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted.

IV. Special Reporting Requirements

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
 administrative problems encountered and the resolution or corrective actions taken. These
 problems may include interference problems encountered during analysis, dilutions, re-analyses
 and/or re-preparations performed, and problems with the analysis of samples. Also include a
 discussion of any SOW Modified Analyses, including a copy of the approved modification form
 with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/11/2024	MA: 3226.1	Title: ICP-AES with Modified Preparation Method and Analysis of Soils with Additional
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	

Matrix: Soil/Sediment

Summary of Modification

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

I. Analyte Modifications

Not applicable

II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at two times the levels specified in the SOW.
- Post-Digestion Spike requirements apply to the 2x Matrix Spike.
- Post-Digestion Spike corrective actions apply to Sb.

III. Preparation and Method Modifications

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
 - \circ Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
 - \circ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes.
 - Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
 - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - \circ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal.
 - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
 - Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Verify that the dilution was adequate to reduce interferents to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst.
- Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted.

IV. Special Reporting Requirements

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
 administrative problems encountered and the resolution or corrective actions taken. These
 problems may include interference problems encountered during analysis, dilutions, re-analyses
 and/or re-preparations performed, and problems with the analysis of samples. Also include a
 discussion of any SOW Modified Analyses, including a copy of the approved modification form
 with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit
As 189.042 {479}		1	Fe	-0.000064	0.000000	No
TI 190.856 {477}	\boxtimes	5	Мо	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
	***************************************		Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	X	6	Мо	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
<u> </u>	***************************************	:	Cu	0.001400	0.000000	No
i	***************************************		Fe	0.000030	0.000000	No
	***************************************		Mn	0.000340	0.000000	No
	***************************************		Ni	0.000630	0.000000	No
Se 196.090 {472}	Ø	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Со	-0.000630	0.000000	No
Sb 206.833 {463}	Ø	4	Cr	0.010700	0.000000	No
		<u> </u>	V	-0.001168	0.000000	No
			Мо	-0.002850	0.000000	No
	14111414141414141414141414141414		Ni	-0.000440	0.000000	No
Al 396.152 { 85}	X	1	Мо	0.037230	0.000000	No
Ba 493.409 { 68}		None		10.007200	0.000000	1110
Be 234.861 {144}		3	Мо	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
	***************************************		Mn	-0.000047	0.000000	No
Cd 214.438 {457}	\boxtimes	1	Fe	0.000047	0.000000	No
Ca 373.690 { 90}	<u></u>	None	1.5	0.000040	0.000000	INO
Cr 267.716 {126}			Mn	0.000160	0.000000	No
Co 228.616 {448}		1				
00 220.010 (440)		2	Ti	0.001840	0.000000	No
Cu 324.754 {104}			Mo	-0.001230	0.000000	No
Cu 324.734 {104}		4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
		<u> </u>	Mn	0.000345	0.000000	No
F- 050 007 (400)			Ni	0.000895	0.000000	No
Fe 259.837 {130}		None				
Mn 257.610 {131}	<u> </u>	1	Ni Ni	0.000897	0.000000	No
Mg 279.079 {121}		None				
Ni 231.604 {446}		None				
Ag 328.068 {103}	\square	3 [Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}		None			į	Į
V 292.402 {115}		2	Мо	-0.008480	0.000000	No
	<u></u>	<u>.</u>	Cr	-0.002220	0.000000	No
Zn 206.200 {464}		None				
Zn 213.856 {158}		1 [Ni	0.007280	0.000000	No
< 769.896 { 44}		None				
P 177.495 {490}		2	Ni	0.001640	0.000000	No
		i i	Cu	-0.012530	0.000000	No
3 249.678 {135}		3	Со	0.002880	0.000000	No
	<u> </u>		V	-0.002000	0.000000	No
	Ī	·····	Fe	-0.001360	0.000000	No
Ло 202.030 {467}		None				
§ 182.034 {485}	X	2	Мо	-0.008000	0.000000	No
	K		Mn	0.002700	0.000000	No

Element, Wavelength an Order	d Use?	# IECs	IEC	k1	k2	Calc-in-fit?
Si 251.611 {134		2	Мо	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478		None		· · · · · · · · · · · · · · · · · · ·	·	
Ti 336.121 {100}	\square	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}		None		İ		· · · · · · · · · · · · · · · · · · ·
Y 224.306 {450}*		None		<u>.</u>	*	
Y 360.073 { 94}*		None			·•	·
Y 371.030 { 91}*		None				
Y 224.306 {150}*		None			. <u></u>	<u> </u>
In 230.606 {446}*		None	***************************************	***************************************		
Sr 407.771 { 83}		None	***************************************	***************************************	<u> </u>	<u>:</u>



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/10/2024

OVENTEMP IN Celsius(°C): 107 OVENTEMP OUT Celsius(°C): 103

Time IN: 12:35 Time OUT: 07:25

In Date: 12/09/2024 Out Date: 12/10/2024

Weight Check 1.0g: 1.00 Weight Check 1.0g: 1.00 Weight Check 10g: 10.00 OvenID: M OVEN#1 BalanceID: M SC-4

Thermometer ID: % SOLID- OVEN

QC:LB133826

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g)(B)	Dish+Dry Sample Wt(g)(C)	% Solid	Comments
P5173-01	MYCZ39	1	1.16	8.40	9.56	9.36	97.6	
P5173-02	MYCZ40	2	1.15	8.46	9.61	9.44	98.0	
P5173-03	MYCZ41	3	1.14	8.84	9.98	9.77	97.6	
P5173-04	MYCZ42	4	1.14	8.54	9.68	9.55	98.5	
P5173-05	MYCZ43	5	1.16	8.62	9.78	9.59	97.8	
P5173-06	MYCZ44	6	1.15	8.71	9.86	9.74	98.6	
P5173-07	MYCZ45	7	1.14	8.71	9.85	9.7	98.3	
P5173-08	MYCZ46	8	1.14	8.73	9.87	9.77	98.9	
P5173-09	MYCZ47	9	1.15	8.69	9.84	9.75	99.0	
P5173-10	MYCZ48	10	1.14	8.64	9.78	9.71	99.2	
P5173-11	MYCZ49	11	1.14	8.70	9.84	9.64	97.7	
P5173-12	MYCZ50	12	1.14	8.64	9.78	9.65	98.5	
P5173-13	MYCZ51	13	1.14	8.39	9.53	9.26	96.8	
P5173-14	MYCZ52	14	1.15	8.79	9.94	9.77	98.1	
P5173-15	MYCZ53	15	1.14	8.54	9.68	9.57	98.7	
P5173-16	MYCZ54	16	1.14	8.48	9.62	9.52	98.8	
P5173-17	MYCZ55	17	1.14	8.49	9.63	9.31	96.2	
P5173-18	MYCZ56	18	1.18	8.43	9.61	9.54	99.2	
P5173-19	MYCZ57	19	1.14	8.65	9.79	9.65	98.4	
P5173-20	MYCZ58	20	1.16	8.46	9.62	9.56	99.3	
P5173-21	MYCZ58D	21	1.16	8.46	9.62	9.56	99.3	
P5173-22	MYCZ58S	22	1.16	8.46	9.62	9.56	99.3	

WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-p5173

WorkList ID: 186123

Department: Wet-Chemistry

Date: 12-09-2024

					wet-Chemistry	Da	Date: 12-09-2(12-09-2024 09:29:14
Sample	Customer Sample	ile Matrix	Test	Preservative	Customer	Raw Sample Storage	Collect Date	Method
P5173-01)1 MYCZ39	Tilou	O Amount					
P5173-02	MYCZ40		reicent solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-03		DIIOO	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Choring A.
06449		Solid	Percent Solids	Cool 4 deg C	USEP01	5	1202101 100	orientech-SO
13173-04	4 MYCZ42	Solid	Percent Solids	Cool 4 dea C		5	09/16/2024	Chemtech -SO
P5173-05	5 MYCZ43	Solid	Percent Solids		USEP01	C11	09/16/2024	Chemtech -SO
P5173-06	6 MYCZ44	Solid	Percent Solide	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-07	7 MYCZ45	Solid	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-08	8 MYCZ46	Solid	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-09	9 MYC247	Til Co	Doronic Colids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -So
P5173-10	0 MYCZ48	2	Spilos illasia	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-11	1 MYC249	DIOC	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-12		Dillon	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-13		DIIOS	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtach - CO
P5173-14		Pilos	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	o decimon
06440		Solid	Percent Solids	Cool 4 deg C	USEP01	5	1707/01/00	Oc- uselliech
61-67167	MYCZ53	Solid	Percent Solids	Cool 4 dea C		5	09/16/2024	Chemtech -SO
P5173-16	MYCZ54	Solid	Percent Solide	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	USEP01	C11	09/16/2024	Chemtech -SO
P5173-17	MYCZ55	Solid	Percent Solids	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -So
P5173-18	MYCZ56	Tion of	Porcont Collas	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-19	MYCZ57	Dilos Silos	Percent collas	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-20	MYCZ58		Percent collds	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
P5173-21	MYCZ58D		Solida Solida	Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
Dato, Time				Cool 4 deg C	USEP01	C11	09/16/2024	Chemtech -SO
	4041A1 1411 0				i	1 1 100 00		

Page 1 of 2

Raw Sample Relinquished by: Raw Sample Received by:

Raw Sample Relinquished by:

Date/Time はいけいはした Raw Sample Received by:

WORKLIST(Hardcopy Internal Chain)

%1-p5173

WorkList Name:

Date: 12-09-2024 09:29:14 Collect Date Method Raw Sample Location Storage Customer Department: Wet-Chemistry Cool 4 deg C Preservative Percent Solids WorkList ID: 186123 Test Matrix Solid Customer Sample MYCZ58S P5173-22 Sample

9 28661 M

09/16/2024 Chemtech -SO

5

USEP01

Date/Time 12709124 Raw Sample Received by:

Raw Sample Relinquished by:

Page 2 of 2

Date/Time 1210412h 1210

Raw Sample Relinquished by: Raw Sample Received by: