### SDG COVER PAGE

Alliance Technical Group, LLC Lab Name: Contract: 68HERH20D0011 Lab Code: Case No.: 51779 MA No.: 3225.1,3226.1 SDG No.: MYCZB9 SOW No. : SFAM01.1 Analysis Method EPA Sample No. Lab Sample Id ICP-AES ICP-MS Mercury Cyanide MYCZB9 P5183-01 Χ Χ MYCZC0 P5183-02 Χ Χ MYCZC1 P5183-03 Χ Χ MYCZC2 P5183-04 Χ MYCZC3 P5183-05 Χ Χ MYCZC4 P5183-06 Χ Χ MYCZC5 P5183-07 Χ Χ P5183-08 MYCZC6 Χ Χ MYCZC7 P5183-09 Χ Χ MYCZC8 P5183-10 Χ Χ MYCZC9 P5183-11 Χ Χ MYCZD0 P5183-12 Χ Χ MYCZD1 P5183-13 Χ Χ Χ Χ MYCZD2 P5183-14 MYCZD3 P5183-15 Χ Χ MYCZD4 P5183-16 Χ Χ MYCZD5 P5183-17 Χ Χ MYCZD6 P5183-18 Χ Χ MYCZD7 P5183-19 Χ Χ MYCZD8 P5183-20 Χ Χ MYCZD8D P5183-21 Χ Χ P5183-22 Χ Χ MYCZD8S I certify that this data package is in compliance with the terms and conditions of the

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:	Name:
Date:	Title:

### Page 1 of 5

## USEPA CLP COC (LAB COPY)

DateShipped: 12/5/2024 CarrierName: FedEx

## CHAIN OF CUSTODY RECORD

Cooler #: 51779-117 Case #: 51779

Lab: Alliance Technical Group LLC No: 9-091824-120511-0117 Lab Phone: 601-264-2854 Lab Contact: Max Bonner

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
3011_3012-F- 0004-01	MYCZB9	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7228 (None) (1)	3011_3012-F- 0004	09/17/2024 15:10	
3011_3012-G- S0001-01	MYCZC0	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7229 (None) (1)	3011_3012-G- S0001	09/17/2024 15:06	
3011_3012-G- 0003-01	MYCZC1	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7230 (None) (1)	3011_3012-G- 0003	09/17/2024 15:02	
3011_3012-G- 0004-02	MYCZC2	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7231 (None) (1)	3011_3012-G- 0004	09/17/2024 15:01	
3011_3012-G- 0004-01	MYCZC3	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7232 (None) (1)	3011_3012-G- 0004	09/17/2024 15:00	
3011_3012-G- 0001-01	MYCZC4	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7233 (None) (1)	3011_3012-G- 0001	09/17/2024 14:58	
3011_3012-G- 0002-01	MYCZC5	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7234 (None) (1)	3011_3012-G- 0002	09/17/2024 14:56	
3011_3012-H- 0004-01	MYCZC6	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7235 (None) (1)	3011_3012-H- 0004	09/17/2024 14:10	
3011_3012-H- 0003-01	MYCZC7	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7236 (None) (1)	3011_3012-H- 0003	09/17/2024 14:08	
3011_3012-H- 0001-02	MYCZC8	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7237 (None) (1)	3011_3012-H- 0001	09/17/2024 14:07	

Special Instructions: Percent solids required for every sample, Use MAs 3225 and 3226. Lab should select samples for Lab QC. ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Ti,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se,Tl, V, Zn

Samples Transferred From Chain of Custody # Shipment for Case Complete? N

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

	(60.17
3.00	
Corpline Customro 12/05/24	2000
Items/Reason Relinquished by (Signature and Organization) Date/Time	Items/Reason
Date/Time	Relinguished by (Signature and Organization)

## USEPA CLP COC (LAB COPY)

DateShipped: 12/5/2024
CarrierName: FedEx

## CHAIN OF CUSTODY RECORD

Case #: 51779 Cooler #: 51779-117

Lab: Alliance Technical Group LLC

Lab Contact: Max Bonner Lab Phone: 601-264-2854 No: 9-091824-120511-0117

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
3011_3012-H- 0001-01	MYCZC9	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7238 (None) (1)	3011_3012-H- 0001	09/17/2024 14:06	
3011_3012-H- 0002-01	MYCZD0	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7239 (None) (1)	3011_3012-H- 0002	09/17/2024 14:04	
3011_3012-F- 0001-01	MYCZD1	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7240 (None) (1)	3011_3012-F- 0001	09/17/2024 15:22	
3013A_3013B-C- 0001-01	MYCZD2	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7241 (None) (1)	3013A_3013B- C-0001	09/17/2024 13:37	
3013A_3013B-A- 0002-01	MYCZD3	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7242 (None) (1)	3013A_3013B- A-0002	09/17/2024 14:28	
3013A_3013B-A- S0003-01	MYCZD4	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7243 (None) (1)	3013A_3013B- A-S0003	09/17/2024 14:24	
3013A_3013B-A- S0002-03	MYCZD5	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7244 (None) (1)	3013A_3013B- A-S0002	09/17/2024 14:20	
3013A_3013B-A- S0001-01	MYCZD6	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7245 (None) (1)	3013A_3013B- A-S0001	09/17/2024 14:19	
3013A_3013B-B- 0005-01	MYCZD7	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7246 (None) (1)	3013A_3013B- B-0005	09/17/2024 13:58	
3013A_3013B-B- 0001-01	MYCZD8	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7247 (None) (1)	3013A_3013B- B-0001	09/17/2024 13:57	8

Special Instructions: Percent solids required for every sample, Use MAs 3225 and 3226. Lab should select samples for Lab QC. ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Ti,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se,Ti, V, Zn

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

	Sinplo
	Relinquished by (Signature and Organization)  Cw 2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	Date/Time \2/65/2024 \3`.00
	Received by (Signature and Organization)
	Date/Time / 010
noting Sent Intact	Sample Condition Upon Receipt

### FORM DC-1 SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Grou	p, LLC	Page 1 of 1
Received By (Print Name)	nova lenia	Log-in Date 12/6/2024
Received By (Signature)		
Case Number 51779	SDG No. MYCZB9	MA No. 3225.1,3226.1

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	n/a
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and	770494781140
Shipping Container ID No.	1
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	7.9 Degree C
8. Sample Condition	Intact
9. Sample Tags	Absent
Sample Tag Numbers	Listed on Traffic
	Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	12/06/2024
12.Time Received	10:10

		1	Correspor	nding	Damaula
	EPA Sample #	Aqueous Water Sample pH	Sample Tag #	Assigned	Remarks: Condition of Sample Shipment, etc.
1	MYCZB9	N/A	9-7228	P5183-01	Intact
2	MYCZC0	N/A	9-7229	P5183-02	Intact
3	MYCZC1	N/A	9-7230	P5183-03	Intact
4	MYCZC2	N/A	9-7231	P5183-04	Intact
5	MYCZC3	N/A	9-7232	P5183-05	Intact
6	MYCZC4	N/A	9-7233	P5183-06	Intact
7	MYCZC5	N/A	9-7234	P5183-07	Intact
8	MYCZC6	N/A	9-7235	P5183-08	Intact
9	MYCZC7	N/A	9-7236	P5183-09	Intact
10	MYCZC8	N/A	9-7237	P5183-10	Intact
11	MYCZC9	N/A	9-7238	P5183-11	Intact
12	MYCZD0	N/A	9-7239	P5183-12	Intact
13	MYCZD1	N/A	9-7240	P5183-13	Intact
14	MYCZD2	N/A	9-7241	P5183-14	Intact
15	MYCZD3	N/A	9-7242	P5183-15	Intact
16	MYCZD4	N/A	9-7243	P5183-16	Intact
17	MYCZD5	N/A	9-7244	P5183-17	Intact
18	MYCZD6	N/A	9-7245	P5183-18	Intact
19	MYCZD7	N/A	9-7246	P5183-19	Intact
20	MYCZD8	N/A 9	9-7247	P5183-20	Intact
21	MYCZD8D	N/A 9	9-7247	P5183-21	Intact
22	MYCZD85	N/A 9	9-7247	P5183-22	Intact
23	N/A	N/A	N/A	N/A	 N/A

### \* Contact SMO and attach record of resolution

Reviewed By		Logbook No.	N/A	
Date	12/6/24	Logbook Page No.	N/A	

### FORM DC-2 COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical	l Group, LLC		
LAB CODE	ACE			
CONTRACT NO.	68HERH20D0011			
CASE NO.	51779	SDG NO.	MYCZB9	
MA NO.	3225.1,3226.1	SOW NO.	SFAM01.1	_

All documents delivered in the Complete SDG File must be original documents where possible. (Reference - Exhibit B Section 2.4)

, , , , , , , , , , , , , , , , , , , ,				
	PAGE	NOs:	CHI	ECK_
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	_ ✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	<b>✓</b>	
3. Sample Log-In Sheet (DC-1)	4	4	<b>-</b> ✓	
4. CSF Inventory Sheet (DC-2)	5	7	✓	
5. SDG Narrative	8	17	<b>✓</b>	
6. Communication Logs	NA	NA	<b>✓</b>	
7. Percent Solids Log	18	20	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	21	40	✓	
or sample analysis, laboratory QC as applicable 9. Instrument raw data by instrument in analysis order	41	818	✓	
Other Data				
10. Standard and Reagent Preparation Logs	819	957	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and	958	959	<b>✓</b>	
Cleanup Logbooks 12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	960	994	<b>✓</b>	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA		
14. Extraction Logs for TCLP and SPLP	NA	NA		
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	995	1014	✓	
or sample analysis, laboratory QC as applicable 18. Instrument raw data by instrument in analysis order	1015	2514	✓	
Other Data				
19. Standard and Reagent Preparation Logs	2515	2646	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and	2647	2648	<b>✓</b>	
Cleanup Logbooks 21. Original Analysis or Instrument Run forms or copies of Analysis or	2649	2661	✓	
<pre>Instrument Logbooks 22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions</pre>	NA	NA	✓	

	PAGE 1	NOs:	СН	ECK
	FROM	TO	LAB	REGION
23. Extraction Logs for TCLP and SPLP	NA	NA		
24 . Raw GPC Data	NA	NA		
25 . Raw Florisil Data	NA	NA		
Analysis Forms and Data (Mercury)				
26. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA		
or sample analysis, laboratory QC as applicable 27. Instrument raw data by instrument in analysis order	NA .	NA	<b>✓</b>	
Other Data				
28. Standard and Reagent Preparation Logs	NA	NA	<b>✓</b>	
29. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA		
30 . Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA		
Instrument Logbooks 31. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA	NA	✓	
Instructions 32. Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	<b>√</b>	
34 . Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (Cyanide)				
35. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample	NA	NA	✓	
or sample analysis, laboratory QC as applicable 36. Instrument raw data by instrument in analysis order	NA	NA	✓	
Other Data				
37. Standard and Reagent Preparation Logs	NA	NA	✓	
38. Original Preparation and Cleanup forms or copies of Preparation and	NA	NA	<b>✓</b>	
Cleanup Logbooks 39. Original Analysis or Instrument Run forms or copies of Analysis or	NA	NA	✓	
Instrument Logbooks 40. Performance Evaluation (PE)/Proficiency Testing (PT) Sample	NA_	NA	✓	
Instructions 41. Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	<b>✓</b>	·
43 . Raw Florisil Data	NA	NA	✓	

			PAGE	NOs:	CH	HECK
			FROM	TO	LAB	REGION
Additional						
44. EPA Shipp	ping/Receiving Documents					
Airbill	(No. of Shipments)		2662	2662	✓	
Sample Ta	ags		NA	NA	✓	
Sample Lo	og-In Sheet (Lab)		2663	2665	✓	
45. Misc. Shi	ipping/Receiving Records(list all indivi	dual records)				-
			NA	NA		
	Lab Sample Transfer Records and Tracking	ng Sheets				
(describe	e or list)		2666	2669	,	
					<b>√</b>	
45 011 5						
	cords and related Communication Logs e or list)					
<u> </u>	*		NA	NA	✓	
						-
40 0						
48. Comments:	:					
Completed by	·:					
(CLP Lab)	(Cignotune)	Nimisha Pandya, Docum (Print Name & Title)	ent Control	l Officer	<u> </u>	+ - \
Audited by: (EPA)	(Signature)	(Print Name & Title)			(Da	te)
	(Signature)	(Print Name & Title)			(Da	te)



### **SDG NARRATIVE**

USEPA
SDG # MYCZB9
CASE # 51779
CONTRACT # 68HERH20D0011
SOW# SFAM01.1
LAB NAME: Alliance Technical Group, LLC
LAB CODE: ACE
LAB ORDER ID # P5183
MODIFIED ANALYSIS #3225.1, 3226.1

### A. Number of Samples and Date of Receipt

20 Soil samples was delivered to the laboratory intact on 12/06/2024

### B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

### C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 7.9°C

### D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1 : A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

### E. Corrective Action taken for above:

Resolution 1 : To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

### F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



### 284 Sheffield Street Mountainside, NJ 07092

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

### **G.** Calculation:

### **Calculation for ICP-AES Soil Sample:**

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

Concentration (mg/kg) = 
$$C \times \frac{Vf}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

### **Example Calculation For Sample MYCZB9 For Arsenic:**

If 
$$C = 0.2762670 \text{ ppm}$$

Vf = 100 ml

W = 1.13 g

S = 0.985(98.5/100)

DF = 2

Concentration (mg/kg) = 0.2762670 x 
$$\frac{100}{1.13 \times 0.985}$$
 x 2

$$= 49.6414 \text{ mg/kg}$$

= 50 mg/kg (Reported Result with Signification)

### **Calculation for ICP-MS Soil Sample:**

Conversion of Results from µg /L or ppb to mg/kg:

Concentration (mg/kg) = 
$$C \times Vf \times DF / 1000$$
  
W x S

Where,

C = Instrument value in ppb (The average of all replicate integrations)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)



### **Example Calculation For Sample MYCZB9 For Antimony:**

If C = 0.62 ppb  
Vf = 500 ml  
W = 1.13 g  
S = 0.985(98.5/100)  
DF = 1  
Concentration (mg/kg) = 0.62 x 
$$\frac{500}{1.13 \times 0.985}$$
 x 1 / 1000  
= 0.2785 mg/kg  
= 0.28 mg/kg (Reported Result with Signification)

### H. QA/QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. AES Spike sample did meet requirements except for Chromium, Copper, Thallium. MS Spike sample (MYCZD8SRE) did meet requirements except for Silver. MS Spike sample (MYCZD8S) did meet requirements except for Chromium. Duplicate sample did meet requirements. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb



### 284 Sheffield Street Mountainside, NJ 07092

Widamanisiac,	110 0702
Chromium	45Sc
Cobalt	45Sc
Copper	45Sc
Lead	209Bi
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature	Name: Nimisha Pandya
Date	Title: Document Control Officer

Date: 09/11/2024	MA: 3225.1	<b>Title:</b> ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	

Matrix: Soil/Sediment

### **Summary of Modification**

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

### I. Analyte Modifications

Not applicable

### II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at three times the levels specified in the SOW.
- Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW).
- Post-Digestion Spike requirements apply to the 5x Matrix Spike only.
- Post-Digestion Spike corrective actions apply to Sb.

### **III. Preparation and Method Modifications**

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
  - Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
  - Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10-15 minutes.
  - o Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
  - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
  - Cool sample, add 2mL water and 3 mL 30% H<sub>2</sub>O<sub>2</sub>. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H<sub>2</sub>O<sub>2</sub> until effervescence is minimal.
  - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
  - o Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary
  to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted.

### **IV. Special Reporting Requirements**

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
  administrative problems encountered and the resolution or corrective actions taken. These
  problems may include interference problems encountered during analysis, dilutions, re-analyses
  and/or re-preparations performed, and problems with the analysis of samples. Also include a
  discussion of any SOW Modified Analyses, including a copy of the approved modification form
  with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory\_Control\_Sample\_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/11/2024	MA: 3226.1	<b>Title:</b> ICP-AES with Modified Preparation Method and Analysis of Soils with Additional
		Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	

Matrix: Soil/Sediment

### **Summary of Modification**

The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.

### I. Analyte Modifications

Not applicable

### II. Calibration and QC Requirements

Not applicable

The Laboratory shall:

- Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C.
- Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required.
- Prepare a Matrix Spike spiked at two times the levels specified in the SOW.
- Post-Digestion Spike requirements apply to the 2x Matrix Spike.
- Post-Digestion Spike corrective actions apply to Sb.

### **III. Preparation and Method Modifications**

Not applicable

- Prepare and analyze the sample by EPA Draft Method 3050C as follows:
  - $\circ$  Mix sample thoroughly and transfer 1.00 1.50 g to a digestion vessel.
  - $\circ$  Add 10 mL 1:1 HNO<sub>3</sub> and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes.
  - Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete.
  - Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
  - $\circ$  Cool sample, add 2mL water and 3 mL 30% H<sub>2</sub>O<sub>2</sub>. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H<sub>2</sub>O<sub>2</sub> until effervescence is minimal.
  - Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C).
  - Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis.
- The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses.
- Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW.
- Verify that the dilution was adequate to reduce interferents to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst.
- Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted.

### **IV. Special Reporting Requirements**

Not applicable

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and
  administrative problems encountered and the resolution or corrective actions taken. These
  problems may include interference problems encountered during analysis, dilutions, re-analyses
  and/or re-preparations performed, and problems with the analysis of samples. Also include a
  discussion of any SOW Modified Analyses, including a copy of the approved modification form
  with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory\_Control\_Sample\_Duplicate".
- Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit
As 189.042 {479}		1	Fe	-0.000064	0.000000	No
TI 190.856 {477}	$\boxtimes$	5	Мо	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
	***************************************		Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	X	6	Мо	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
<u> </u>	***************************************	:	Cu	0.001400	0.000000	No
i	***************************************		Fe	0.000030	0.000000	No
	***************************************		Mn	0.000340	0.000000	No
	***************************************		Ni	0.000630	0.000000	No
Se 196.090 {472}	Ø	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Со	-0.000630	0.000000	No
Sb 206.833 {463}	Ø	4	Cr	0.010700	0.000000	No
		<u> </u>	V	-0.001168	0.000000	No
			Мо	-0.002850	0.000000	No
	14111414141414141414141414141414		Ni	-0.000440	0.000000	No
Al 396.152 { 85}	X	1	Мо	0.037230	0.000000	No
Ba 493.409 { 68}		None		10.007200	0.000000	1110
Be 234.861 {144}		3	Мо	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
	***************************************		Mn	-0.000047	0.000000	No
Cd 214.438 {457}	$\boxtimes$	1	Fe	0.000047	0.000000	No
Ca 373.690 { 90}	<u></u>	None	1.5	0.000040	0.000000	INO
Cr 267.716 {126}			Mn	0.000160	0.000000	No
Co 228.616 {448}		1				
00 220.010 (440)		2	Ti	0.001840	0.000000	No
Cu 324.754 {104}			Mo	-0.001230	0.000000	No
Cu 324.734 {104}		4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
		<u> </u>	Mn	0.000345	0.000000	No
F- 050 007 (400)			Ni	0.000895	0.000000	No
Fe 259.837 {130}		None				
Mn 257.610 {131}	<u> </u>	1	Ni Ni	0.000897	0.000000	No
Mg 279.079 {121}		None				
Ni 231.604 {446}		None			<b></b>	
Ag 328.068 {103}	$\square$	3 [	Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}		None			į	Į
V 292.402 {115}		2	Мо	-0.008480	0.000000	No
	<u></u>	<u>.</u>	Cr	-0.002220	0.000000	No
Zn 206.200 {464}		None				
Zn 213.856 {158}		1 [	Ni	0.007280	0.000000	No
< 769.896 { 44}		None				
P 177.495 {490}		2	Ni	0.001640	0.000000	No
		i i	Cu	-0.012530	0.000000	No
3 249.678 {135}		3	Со	0.002880	0.000000	No
	<u> </u>		V	-0.002000	0.000000	No
	Ī	·····	Fe	-0.001360	0.000000	No
Ло 202.030 {467}		None				
§ 182.034 {485}	X	2	Мо	-0.008000	0.000000	No
	K		Mn	0.002700	0.000000	No

Element, Wavelength an Order	d Use?	# IECs	IEC	k1	k2	Calc-in-fit?
Si 251.611 {134		2	Мо	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478		None		· · · · · · · · · · · · · · · · · · ·		
Ti 336.121 {100}	$\square$	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}		None		İ		· · · · · · · · · · · · · · · · · · ·
Y 224.306 {450}*		None			*	
Y 360.073 { 94}*		None			·•	·
Y 371.030 { 91}*		None				
Y 224.306 {150}*		None			. <u></u>	<u> </u>
In 230.606 {446}*		None	***************************************	***************************************		
Sr 407.771 { 83}		None	***************************************	***************************************	<u> </u>	<u>:</u>



### PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/10/2024

OVENTEMP IN Celsius (°C): 107

OVENTEMP OUT Celsius (°C): 103

Time IN: 15:55

In Date: 12/09/2024

Time OUT: 07:50
Out Date: 12/10/2024

Weight Check 1.0g: 1.00

Weight Check 10g: 1.00

Weight Check 10g: 10.00

Weight Check 10g: 10.00

 eck 10g: 10.00
 Weight Check 10g: 10.00

 OvenID: M OVEN#1
 BalanceID: M SC-4

Thermometer ID: % SOLID- OVEN

**QC:**LB133840

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)		Dish+Dry Sample Wt(g)(C)	% Solid	Comments
P5183-01	MYCZB9	1	1.14	8.41	9.55	9.42	98.5	
P5183-02	MYCZC0	2	1.19	8.56	9.75	9.59	98.1	
P5183-03	MYCZC1	3	1.18	8.38	9.56	9.38	97.9	
P5183-04	MYCZC2	4	1.18	8.47	9.65	9.46	97.8	
P5183-05	MYCZC3	5	1.19	8.49	9.68	9.44	97.2	
P5183-06	MYCZC4	6	1.18	8.35	9.53	9.11	95.0	
P5183-07	MYCZC5	7	1.15	8.60	9.75	9.41	96.0	
P5183-08	MYCZC6	8	1.17	8.50	9.67	9.51	98.1	
P5183-09	MYCZC7	9	1.17	8.44	9.61	9.47	98.3	
P5183-10	MYCZC8	10	1.15	8.68	9.83	9.66	98.0	
P5183-11	MYCZC9	11	1.17	8.51	9.68	9.5	97.9	
P5183-12	MYCZD0	12	1.17	8.68	9.85	9.72	98.5	
P5183-13	MYCZD1	13	1.17	8.53	9.7	9.39	96.4	
P5183-14	MYCZD2	14	1.18	8.41	9.59	9.43	98.1	
P5183-15	MYCZD3	15	1.18	8.44	9.62	9.52	98.8	
P5183-16	MYCZD4	16	1.17	8.47	9.64	9.48	98.1	
P5183-17	MYCZD5	17	1.16	8.66	9.82	9.59	97.3	
P5183-18	MYCZD6	18	1.14	8.75	9.89	9.7	97.8	
P5183-19	MYCZD7	19	1.17	8.56	9.73	9.51	97.4	
P5183-20	MYCZD8	20	1.17	8.58	9.75	9.62	98.5	
P5183-21	MYCZD8D	21	1.17	8.58	9.75	9.62	98.5	
P5183-22	MYCZD8S	22	1.17	8.58	9.75	9.62	98.5	

## WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-P5183

WorkList ID: 186155

JN 133840

		WORKLIST ID :	ID: 186155	Department ·	Mot Choire	,		
Samule					vver-onemistry	Ğ	Date: 12-09-2	12-09-2024 15:07:11
	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage	Collect Date	Method
P5183-01	MYCZB9					Location		
DE 100		Solid	Percent Solids	Cool 4 deg C	I SEDO			
70-69-02	MYCZC0	Solid	Percent Solide		COEFUI	C21	09/17/2024	Chemtech -SO
P5183-03	MYCZC1	Solid	Percent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -SO
P5183-04	MYCZC2	Solid	Pocont Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -SO
P5183-05	MYCZC3	pilos:	Porcent collds	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -SO
P5183-06	MYCZC4	2	reicent solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech
P5183-07	MYCZC5	DIOO RIGO	Percent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtach co
P5183-08	MYCZC6	Discoord of the control of the contr	rercent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtach
P5183-09	MYC2C7	DIIOO	Percent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtach
P5183-10	MYCZC8	Pilos Pilos	rercent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech
P5183-11	MYCZC9	200	rercent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chomfeel of
P5183-12	MYCZDO	DIIOO	Percent Solids	Cool 4 deg C	USEP01	C24	700077700	Green -30
DE400 40	0070	Solid	Percent Solids	Cool 4 deg C	I I I I I I I I I I I I I I I I I I I		09/11/2024	Chemtech -SO
F3183-13	MYCZD1	Solid	Percent Solids	0 - 10 1000	0.05	C21	09/17/2024	Chemtech -So
P5183-14	MYCZD2	Solid	Doront Calla	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -SO
P5183-15	MYCZD3	2 <u>2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 </u>	Spilos III-acia	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech CO
P5183-16	MYCZD4	Pilos	refcent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -80
P5183-17	MYCZD5	Dijog.	refeelt Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -SO
P5183-18	MYCZD6	S. S	Percent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemtech -SO
P5183-19	MYCZD7		Percent Solids	Cool 4 deg C	USEP01	C21	09/17/2024	Chemistry Acceptage
P5183-20	MYCZD8	plios	Percent Solids	Cool 4 deg C	USEP01	C21	- 1	Chemical - 50
P5183-21	MYCZDRD		Percent Solids	Cool 4 deg C	USEP01	C21		Orientech -SO
- 1	3	Solid	Percent Solids	Cool 4 deg C	USEP01	C21	- 1	Chemtech -SO
Date/Time /	14/04/44 154/0							Chemtech -SO

Page 1 of 2

Raw Sample Relinquished by: Raw Sample Received by:

12704124

Date/Time

Raw Sample Relinquished by: Raw Sample Received by:

# WORKLIST(Hardcopy Internal Chain)

WorkList Name: %1-P5183

Date: 12-09-2024 15:07:11 Collect Date Method Raw Sample Location Storage Customer Department: Wet-Chemistry Preservative WorkList ID: 186155 Test Matrix Customer Sample Sample

OHREEL W

09/17/2024 Chemtech -SO

C21

USEP01

Cool 4 deg C

Percent Solids

Solid

MYCZD8S

P5183-22

Date/Time 12709124

Raw Sample Relinquished by: Raw Sample Received by:

164,00

Page 2 of 2

18410

Date/Time 12104/14 Raw Sample Received by:

Raw Sample Relinquished by: