

SDG COVER PAGE

Lab Name: Alliance Technical Group, LLC Contract: 68HERH20D0011
 Lab Code: ACE Case No.: 51779 MA No.: 3225.1,3226.1 SDG No.: MYCZF9
 SOW No. : SFAM01.1

EPA Sample No.	Lab Sample Id	Analysis Method			
		ICP-AES	ICP-MS	Mercury	Cyanide
MYCZF9	P5185-01	X	X		
MYCZG0	P5185-02	X	X		
MYCZG1	P5185-03	X	X		
MYCZG2	P5185-04	X	X		
MYCZG3	P5185-05	X	X		
MYCZG4	P5185-06	X	X		
MYCZG5	P5185-07	X	X		
MYCZG6	P5185-08	X	X		
MYCZG7	P5185-09	X	X		
MYCZG8	P5185-10	X	X		
MYCZM9	P5185-11	X	X		
MYCZN0	P5185-12	X	X		
MYCZN1	P5185-13	X	X		
MYCZN2	P5185-14	X	X		
MYCZN3	P5185-15	X	X		
MYCZN4	P5185-16	X	X		
MYCZN5	P5185-17	X	X		
MYCZN6	P5185-18	X	X		
MYCZN7	P5185-19	X	X		
MYCZN8	P5185-20	X	X		
MYCZN8D	P5185-21	X	X		
MYCZN8S	P5185-22	X	X		

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the SDG Narrative. All edits and manual integrations have been peer-reviewed. Release of the data contained in this hardcopy Complete SDG File and in the electronic data submitted has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: _____ Name: _____
 Date: _____ Title: _____

USEPA CLP COC (LAB COPY)

Date Shipped: 12/5/2024

Carrier Name: FedEx

Airbill No: 7704 9478 1140

CHAIN OF CUSTODY RECORD

Case #: 51779

Cooler #: 51779-117

68HERH20D0011

SDG # MYCZF9

No: 9-091824-120511-0117

Lab: Alliance Technical Group LLC

Lab Contact: Max Bonner

Lab Phone: 601-264-2854

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
O12-B-S0001-01	MYCZF9	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7268 (None) (1)	O12-B-S0001	09/17/2024 11:12	
O12-B-S0003-01	MYCZG0	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7269 (None) (1)	O12-B-S0003	09/17/2024 11:13	
O12-B-S0002-01	MYCZG1	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7270 (None) (1)	O12-B-S0002	09/17/2024 11:15	
O12-B-002-03	MYCZG2	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7271 (None) (1)	O12-B-002	09/17/2024 11:18	
O12-B-001-01	MYCZG3	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7272 (None) (1)	O12-B-001	09/17/2024 11:20	
O12-A-S0004-01	MYCZG4	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7273 (None) (1)	O12-A-S0004	09/17/2024 11:22	
O12-A-001-01	MYCZG5	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7274 (None) (1)	O12-A-001	09/17/2024 11:24	
O12-A-001-02	MYCZG6	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7275 (None) (1)	O12-A-001	09/17/2024 11:25	
O12-A-S0003-01	MYCZG7	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7276 (None) (1)	O12-A-S0003	09/17/2024 11:26	
O12-A-S0001-01	MYCZG8	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7277 (None) (1)	O12-A-S0001	09/17/2024 11:27	

Special Instructions: Percent solids required for every sample. Use MAS 3225 and 3226. Lab should select samples for Lab QC. ICP-AES 11+Metals:Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn ICP-MS 11+ Metals: Ag, As, Ba,Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se, Tl, V, Zn

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
SNP to Lab	Carolina Custon	12/05/2024 13:00	OR	12-6-24 10:10	XL-2-1 7:50
					Custody Seal Attached
					no Temp Data, no RCP

USEPA CLP COC (LAB COPY)

Date Shipped: 12/5/2024

Carrier Name: FedEx

Airbill No: 7704 9477 9210

CHAIN OF CUSTODY RECORD

Case #: 51779

Cooler #: 51779-119

No: 9-091924-162923-0119

Lab: Alliance Technical Group LLC

Lab Contact: Max Bonner

Lab Phone: 601-264-2854

Sample Identifier	CLP Sample No.	Matrix/Sampler	Coll. Method	Analysis/Turnaround (Days)	Tag/Preservative/Bottles	Location	Collection Date/Time	For Lab Use Only
3011_3012-B-0008-01	MYCZM9	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7328 (None) (1)	3011_3012-B-0008	09/18/2024 09:35	
3011_3012-B-0005-01	MYCZN0	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7329 (None) (1)	3011_3012-B-0005	09/18/2024 13:29	
3011_3012-B-0006-01	MYCZN1	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7330 (None) (1)	3011_3012-B-0006	09/18/2024 13:36	
3011_3012-C-0001-03	MYCZN2	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7331 (None) (1)	3011_3012-C-0001	09/18/2024 09:23	
3011_3012-B-S0001-01	MYCZN3	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7332 (None) (1)	3011_3012-B-S0001	09/18/2024 13:27	
3011_3012-A-0006-01	MYCZN4	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7333 (None) (1)	3011_3012-A-0006	09/18/2024 14:06	
3011_3012-B-0006-02	MYCZN5	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7334 (None) (1)	3011_3012-B-0006	09/18/2024 13:43	
3011_3012-A-0009-01	MYCZN6	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7335 (None) (1)	3011_3012-A-0009	09/18/2024 13:48	
3011_3012-A-0007-03	MYCZN7	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7336 (None) (1)	3011_3012-A-0007	09/18/2024 13:51	
3011_3012-A-0004-01	MYCZN8	Soil/ REAC	Grab	ICP-AES 11 ICP-MS 11(21)	9-7337 (None) (1)	3011_3012-A-0004	09/18/2024 13:55	de

Special Instructions: Percent solids required for every sample. Use MAS 3225 and 3226. Lab should select samples for Lab QC. ICP-AES 11+Metals: Ag, Al, As, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, Pb, Sb, Se, Ti, V, Zn ICP-MS 11+ Metals: Ag, As, Ba, Be, Cd, Co, Cr, Cu, Ni, Pb, Sb, Se, Ti, V, Zn

Analysis Key: ICP-AES 11 ICP-MS 11=CLP ICP-AES 11 Metals and ICP-MS 11 Metals

Shipment for Case Complete? N

Samples Transferred From Chain of Custody #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
SNPFO Lab	Caroline Cagiano	12/05/2024 13:00	de	12-6-24 1010	IF Cont'd 9.1. ✓
					Custody Seal Intact
					100 temp Blk, no Zdc

FORM DC-1
SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC		Page <u>1</u> of <u>2</u>
Received By (Print Name) <u>Coranava Reño</u>		Log-in Date 12/6/2024
Received By (Signature) <u>[Signature]</u>		
Case Number 51779	SDG No. MYCZF9	MA No. 3225.1,3226.1

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	<u>n/a</u>
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	<u>770494781140</u> <u>1</u>
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	<u>7.9</u> Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	<u>12/06/2024</u>
12. Time Received	<u>10:10</u>

	EPA Sample #	Aqueous/ Water Sample pH	Corresponding		Remarks: Condition of Sample Shipment, etc.
			Sample Tag #	Assigned Lab #	
1	MYCZF9	N/A	9-7268	P5185-01	Intact
2	MYCZG0	N/A	9-7269	P5185-02	Intact
3	MYCZG1	N/A	9-7270	P5185-03	Intact
4	MYCZG2	N/A	9-7271	P5185-04	Intact
5	MYCZG3	N/A	9-7272	P5185-05	Intact
6	MYCZG4	N/A	9-7273	P5185-06	Intact
7	MYCZG5	N/A	9-7274	P5185-07	Intact
8	MYCZG6	N/A	9-7275	P5185-08	Intact
9	MYCZG7	N/A	9-7276	P5185-09	Intact
10	MYCZG8	N/A	9-7277	P5185-10	Intact
11	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A
17	N/A	N/A	N/A	N/A	N/A
18	N/A	N/A	N/A	N/A	N/A
19	N/A	N/A	N/A	N/A	N/A
20	N/A	N/A	N/A	N/A	N/A
21	N/A	N/A	N/A	N/A	N/A
22	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By <u>[Signature]</u>	Logbook No. N/A
Date <u>12/6/24</u>	Logbook Page No. N/A

FORM DC-1
SAMPLE LOG-IN SHEET

Lab Name : Alliance Technical Group, LLC		Page <u>2</u> of <u>2</u>
Received By (Print Name) <u>Cassanova Peña</u>		Log-in Date 12/6/2024
Received By (Signature) <u>[Signature]</u>		
Case Number 51779	SDG No. MYCZF9	MA No. 3225.1,3226.1

Remarks:	
1. Custody Seal (s)	Present, Intact
2. Custody Seal Nos.	<u>n/a</u>
3. Traffic Reports/Chain Of Custody Records	Present
4. Airbill	Present
5. Airbill No. and Shipping Container ID No.	<u>770494779210</u> <u>2</u>
6. Shipping Container Temperature Indicator Bottle	Absent
7. Shipping Container Temperature	<u>9.1</u> Degree C
8. Sample Condition	Intact
9. Sample Tags Sample Tag Numbers	Absent Listed on Traffic Report
10. Does information on Traffic Reports/Chain of Custody Records and Sample Tags agree ?	Yes
11. Date Received at Lab	<u>12/06/2024</u>
12. Time Received	<u>10:10</u>

	EPA Sample #	Aqueous/ Water Sample pH	Corresponding		Remarks: Condition of Sample Shipment, etc.
			Sample Tag #	Assigned Lab #	
1	MYCZM9	N/A	9-7328	P5185-11	Intact
2	MYCZN0	N/A	9-7329	P5185-12	Intact
3	MYCZN1	N/A	9-7330	P5185-13	Intact
4	MYCZN2	N/A	9-7331	P5185-14	Intact
5	MYCZN3	N/A	9-7332	P5185-15	Intact
6	MYCZN4	N/A	9-7333	P5185-16	Intact
7	MYCZN5	N/A	9-7334	P5185-17	Intact
8	MYCZN6	N/A	9-7335	P5185-18	Intact
9	MYCZN7	N/A	9-7336	P5185-19	Intact
10	MYCZN8	N/A	9-7337	P5185-20	Intact
11	MYCZN8D	N/A	9-7337	P5185-21	Intact
12	MYCZN8S	N/A	9-7337	P5185-22	Intact
13	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A
17	N/A	N/A	N/A	N/A	N/A
18	N/A	N/A	N/A	N/A	N/A
19	N/A	N/A	N/A	N/A	N/A
20	N/A	N/A	N/A	N/A	N/A
21	N/A	N/A	N/A	N/A	N/A
22	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A

* Contact SMO and attach record of resolution

Reviewed By <u>[Signature]</u>	Logbook No. N/A
Date <u>12/6/24</u>	Logbook Page No. N/A

FORM DC-2
COMPLETE SDG FILE (CSF) INVENTORY SHEET

LAB NAME	Alliance Technical Group, LLC		
LAB CODE	ACE		
CONTRACT NO.	68HERH20D0011		
CASE NO.	51779	SDG NO.	MYCZF9
MA NO.	3225.1,3226.1	SOW NO.	SFAM01.1

All documents delivered in the Complete SDG File must be original documents where possible.
(Reference - Exhibit B Section 2.4)

	PAGE NOs:		CHECK	
	FROM	TO	LAB	REGION
1. SDG Cover Page	1	1	✓	
2. Traffic Report/Chain of Custody Record(s)	2	3	✓	
3. Sample Log-In Sheet (DC-1)	4	5	✓	
4. CSF Inventory Sheet (DC-2)	6	8	✓	
5. SDG Narrative	9	18	✓	
6. Communication Logs	NA	NA	✓	
7. Percent Solids Log	19	21	✓	
Analysis Forms and Data (ICP-AES)				
8. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	22	41	✓	
9. Instrument raw data by instrument in analysis order	42	408	✓	
Other Data				
10. Standard and Reagent Preparation Logs	409	546	✓	
11. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	547	548	✓	
12. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	549	566	✓	
13. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
14. Extraction Logs for TCLP and SPLP	NA	NA	✓	
15. Raw GPC Data	NA	NA	✓	
16. Raw Florisil Data	NA	NA	✓	
Analysis Forms and Data (ICP-MS)				
17. Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	567	586	✓	
18. Instrument raw data by instrument in analysis order	587	1573	✓	
Other Data				
19. Standard and Reagent Preparation Logs	1574	1704	✓	
20. Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	1705	1706	✓	
21. Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	1707	1715	✓	
22. Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	

	PAGE NOS:		CHECK	
	FROM	TO	LAB	REGION
23 . Extraction Logs for TCLP and SPLP	NA	NA	✓	
24 . Raw GPC Data	NA	NA	✓	
25 . Raw Florisil Data	NA	NA	✓	

Analysis Forms and Data (Mercury)

26 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	NA	NA	✓	
27 . Instrument raw data by instrument in analysis order	NA	NA	✓	

Other Data

28 . Standard and Reagent Preparation Logs	NA	NA	✓	
29 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA	✓	
30 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	NA	NA	✓	
31 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
32 . Extraction Logs for TCLP and SPLP	NA	NA	✓	
33 . Raw GPC Data	NA	NA	✓	
34 . Raw Florisil Data	NA	NA	✓	

Analysis Forms and Data (Cyanide)

35 . Sample Analysis Data Forms (1A-OR, 1B-OR, and 1-IN) for each sample or sample analysis, laboratory QC as applicable	NA	NA	✓	
36 . Instrument raw data by instrument in analysis order	NA	NA	✓	

Other Data

37 . Standard and Reagent Preparation Logs	NA	NA	✓	
38 . Original Preparation and Cleanup forms or copies of Preparation and Cleanup Logbooks	NA	NA	✓	
39 . Original Analysis or Instrument Run forms or copies of Analysis or Instrument Logbooks	NA	NA	✓	
40 . Performance Evaluation (PE)/Proficiency Testing (PT) Sample Instructions	NA	NA	✓	
41 . Extraction Logs for TCLP and SPLP	NA	NA	✓	
42 . Raw GPC Data	NA	NA	✓	
43 . Raw Florisil Data	NA	NA	✓	

Additional

44. EPA Shipping/Receiving Documents

Airbill (No. of Shipments 2)

Sample Tags

Sample Log-In Sheet (Lab)

45. Misc. Shipping/Receiving Records (list all individual records)

46. Internal Lab Sample Transfer Records and Tracking Sheets
(describe or list)

47. Other Records and related Communication Logs
(describe or list)

48. Comments:

Completed by:
(CLP Lab)

(Signature)

Nimisha Pandya, Document Control Officer
(Print Name & Title)

(Date)

Audited by:
(EPA)

(Signature)

(Print Name & Title)

(Date)

PAGE NOs:		CHECK	
FROM	TO	LAB	REGION
1716	1717	✓	
NA	NA	✓	
1718	1720	✓	
NA	NA	✓	
1721	1724	✓	
NA	NA	✓	



**284 Sheffield Street
Mountainside, NJ 07092**

SDG NARRATIVE

USEPA

SDG # MYCZF9

CASE # 51779

CONTRACT # 68HERH20D0011

SOW# SFAM01.1

LAB NAME: Alliance Technical Group, LLC

LAB CODE: ACE

LAB ORDER ID # P5185

MODIFIED ANALYSIS #3225.1, 3226.1

A. Number of Samples and Date of Receipt

20 Soil samples was delivered to the laboratory intact on 12/06/2024

B. Parameters

Test requested for Metals CLP FULL = Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc.

Test requested for Metals CLP MS FULL = Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Copper, Lead, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

C. Cooler Temp

Indicator Bottle: Presence/Absence

Cooler: 7.9°C , 9.1°C

D. Detail Documentation (related to Sample Handling Shipping, Analytical Problem, Temp of Cooler etc):

Issue 1 : A "P" or "M" prefix was listed at the beginning of a CLP sample ID.

E. Corrective Action taken for above:

Resolution 1 : To maintain COC integrity, ASB requests no changes to the Sample IDs. The laboratory will note the issue in the SDG Narrative and proceed with the analysis of the samples.

F. Analytical Techniques:

All analyses were based on CLP Methodology by method SFAM01.1.



**284 Sheffield Street
Mountainside, NJ 07092**

Inter Element correction factors (IECs) are determined annually and correction factor are applied during ICP-AES analysis.

G. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

V_f = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYCZF9 For Antimony :

If C = 0.0254405 ppm

V_f = 100 ml

W = 1.11 g

S = 0.982(98.2/100)

DF = 2

$$\text{Concentration (mg/kg)} = 0.0254405 \times \frac{100}{1.11 \times 0.982} \times 2$$

$$= 4.66789 \text{ mg/kg}$$

$$= 4.7 \text{ mg/kg (Reported Result with Signification)}$$

Calculation for ICP-MS Soil Sample:

Conversion of Results from µg /L or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = C \times \frac{V_f}{W \times S} \times DF / 1000$$

Where,

C = Instrument value in ppb (The average of all replicate integrations)

V_f = Final digestion volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)



**284 Sheffield Street
Mountainside, NJ 07092**

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Example Calculation For Sample MYCZF9 For Arsenic:

If C = 66.28 ppb

Vf = 500 ml

W = 1.11 g

S = 0.982(98.2/100)

DF = 1

$$\text{Concentration (mg/kg)} = 66.28 \times \frac{500}{1.11 \times 0.982} \times 1 / 1000$$

$$= 30.40311 \text{ mg/kg}$$

$$= 30 \text{ mg/kg (Reported Result with Signification)}$$

H. QA/ QC

Calibrations met requirements. Interference check met requirements. Blank analyses did not indicate any presence of contamination. Laboratory Control sample was within control limits. AES Spike sample did meet requirements except for Silver. MS Spike sample (MYCZN8S) did meet requirements except for Barium, Chromium, Cobalt, Lead, Nickel, Silver, Vanadium, Zinc. Duplicate sample did meet requirements except for Lead, Zinc. Serial Dilution did meet requirements.

Collision cell is being used to remove potential interferences. The analytes Na, Mg, Al, K, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As are being analyzed with collision cell and analytes Be, B, Ca, Ti, Se, Sr, Zr, Mo, Ag, Cd, Sn, Sb, Ba, Tl, Pb, U are being analyzed with Non-Collision Cell. Helium gas is used for the Collision Cell analysis.

Internal Standard Association for ICP-MS analysis.

Target Analyte	Associated Internal Standard
Antimony	159Tb
Arsenic	89Y
Barium	159Tb
Beryllium	6Li
Cadmium	159Tb
Chromium	45Sc



**284 Sheffield Street
Mountainside, NJ 07092**

Cobalt	45Sc
Copper	45Sc
Lead	209Bi
Nickel	45Sc
Selenium	89Y
Silver	159Tb
Thallium	209Bi
Vanadium	45Sc
Zinc	45Sc

I certify that the data package is in compliance with the terms and conditions of the contract both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Director or his designee, as verified by the following signature.

Signature_____

Name: Nimisha Pandya

Date _____

Title: Document Control Officer

Date: 09/11/2024	MA: 3225.1	Title: ICP-MS with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-MS	
Matrix: Soil/Sediment		
Summary of Modification		
<p>The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-MS. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>		
I. Analyte Modifications		Not applicable <input checked="" type="checkbox"/>
II. Calibration and QC Requirements		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Use the Method Detection Limits (MDLs) determined for routine soil analyses (i.e., Method 200.8) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C. • Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required. • Prepare a Matrix Spike spiked at three times the levels specified in the SOW. • Prepare and analyze an additional Matrix Spike sample spiked at five times the levels specified for this Modified Analysis (i.e., 15x the levels specified in the SOW). • Post-Digestion Spike requirements apply to the 5x Matrix Spike only. • Post-Digestion Spike corrective actions apply to Sb. 		
III. Preparation and Method Modifications		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Prepare and analyze the sample by EPA Draft Method 3050C as follows: <ul style="list-style-type: none"> ○ Mix sample thoroughly and transfer 1.00 – 1.50 g to a digestion vessel. ○ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10-15 minutes. ○ Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete. ○ Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal. ○ Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis. • The same sample extracts can be used for ICP-AES analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses. • Analyze the samples starting at an initial 5x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW. • Method Blanks, both LCSs, and all instrument QC are to be analyzed undiluted. 		

IV. Special Reporting Requirements

Not applicable

☐

The Laboratory shall:

- Ensure the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the resolution or corrective actions taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses and/or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analyses, including a copy of the approved modification form with the SDG Narrative.
- Initial analysis data are reported with a dilution factor of 1.0 and a final volume of 500 mL, per the SOW.
- Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".
- Report the additional Matrix Spike with an "SRE" suffix in the raw data and EDD.
- Report any Post-Digestion Spike of the additional 5x Matrix Spike with an "ARE" suffix.

Date: 09/11/2024	MA: 3226.1	Title: ICP-AES with Modified Preparation Method and Analysis of Soils with Additional Laboratory QC
Method Source: SFAM01.1	Method: ICP-AES	
Matrix: Soil/Sediment		
Summary of Modification		
<p>The purpose of this modified analysis is to prepare samples by EPA Draft Method 3050C (see below) with additional modified LCS and Matrix Spikes and analyze for the scheduled target analytes by ICP-AES. Unless specifically modified by this modification, all analyses, Quality Control (QC), and reporting requirements specified in the SOW listed in your current EPA agreement remain unchanged and in full force and effect.</p>		
I. Analyte Modifications		Not applicable <input checked="" type="checkbox"/>
II. Calibration and QC Requirements		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Use the Method Detection Limits determined for routine soil analyses (i.e., Method 3050B) to report the results for these analyses. The Laboratory is NOT required to perform an MDL study for Draft Method 3050C. • Prepare and analyze an additional Laboratory Control Sample (LCS) spiked at the CRQL. Percent Recovery limits do NOT apply to this LCS and no corrective actions are required. • Prepare a Matrix Spike spiked at two times the levels specified in the SOW. • Post-Digestion Spike requirements apply to the 2x Matrix Spike. • Post-Digestion Spike corrective actions apply to Sb. 		
III. Preparation and Method Modifications		Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none"> • Prepare and analyze the sample by EPA Draft Method 3050C as follows: <ul style="list-style-type: none"> ○ Mix sample thoroughly and transfer 1.00 – 1.50 g to a digestion vessel. ○ Add 10 mL 1:1 HNO₃ and 5 mL 1:1 HCl, heat the sample at 95°C (±3°C) and reflux 10 -15 minutes. ○ Add 5 mL concentrated HNO₃ and reflux for 30 minutes at 95°C (±3°C), repeat until digestion complete. ○ Concentrate sample to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Cool sample, add 2mL water and 3 mL 30% H₂O₂. Heat at 95°C (±3°C) and add additional 1 mL aliquots of 30% H₂O₂ until effervescence is minimal. ○ Reduce volume to 5 mL or reflux without boiling for 2 hours at 95°C (±3°C). ○ Dilute to 100 mL with water, centrifuge or filter as necessary prior to analysis. • The same sample extracts can also be used for ICP-MS analysis. Separate Matrix Spikes and LCS will need to be prepared for both ICP-AES and ICP-MS analyses. • Analyze the samples starting at an initial 2x dilution. Subsequently, dilute samples as necessary to bring the analyte concentrations within the calibration range of the instrument per the SOW. • Verify that the dilution was adequate to reduce interferences to within the method calibration range. This can optionally be verified by visual verification of the spectrogram or by analysis of a serial dilution. There are other acceptable means to provide assurance, e.g. some software may automatically provide guidance to the analyst. • Method Blanks, both LCS, and all instrument QC are to be analyzed undiluted. 		

IV. Special Reporting Requirements	Not applicable <input type="checkbox"/>
<p>The Laboratory shall:</p> <ul style="list-style-type: none">• Ensure the SDG Narrative is updated as stated in the SOW, including any technical and administrative problems encountered and the resolution or corrective actions taken. These problems may include interference problems encountered during analysis, dilutions, re-analyses and/or re-preparations performed, and problems with the analysis of samples. Also include a discussion of any SOW Modified Analyses, including a copy of the approved modification form with the SDG Narrative.• Initial analysis data are reported with a dilution factor of 2.0 and a final volume of 100 mL, per the SOW.• Report the additional LCS as "LCSD" in the raw data and in the EDD with QCType "Laboratory_Control_Sample_Duplicate".• Ensure that up-to-date Interelement Correction Factors (IECs) are provided with the data package.	

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-in-fit?
As 189.042 {479}	<input checked="" type="checkbox"/>	1	Fe	-0.000064	0.000000	No
Ti 190.856 {477}	<input checked="" type="checkbox"/>	5	Mo	-0.002450	0.000000	No
			Co	0.002248	0.000000	No
			Ti	-0.000500	0.000000	No
			Mn	0.000370	0.000000	No
			V	-0.012340	0.000000	No
Pb 220.353 {453}	<input checked="" type="checkbox"/>	6	Mo	-0.001480	0.000000	No
			Al	-0.000075	0.000000	No
			Cu	0.001400	0.000000	No
			Fe	0.000030	0.000000	No
			Mn	0.000340	0.000000	No
			Ni	0.000630	0.000000	No
Se 196.090 {472}	<input checked="" type="checkbox"/>	3	Fe	-0.000308	0.000000	No
			Mn	0.000470	0.000000	No
			Co	-0.000630	0.000000	No
Sb 206.833 {463}	<input checked="" type="checkbox"/>	4	Cr	0.010700	0.000000	No
			V	-0.001168	0.000000	No
			Mo	-0.002850	0.000000	No
			Ni	-0.000440	0.000000	No
Al 396.152 { 85}	<input checked="" type="checkbox"/>	1	Mo	0.037230	0.000000	No
Ba 493.409 { 68}	<input type="checkbox"/>	None				
Be 234.861 {144}	<input checked="" type="checkbox"/>	3	Mo	-0.000320	0.000000	No
			Fe	0.000010	0.000000	No
			Mn	-0.000047	0.000000	No
Cd 214.438 {457}	<input checked="" type="checkbox"/>	1	Fe	0.000040	0.000000	No
Ca 373.690 { 90}	<input type="checkbox"/>	None				
Cr 267.716 {126}	<input checked="" type="checkbox"/>	1	Mn	0.000160	0.000000	No
Co 228.616 {448}	<input checked="" type="checkbox"/>	2	Ti	0.001840	0.000000	No
			Mo	-0.001230	0.000000	No
Cu 324.754 {104}	<input checked="" type="checkbox"/>	4	Co	-0.000796	0.000000	No
			Fe	-0.000100	0.000000	No
			Mn	0.000345	0.000000	No
			Ni	0.000895	0.000000	No
Fe 259.837 {130}	<input type="checkbox"/>	None				
Mn 257.610 {131}	<input checked="" type="checkbox"/>	1	Ni	0.000897	0.000000	No
Mg 279.079 {121}	<input type="checkbox"/>	None				
Ni 231.604 {446}	<input type="checkbox"/>	None				
Ag 328.068 {103}	<input checked="" type="checkbox"/>	3	Fe	-0.000100	0.000000	No
			Mn	0.000146	0.000000	No
			V	-0.000889	0.000000	No
Na 818.326 { 41}	<input type="checkbox"/>	None				
V 292.402 {115}	<input checked="" type="checkbox"/>	2	Mo	-0.008480	0.000000	No
			Cr	-0.002220	0.000000	No
Zn 206.200 {464}	<input type="checkbox"/>	None				
Zn 213.856 {158}	<input checked="" type="checkbox"/>	1	Ni	0.007280	0.000000	No
K 769.896 { 44}	<input type="checkbox"/>	None				
P 177.495 {490}	<input checked="" type="checkbox"/>	2	Ni	0.001640	0.000000	No
			Cu	-0.012530	0.000000	No
B 249.678 {135}	<input checked="" type="checkbox"/>	3	Co	0.002880	0.000000	No
			V	-0.002000	0.000000	No
			Fe	-0.001360	0.000000	No
Mo 202.030 {467}	<input type="checkbox"/>	None				
S 182.034 {485}	<input checked="" type="checkbox"/>	2	Mo	-0.008000	0.000000	No
			Mn	0.002700	0.000000	No

Element, Wavelength and Order	Use?	# IECs	IEC	k1	k2	Calc-In-fit?
Si 251.611 {134}	<input checked="" type="checkbox"/>	2	Mo	0.010520	0.000000	No
			Ti	0.005650	0.000000	No
Sn 189.989 {478}	<input type="checkbox"/>	None				
Ti 336.121 {100}	<input checked="" type="checkbox"/>	1	Ni	-0.001000	0.000000	No
Li 670.784 { 50}	<input type="checkbox"/>	None				
Y 224.306 {450}*	<input type="checkbox"/>	None				
Y 360.073 { 94}*	<input type="checkbox"/>	None				
Y 371.030 { 91}*	<input type="checkbox"/>	None				
Y 224.306 {150}*	<input type="checkbox"/>	None				
In 230.606 {446}*	<input type="checkbox"/>	None				
Sr 407.771 { 83}	<input type="checkbox"/>	None				



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/11/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 12:50
In Date: 12/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:36
Out Date: 12/11/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB133859

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5185-01	MYCZF9	1	1.16	8.48	9.64	9.49	98.2	
P5185-02	MYCZG0	2	1.15	8.61	9.76	9.63	98.5	
P5185-03	MYCZG1	3	1.16	8.50	9.66	9.55	98.7	
P5185-04	MYCZG2	4	1.15	8.37	9.52	9.45	99.2	
P5185-05	MYCZG3	5	1.15	8.47	9.62	9.52	98.8	
P5185-06	MYCZG4	6	1.18	8.43	9.61	9.52	98.9	
P5185-07	MYCZG5	7	1.15	8.63	9.78	9.69	99.0	
P5185-08	MYCZG6	8	1.17	8.60	9.77	7.96	79.0	
P5185-09	MYCZG7	9	1.17	8.53	9.7	9.61	98.9	
P5185-10	MYCZG8	10	1.15	8.42	9.57	9.5	99.2	
P5185-11	MYCZM9	11	1.15	8.43	9.58	9.52	99.3	
P5185-12	MYCZN0	12	1.15	8.76	9.91	9.33	93.4	
P5185-13	MYCZN1	13	1.18	8.57	9.75	8.06	80.3	
P5185-14	MYCZN2	14	1.14	8.60	9.74	9.64	98.8	
P5185-15	MYCZN3	15	1.16	8.70	9.86	9.77	99.0	
P5185-16	MYCZN4	16	1.15	8.40	9.55	9.43	98.6	
P5185-17	MYCZN5	17	1.15	8.47	9.62	9.4	97.4	
P5185-18	MYCZN6	18	1.16	8.73	9.89	9.74	98.3	
P5185-19	MYCZN7	19	1.18	8.34	9.52	9.43	98.9	
P5185-20	MYCZN8	20	1.18	8.50	9.68	9.63	99.4	
P5185-21	MYCZN8D	21	1.18	8.50	9.68	9.63	99.4	
P5185-22	MYCZN8S	22	1.18	8.50	9.68	9.63	99.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

133859

WorkList Name : %1-p5185

WorkList ID : 186179

Department : Wet-Chemistry

Date : 12-10-2024 11:22:31

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5185-01	MYCZF9	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-02	MYCZG0	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-03	MYCZG1	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-04	MYCZG2	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-05	MYCZG3	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-06	MYCZG4	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-07	MYCZG5	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-08	MYCZG6	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-09	MYCZG7	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-10	MYCZG8	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-11	MYCZM9	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/17/2024	Chemtech -SO
P5185-12	MYCZN0	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-13	MYCZN1	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-14	MYCZN2	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-15	MYCZN3	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-16	MYCZN4	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-17	MYCZN5	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-18	MYCZN6	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-19	MYCZN7	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-20	MYCZN8	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO
P5185-21	MYCZN8D	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO

Date/Time 12-10-24 12:10
 Raw Sample Received by: JP
 Raw Sample Relinquished by: JP
 Date/Time 12-10-24 13:40
 Raw Sample Received by: CP
 Raw Sample Relinquished by: JP

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-p5185

WorkList ID : 186179

Department : Wet-Chemistry

Date : 12-10-2024 11:22:31

133859

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5185-22	MYCZN8S	Solid	Percent Solids	Cool 4 deg C	USEP01	C32	09/18/2024	Chemtech -SO

Date/Time 12/10/24 12:10
Raw Sample Received by: JH JWS
Raw Sample Relinquished by: CP SM

Date/Time 12/10/24 13:00
Raw Sample Received by: CP SM
Raw Sample Relinquished by: JH JWS