

DATA PACKAGE

SUB - DATA

PROJECT NAME : REAC - 83150.1.029.08ME.A.LPV818.0800

TECHLAW CONSULTANTS, INC

14840 Conference Center Dr.

Suite #200

Chantilly, VA - 20151

Phone No: 703-818-3205

ORDER ID : Q1998

ATTENTION : Jim Burden



Cover Page

Order ID : Q1998

Project ID : REAC - 83150.1.029.08ME.A.LPV818.0800

Client : TechLaw Consultants, Inc

Lab Sample Number

Q1998-01
Q1998-02

Client Sample Number

ERT-273
ERT-274

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 5/19/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



GEOLAB

• NEW JERSEY
1017 GREELEY AVE SOUTH
UNION, NJ 07083
908.964.0786

• SOUTH CAROLINA
49 BROWNS COVE ROAD SUITE 6
RIDGELAND, SC 29936
848.316.9950

Letter of Transmittal

Date: 5-16-25

Job No.: 889

Lab Log: 25-4166

Attention: Yazmeen
Alliance Technical Group
284 Sheffield Street
Mountainside, NJ 07092

CC: Jordan Hedvat, projectmanagers@chemtech.net

Re: Q1998 – REAC-83150.1.029.08ME.A.LPV818.0800

Sample(s) ID: **ERT-273, -274**

Dear Yazmeen,

Please find attached results for the samples referenced above. The following lab testing was performed:

- ASTM D422 Sieve Analysis
- ASTM D7263 Bulk Density

Regards,
RSA Geolab, LLC

Remarks: If you have any questions, please call 908-964-0786.

Signed: _____


Dr. Raza S. Ahmed
President RSA Geolab, LLC

<https://www.rsageolab.com/>
email: rsa@rsageolab.com

RSA's Geolab's Geotechnical Laboratory testing was performed and results reported in accordance with ASTM standards and accepted industry standards. No other representations or warranties either express or implied are given. RSA Geolab, LLC neither accepts responsibility for nor makes claim to the final use and purpose of the material tested.

RSA Geolab, LLC owns all rights, title and interest of the work product. This report is intended for client's sole and exclusive use and not for the benefit of others and may not be used or relied upon by others. These documents must be considered proprietary information and should not be reproduced without the written approval of RSA Geolab, LLC.

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	3.2	27.2	9.8	17.0	23.1	19.7	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1.5	100.0		
1	99.3		
.75	96.8		
.5	85.7		
.375	79.2		
#4	69.6		
#10	59.8		
#30	46.7		
#40	42.8		
#60	33.9		
#100	25.0		
#200	19.7		

* (no specification provided)

Material Description

Grayish Brown

Atterberg Limits

PL= LL= PI=

Coefficients

D₉₀= 14.6753 D₈₅= 12.3833 D₆₀= 2.0411
D₅₀= 0.8214 D₃₀= 0.2036 D₁₅=
D₁₀= C_u= C_c=

Classification

USCS= AASHTO=

Remarks


Sample Number: ERT-273

Date: 5-16-25

RSA Geolab Union, New Jersey	Client: Alliance Technical Group Project: Q1998 - REAC-83150.1.029.08ME.A.LPV818.0800
	Project No: 889 Figure

Tested By: OH Checked By: KP

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0.0	1.3	1.6	0.5	4.1	68.2	24.3	

SIEVE SIZE	PERCENT FINER	SPEC.* PERCENT	PASS? (X=NO)
1.5	100.0		
1	99.2		
.75	98.7		
.5	97.8		
.375	97.1		
#4	97.1		
#10	96.6		
#30	95.7		
#40	92.5		
#60	62.8		
#100	36.1		
#200	24.3		

* (no specification provided)

Material Description

Dark Grayish Brown

PL= **Atterberg Limits** PI=

LL=

Coefficients

D₉₀= 0.3949 D₈₅= 0.3551 D₆₀= 0.2392

D₅₀= 0.2024 D₃₀= 0.1203 D₁₅=

D₁₀= C_u= C_c=

Classification

USCS= AASHTO=

Remarks

Sample Number: ERT-274

Date: 5-16-25

RSA Geolab Union, New Jersey	Client: Alliance Technical Group Project: Q1998 - REAC-83150.1.029.08ME.A.LPV818.0800
	Project No: 889 Figure

Tested By: OH Checked By: KP



1017 Greeley Ave N
Union, NJ 07083
908-964-0786
www.RSAGeolab.com

DENSITY TEST
ASTM D7263

Project: REAC - 83150.1.029.08ME.A.LPV818.0800
Order ID: Q1998
Client: Alliance Technical Group

L#25-4166
Project #: 889
Date: 5/16/2025

	Sample	Height (in)	Dry Weight (gms)	Unit Weight at S-1 (pcf)
1	ERT-273	6.90	10516	120.01
2	ERT-274	3.40	5054	118.59
3	ERT-275	8.20	14140	127.60
4	ERT-276	5.00	6650	112.66
5	ERT-277	5.30	9198	128.02
6	ERT-278	6.40	11568	130.74
7	ERT-279	7.10	9300	111.90

Remarks: 1. Bucket samples. Unable to take exact measurements. Data may not be representative of the in-situ conditions.
2. S-1 = Assumed 100% Saturation.
3. Specific Gravity Assumed.

Tested by: VS

Entered by: KH

Checked by: KP

No: 8-050825-093346-0017



Cooler #: 2

Lab: CHEMTECH

Lab Phone: 908-728-3144



SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL/ADAC(Y)ID	 EPA/ERT	5/8/2025 09:50		5-9-25 1018	18.9°C IR gun #1
					custody seals intact
					NO ICE