

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 08/12/2025 17:00 **TEMP1 OUT:** 103 °C 08/13/2025 07:30
TEMP2 IN: 104 °C 08/13/2025 08:00 **TEMP2 OUT:** 104 °C 08/13/2025 09:30
TEMP3 IN: 550 °C 08/13/2025 10:00 **TEMP3 OUT:** 550 °C 08/13/2025 11:30
TEMP4 IN: 540 °C 08/13/2025 12:00 **TEMP4 OUT:** 540 °C 08/13/2025 13:30

Run Number: LB136795

SUPERVISOR: rubina

ANALYST: jignesh

BalanceID: WC-SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB136795BL	85.6379	85.6379	85.6379	85.6379	85.6379	85.6379	85.6379	0.0000	0
2	Q2732-02	87.3613	87.3613	110.3279	109.6436	109.6436	106.6787	106.6787	2.9649	13.3
3	Q2732-02DUP	90.0649	90.0649	114.8773	114.1629	114.1629	111.0753	111.0753	3.0876	12.8
4	Q2836-02	88.4158	88.4158	111.4452	107.0876	107.0876	104.1435	104.1435	2.9441	15.8
5	Q2836-06	53.5691	53.5691	75.1137	73.0531	73.0531	72.3932	72.3932	0.6599	3.4
6	Q2836-10	78.4156	78.4156	101.5925	100.0416	100.0416	99.4555	99.4555	0.5861	2.7
7	Q2836-14	82.3609	82.3609	112.7971	105.8299	105.8299	104.2717	104.2717	1.5582	6.6

A = Sample Weight (g)
B = Final Dish + Samplewt Drying @550 (±50) °C (g)
C = Final Dish + SampleWt Drying @103-@105°C (g)
D = Weight (g)
E = Final Empty Dish Weight (g)
F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

VS 136795

WorkList Name : tvs sq2732

WorkList ID : 191231

Department : Wet-Chemistry

Date : 08-12-2025 15:32:04

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2732-02	WC-A7-01-C	Solid	TVS	Cool 4 deg C	ENTA05	J21	08/12/2025	160.4
Q2836-02	WC-A2-15-C	Solid	TVS	Cool 4 deg C	ENTA05	J23	08/12/2025	160.4
Q2836-06	WC-A2-16-C	Solid	TVS	Cool 4 deg C	ENTA05	J23	08/12/2025	160.4
Q2836-10	WC-A2-17-C	Solid	TVS	Cool 4 deg C	ENTA05	J23	08/12/2025	160.4
Q2836-14	WC-A5-02-C	Solid	TVS	Cool 4 deg C	ENTA05	J23	08/12/2025	160.4

Date/Time

08/12/25

Raw Sample Received by:

SD wvcy

Raw Sample Relinquished by:

CP Sm

Date/Time

08/12/25

Raw Sample Received by:

CP Sm

Raw Sample Relinquished by:

SD wvcy