



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatel

ANALYST: jignesh

Date: 09/04/2019

OVEN TEMP1: 98 °C TEMP: 104 °C

DATE & TIME IN: 09/03/2019 15:00 OUT: 09/04/2019 07:00

OVEN TEMP2: 104 °C TEMP: 104 °C

DATE & TIME IN: 09/04/2019 07:10 OUT: 09/04/2019 11:35

Run Number: LB104922

BalanceID: WC SC-3

OvenID: WC ONEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB104922BL	LB104922BL	14.6597	14.6597	100	14.6597	14.6597	14.6597	0	0
2	K4555-23	TW-10-DEP	79.5103	79.5103	100	79.9441	79.9441	79.9441	0.4338	4338
3	K4555-23DUP	TW-10-DEPDUP	76.7433	76.7433	100	77.1773	77.1773	77.1773	0.434	4340

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

104922

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TS K4555

WorkList ID : 130489

Department : Wet-Chemistry

Date : 09-02-2019 09:53:01

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
09/05/2019	Water	K4555-23	TS	Cool 4 deg C	AKRF02	I31	TW-10-DEP	08/29/2019	SM2540 B

Date/Time 09.02.19 11:30
 Received by: Jn
 Relinquished by: Jn

Date/Time 09.02.19 14:00
 Received by: Jn
 Relinquished by: Jn