

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 10/28/2019 15:30 **TEMP1 OUT:** 105 °C 10/29/2019 09:00
TEMP2 IN: 103 °C 10/29/2019 09:50 **TEMP2 OUT:** 104 °C 10/29/2019 10:50
TEMP3 IN: 540 °C 10/29/2019 11:30 **TEMP3 OUT:** 560 °C 10/29/2019 12:30
TEMP4 IN: 560 °C 10/29/2019 13:00 **TEMP4 OUT:** 560 °C 10/29/2019 14:05

Run Number: LB105987

SUPERVISOR: apatel

ANALYST: AMANDEEP

BalanceID: WC SC-3

OvenID: WC Oven#1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB105987BL	55.9879	55.9879	55.9879	55.9879	55.9879	55.9879	55.9879	0	0
2	K5568-01	55.8893	55.8893	78.673	76.2491	76.2491	75.8878	75.8878	0.3613	1.8
3	K5568-01DUP	60.9422	60.9422	82.3052	79.3196	79.3196	78.9978	78.9978	0.3218	1.8

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TVS102819 WorkList ID : 132676 Department : Wet-Chemistry Date : 10-28-2019 11:56:34

LB105987

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/30/2019	Solid	K5568-01	TVS	Cool 4 deg C	JACO05	IDW-SOIL-102519		10/25/2019	160.4

Date/Time 10-28-19 15:00
 Received by: AP
 Relinquished by: CP

Date/Time 10-28-19 16:05
 Received by: AP
 Relinquished by: AP