

OVEN IN TEMP1: 98 °C

OVEN OUT TEMP1: 104 °C

DATE & TIME IN1: 10/05/2020 16:00

DATE & TIME OUT1: 10/06/2020 07:10

OVEN IN TEMP2: 104 °C

OVEN OUT TEMP2: 104 °C

DATE & TIME IN2: 10/06/2020 08:00

DATE & TIME OUT2: 10/06/2020 09:35

Run Number: LB111311

BalanceID: WC SC-3

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB111311BL	LB111311BL	148.6378	148.6378	100	148.6378	148.6378	148.6378	0.0000	0
2	L4232-01	1613	158.7044	158.7044	100	158.7677	158.7677	158.7677	0.0633	633
3	L4232-01DUP	1613DUP	157.5219	157.5219	100	157.5874	157.5874	157.5874	0.0655	655
4	L4233-01	55-ST-29	142.7716	142.7716	100	142.8879	142.8879	142.8879	0.1163	1163

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

WORKLIST(Hardcopy Internal Chain)

20111311

WorkList Name : TS L3232 WorkList ID : 142947 Department : Wet-Chemistry Date : 10-05-2020 09:35:57

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/08/2020	Water	L4232-01	TS	Cool 4 deg C	PSEG01	O21	1613	10/01/2020	SM2540 B
10/08/2020	Water	L4233-01	TS	Cool 4 deg C	DIST01		55-ST-29	10/01/2020	SM2540 B

Date/Time 10-05-2020 13:00
 Received by: JO [Signature]
 Relinquished by: JO [Signature]

Date/Time 10-05-2020 16:00
 Received by: JO [Signature]
 Relinquished by: JO [Signature]