



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatel

ANALYST: jignesh

Date: 10/29/2020

OVEN IN TEMP1: 98 °C

OVEN OUT TEMP1: 104 °C

DATE & TIME IN1: 10/28/2020 16:30

DATE & TIME OUT1: 10/29/2020 07:15

OVEN IN TEMP2: 104 °C

OVEN OUT TEMP2: 104 °C

DATE & TIME IN2: 10/29/2020 08:00

DATE & TIME OUT2: 10/29/2020 09:35

Run Number: LB111741

BalanceID: WC SC-3

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Dish + Sample Weight (g)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result %
1	LB111741BL	LB111741BL	57.3251	57.3251	78.5637	57.3251	57.3251	57.3251	0.0000	0
2	L4548-23	PT-SOL-SOIL	60.8001	60.8001	82.0316	77.9025	77.9025	77.9025	17.1024	80.6

A = Final Empty Dish Weight (g)

B = Dish + Sample Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result \%} = (C - A) * 100 / (B - A)$$