



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatelANALYST: jigneshDate: 01/07/2021OVEN IN TEMP1: 104 °COVEN OUT TEMP1: 103 °CDATE & TIME IN1: 01/06/2021 16:00 DATE & TIME OUT1: 01/07/2021 08:00OVEN IN TEMP2: 103 °COVEN OUT TEMP2: 103 °CDATE & TIME IN2: 01/07/2021 08:35 DATE & TIME OUT2: 01/07/2021 10:15Run Number: LB112654BalanceID: WC SC-3OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB112654BL	LB112654BL	14.8571	14.8571	100	14.8571	14.8571	14.8571	0.0000	0
2	M1024-01	M11-BERM	89.9941	89.9941	100	90.0012	90.0012	90.0012	0.0071	71
3	M1024-01DUP	M11-BERMDUP	90.0296	90.0296	100	90.0364	90.0364	90.0364	0.0068	68

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

WORKLIST(Hardcopy Internal Chain)

28 912654

WorkList Name : TS M1024

WorkList ID : 145449

Department : Wet-Chemistry

Date : 01-06-2021 15:14:53

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/12/2021	Water	M1024-01	TS		PSEG03	M21	M11-BERM	01/06/2021	SM2540 B

Date/Time 01-06-2021 15:30
 Received by: JD Wet Chem
 Relinquished by: K.D (SM)

Date/Time 01-06-2021 17:30
 Received by: J.C (SM)
 Relinquished by: JD Wet Chem