



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatel

ANALYST: JIGNESH

Date: 02/26/2021

OVEN IN TEMP1: 105 °C

OVEN OUT TEMP1: 104 °C

DATE & TIME IN1: 02/25/2021 16:00 DATE & TIME OUT1: 02/26/2021 08:00

OVEN IN TEMP2: 104 °C

OVEN OUT TEMP2: 104 °C

DATE & TIME IN2: 02/26/2021 09:02 DATE & TIME OUT2: 02/26/2021 10:10

Run Number: LB113294

BalanceID: WC SC-4

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Dish + Sample Weight (g)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result %
1	LB113294BL	LB113294BL	74.8537	74.8537	74.8537	74.8537	74.8537	74.8537	0.0000	0
2	M1475-01	WA-CON	60.8330	60.8330	82.8852	81.0850	81.0850	81.0850	20.2520	91.8
3	M1475-01DUP	WA-CONDUP	55.8879	55.8879	77.5615	75.6921	75.6921	75.6921	19.8042	91.4
4	M1476-01	ML-CON	57.1872	57.1872	78.3867	76.6571	76.6571	76.6571	19.4699	91.8

A = Final Empty Dish Weight (g)

B = Dish + Sample Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result \%} = (C - A) * 100 / (B - A)$$

WORKLIST(Hardcopy Internal Chain)

18113294

WorkList Name : ASTM TS M1475

WorkList ID : 146736

Department : Wet-Chemistry

Date :02-25-2021 08:54:52

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/03/2021	Solid	M1475-01	TS	Cool 4 deg C	PSEG03		WA-CON	02/24/2021	SM2540 B
03/03/2021	Solid	M1476-01	TS	Cool 4 deg C	PSEG03		ML-CON	02/24/2021	SM2540 B

Date/Time 02/25/2021
 Received by: AM (wet-chem)
 Relinquished by: KS (wet-chem)

Date/Time 02/25/2021
 Received by: KS (wet-chem)
 Relinquished by: AM (wet-chem)