



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatelANALYST: jigneshDate: 03/19/2021OVEN IN TEMP1: 104 °COVEN OUT TEMP1: 103 °CDATE & TIME IN1: 03/18/2021 16:00 DATE & TIME OUT1: 03/19/2021 08:00OVEN IN TEMP2: 103 °COVEN OUT TEMP2: 103 °CDATE & TIME IN2: 03/19/2021 08:35 DATE & TIME OUT2: 03/19/2021 10:10Run Number: LB113565BalanceID: WC SC-3OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Dish + Sample Weight (g)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result %
1	LB113565BL	LB113565BL	59.5616	59.5616	59.5616	59.5616	59.5616	59.5616	0.0000	0
2	M1712-17	EXTERNAL-PAD-COMP	59.5615	59.5615	80.2714	79.3201	79.3201	79.3201	19.7586	95.4
3	M1712-19	RED-BRICK-COMP	58.3169	58.3169	79.2224	79.0866	79.0866	79.0866	20.7697	99.4
4	M1712-19DUP	RED-BRICK-COMPDUP	57.1841	57.1841	78.0725	77.9342	77.9342	77.9342	20.7501	99.3
5	M1712-21	NEW-BLOCK-FLOOR-PAT	55.8875	55.8875	77.2022	76.9203	76.9203	76.9203	21.0328	98.7
6	M1712-23	YELLOW-WALL-COMP	59.9788	59.9788	80.6417	80.4583	80.4583	80.4583	20.4795	99.1

A = Final Empty Dish Weight (g)

B = Dish + Sample Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result \%} = (C - A) * 100 / (B - A)$$

WORKLIST(Hardcopy Internal Chain)

113565

WorkList Name : TS M1712 WorkList ID : 147250 Department : Wet-Chemistry Date : 03-18-2021 11:07:36

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/30/2021	Solid	M1712-17	TS	Cool 4 deg C	PSEG03	I13	EXTERNAL-PAD-COMP	03/17/2021	SM2540 B
03/30/2021	Solid	M1712-19	TS	Cool 4 deg C	PSEG03	I13	RED-BRICK-COMP	03/17/2021	SM2540 B
03/30/2021	Solid	M1712-21	TS	Cool 4 deg C	PSEG03	I13	NEW-BLOCK-FLOOR-PAT	03/17/2021	SM2540 B
03/30/2021	Solid	M1712-23	TS	Cool 4 deg C	PSEG03	I13	YELLOW-WALL-COMP	03/17/2021	SM2540 B

Date/Time 03-18-21 14:00
 Received by: JP (wet chem)
 Relinquished by: JP (SM)

Date/Time 03-18-21 16:20
 Received by: JP (SM)
 Relinquished by: JP (wet chem)