

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 05/28/2021 16:00 **TEMP1 OUT:** 103 °C 05/29/2021 07:30
TEMP2 IN: 104 °C 05/29/2021 08:00 **TEMP2 OUT:** 104 °C 05/29/2021 09:30
TEMP3 IN: 540 °C 05/29/2021 10:00 **TEMP3 OUT:** 540 °C 05/29/2021 11:30
TEMP4 IN: 560 °C 05/29/2021 12:00 **TEMP4 OUT:** 560 °C 05/29/2021 13:30

Run Number: LB114707

SUPERVISOR: apatel

ANALYST: jignesh

BalanceID: WC SC-3

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB114707BL	58.4137	58.4137	79.5247	58.4138	58.4138	58.4138	58.4138	0.0000	0
2	M2570-01	60.8012	60.8012	80.9336	67.0242	67.0242	66.5302	66.5302	0.4940	7.9
3	M2570-01DUP	55.8885	55.8885	76.2432	62.4811	62.4811	62.0009	62.0009	0.4802	7.3
4	M2570-03	59.9806	59.9806	79.8753	67.0460	67.046	66.4660	66.4660	0.5800	8.2

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

114707

WorkList Name : TVS M2570 S

WorkList ID : 149349

Department : Wet-Chemistry

Date : 05-28-2021 14:23:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
04/21/2021	Solid	M2570-01	TVS	Cool 4 deg C	TULL02	D62	JGD-3150-D3550-A	04/16/2021	160.4
04/21/2021	Solid	M2570-03	TVS	Cool 4 deg C	TULL02	D62	JGD-3150-D3550-B	04/16/2021	160.4

Date/Time 05/28/21 14:35
 Raw Sample Received by: JB 1147 (Herm)
 Raw Sample Relinquished by: CP SM

Date/Time 05/28/21 16:30
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: JB out Herm