



TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 103 °C 06/24/2021 17:10 TEMP1 OUT: 103 °C 06/25/2021 08:00
TEMP2 IN: 103 °C 06/25/2021 08:30 TEMP2 OUT: 103 °C 06/25/2021 10:00
TEMP3 IN: 550 °C 06/25/2021 10:30 TEMP3 OUT: 550 °C 06/25/2021 12:00
TEMP4 IN: 560 °C 06/25/2021 12:30 TEMP4 OUT: 560 °C 06/25/2021 14:00

Run Number: LB115090
SUPERVISOR: apatel
ANALYST: jignesh
BalanceID: WC SC-3
OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB115090BL	65.3479	65.3479	86.5471	65.3480	65.348	65.3480	65.3480	0.0000	0
2	M2860-01	57.1855	57.1855	77.5518	70.3582	70.3582	70.2760	70.2760	0.0822	0.6
3	M2860-01DUP	60.8006	60.8006	81.2375	73.8424	73.8424	73.7573	73.7573	0.0851	0.7

A = Sample Weight (g)
B = Final Dish + Samplewt Drying @550(±50) °C (g)
C = Final Dish + SampleWt Drying @103-@105°C (g)
D = Weight (g)
E = Final Empty Dish Weight (g)
F = Final Dish + SampleWt Drying @103-@105°C (g)

$$\text{Weight D} = C - B$$

$$\text{Result \%} = \frac{D}{F - E} * 100$$

VB 115090

WORKLIST(Hardcopy Internal Chain)

WorkList Name: TVS M2860 WorkList ID: 150088 Department: Wet-Chemistry Date: 06-24-2021 16:14:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
06/29/2021	Solid	M2860-01	TVS	Cool 4 deg C	FREE02	J41	ASH	06/24/2021	160.4

16:20
 Date/Time 06/24/21 16:20
 Raw Sample Received by: JA Let Chem
 Raw Sample Relinquished by: JA Let Chem

Date/Time 06/24/21 18:00
 Raw Sample Received by: JA Let Chem
 Raw Sample Relinquished by: JA Let Chem