

TOTAL SOLIDS - SM2540B

SUPERVISOR: apatel

ANALYST: jignesh

Date: 07/12/2021

OVEN IN TEMP1: 104 °C

OVEN OUT TEMP1: 103 °C

DATE & TIME IN1: 07/09/2021 16:00 DATE & TIME OUT1: 07/12/2021 08:00

OVEN IN TEMP2: 103 °C

OVEN OUT TEMP2: 103 °C

DATE & TIME IN2: 07/12/2021 08:30 DATE & TIME OUT2: 07/12/2021 10:00

Run Number: LB115278

BalanceID: WC SC-3

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB115278BL	LB115278BL	85.6714	85.6714	100	85.6715	85.6715	85.6715	0.0001	1
2	M2999-01	FRAC-TANK-N43502	90.7267	90.7267	100	91.0961	91.0961	91.0961	0.3694	3694
3	M2999-01DUP	FRAC-TANK-N43502DUP	89.9991	89.9991	100	90.3859	90.3859	90.3859	0.3868	3868

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

LB 115278

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TS WM2999 WorkList ID : 150453 Department : Wet-Chemistry Date : 07-09-2021 13:12:02

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
07/16/2021	Water	M2999-01	TS	Cool 4 deg C	PSEG03	L21	FRAC-TANK-N43502	07/09/2021	SM2540 B

Date/Time 07/09/21 13:20

Raw Sample Received by: JP (WC)

Raw Sample Relinquished by: JP (WC)

Date/Time 07/09/21 16:10

Raw Sample Received by: JP (WC)

Raw Sample Relinquished by: JP (WC)