

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 09/03/2021 16:00 **TEMP1 OUT:** 103 °C 09/07/2021 08:00
TEMP2 IN: 104 °C 09/07/2021 08:30 **TEMP2 OUT:** 104 °C 09/07/2021 10:00
TEMP3 IN: 540 °C 09/07/2021 10:30 **TEMP3 OUT:** 540 °C 09/07/2021 12:00
TEMP4 IN: 560 °C 09/07/2021 12:30 **TEMP4 OUT:** 560 °C 09/07/2021 14:00

Run Number: LB116155

SUPERVISOR: apatel

ANALYST: jignesh

BalanceID: Wc Sc-06

OvenID: Wc Oven-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB116155BL	84.5371	84.5371	95.1473	95.1474	95.1474	95.1474	95.1474	0.0000	0
2	M3655-03	59.3967	59.3967	81.7742	80.8917	80.8917	79.7990	79.7990	1.0927	5.1
3	M3655-03DUP	53.5558	53.5558	76.901	75.7296	75.7296	74.5471	74.5471	1.1825	5.3

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

LB 116155

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tvs m3655 WorkList ID : 152011 Department : Wet-Chemistry Date : 09-03-2021 14:41:06

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/09/2021	Solid	M3655-03	TVS	Cool 4 deg C	PSEG03	H22	CON-GROWS	09/03/2021	160.4

Date/Time 09/03/21 14:45
Raw Sample Received by: SP WCI
Raw Sample Relinquished by: CP SM

Date/Time 09/03/21 14:10
Raw Sample Received by: CP SM
Raw Sample Relinquished by: SP WCI