

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 09/10/2021 16:00 TEMP1 OUT: 103 °C 09/13/2021 08:00
 TEMP2 IN: 103 °C 09/13/2021 08:30 TEMP2 OUT: 103 °C 09/13/2021 10:00
 TEMP3 IN: 540 °C 09/13/2021 10:30 TEMP3 OUT: 540 °C 09/13/2021 12:00
 TEMP4 IN: 560 °C 09/13/2021 12:30 TEMP4 OUT: 560 °C 09/13/2021 14:00

Run Number: LB116244

SUPERVISOR: apatel

ANALYST: jignesh

BalanceID: Wc Sc-06

OvenID: Wc Oven-01

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB116244BL	78.5136	78.5136	78.5136	78.5136	78.5136	78.5136	78.5136	0.0000	0
2	M3709-01	55.8905	55.8905	75.6602	73.1402	73.1402	72.7783	72.7783	0.3619	2.1
3	M3709-01DUP	59.9838	59.9838	80.4874	77.8488	77.8488	77.4903	77.4903	0.3585	2
4	M3709-04	58.3217	58.3217	80.1742	77.1432	77.1432	76.6031	76.6031	0.5401	2.9

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

29116246

WorkList Name : tvs m3709 s WorkList ID : 152155 Department : Wet-Chemistry Date : 09-10-2021 13:03:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/16/2021	Solid	M3709-01	A TVS	Cool 4 deg C	NOB03	H41	250EM-DISPOSAL-1	09/09/2021	160.4
09/16/2021	Solid	M3709-04	TVS	Cool 4 deg C	NOB03	H41	250EM-DISPOSAL-2	09/09/2021	160.4

Date/Time 09.10.21 13:30
 Raw Sample Received by: JP (woc)
 Raw Sample Relinquished by: JP (woc)

Date/Time 09.10.21 16:30
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: JP (woc)