



TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 09/23/2021 16:00 TEMP1 OUT: 103 °C 09/24/2021 08:00
TEMP2 IN: 103 °C 09/24/2021 08:30 TEMP2 OUT: 103 °C 09/24/2021 10:00
TEMP3 IN: 540 °C 09/24/2021 10:30 TEMP3 OUT: 540 °C 09/24/2021 12:00
TEMP4 IN: 560 °C 09/24/2021 12:30 TEMP4 OUT: 560 °C 09/24/2021 14:00

Run Number: LB116478

SUPERVISOR: apatel

ANALYST: jignesh

BalanceID: Wc Sc-06

OvenID: Wc Oven-01

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB116478BL	75.8937	75.8937	75.8937	75.8937	75.8937	75.8937	75.8937	0.0000	0
2	M3904-01	60.8014	60.8014	81.6435	74.5330	74.533	73.9924	73.9924	0.5406	3.9
3	M3904-01DUP	59.3976	59.3976	81.6309	73.7092	73.7092	73.1604	73.1604	0.5488	3.8

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

VB 116478

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tvs m904 s WorkList ID : 152544 Department : Wet-Chemistry Date : 09-23-2021 14:04:26

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/28/2021	Solid	M3904-01	TVS	Cool 4 deg C	TULL02	J23	JET-GROUT-SOIL-STEEL	09/23/2021	160.4

Date/Time 09/23/21 14:15
Raw Sample Received by: JR WOC
Raw Sample Relinquished by: JR SM

Date/Time 09/23/21 16:10
Raw Sample Received by: CP SM
Raw Sample Relinquished by: JR WOC