

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 103 °C 11/03/2021 17:30 **TEMP1 OUT:** 104 °C 11/04/2021 08:00
TEMP2 IN: 104 °C 11/04/2021 08:30 **TEMP2 OUT:** 104 °C 11/04/2021 10:00
TEMP3 IN: 540 °C 11/04/2021 10:30 **TEMP3 OUT:** 540 °C 11/04/2021 12:00
TEMP4 IN: 560 °C 11/04/2021 12:30 **TEMP4 OUT:** 560 °C 11/04/2021 14:00

Run Number: LB117171

SUPERVISOR: apatel

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB117171BL	65.3027	65.3027	65.3027	65.3027	65.3027	65.3027	65.3027	0.0000	0
2	M4499-01	58.3139	58.3139	81.851	74.2354	74.2354	73.1068	73.1068	1.1286	7.1
3	M4499-01DUP	55.8849	55.8849	80.7387	72.6712	72.6712	71.5346	71.5346	1.1366	6.8

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

RF 11717)

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TVS M4499 WorkList ID : 153947 Department : Wet-Chemistry Date : 11-03-2021 17:09:54

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/10/2021	Solid	M4499-01	TVS	Cool 4 deg C	TULL02	D11	WEL-BRIDGE	11/03/2021	160.4

Date/Time 11/03/21 17:10
 Raw Sample Received by: JP (0007)
 Raw Sample Relinquished by: RC 0018 (56)

Date/Time 11/03/21 18:30
 Raw Sample Received by: RC 0018 (56)
 Raw Sample Relinquished by: JP (0007)