



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatel

ANALYST: jignesh

Date: 11/06/2021

OVEN IN TEMP1: 103 °C

OVEN OUT TEMP1: 103 °C

DATE & TIME IN1: 11/05/2021 16:30

DATE & TIME OUT1: 11/06/2021 08:00

OVEN IN TEMP2: 104 °C

OVEN OUT TEMP2: 104 °C

DATE & TIME IN2: 11/06/2021 08:30

DATE & TIME OUT2: 11/06/2021 10:00

Run Number: LB117191

BalanceID: WC SC-3

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB117191BL	LB117191BL	96.3718	96.3718	100	96.3719	96.3719	96.3719	0.0001	1
2	M4499-03	WEL-BRIDGE	85.0728	85.0728	100	85.1698	85.1698	85.1698	0.0970	970
3	M4499-03DUP	WEL-BRIDGEDUP	85.4374	85.4374	100	85.5342	85.5342	85.5342	0.0968	968

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

WORKLIST(Hardcopy Internal Chain)

B117191

WorkList Name : ASTM TS M4499 WorkList ID : 154021 Department : Wet-Chemistry Date : 11-05-2021 12:54:53

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
11/10/2021	Solid	M4499-03	ASTM TS	Cool 4 deg C	TULL02	D11	WEL-BRIDGE	11/03/2021	SM2540 B

Date/Time 11/05/21 13:35
 Raw Sample Received by: JO (WC)
 Raw Sample Relinquished by: JO (WC)

Date/Time 11/05/21 16:30
 Raw Sample Received by: JO (WC)
 Raw Sample Relinquished by: JO (WC)