



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatel

ANALYST: JIGNESH

Date: 12/23/2021

OVEN IN TEMP1: 104 °C

OVEN OUT TEMP1: 104 °C

DATE & TIME IN1: 12/22/2021 16:20 DATE & TIME OUT1: 12/23/2021 08:00

OVEN IN TEMP2: 103 °C

OVEN OUT TEMP2: 103 °C

DATE & TIME IN2: 12/23/2021 10:00 DATE & TIME OUT2: 12/23/2021 10:30

Run Number: LB117930

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Dish + Sample Weight (g)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result %
1	LB117930BL	LB117930BL	48.3317	48.3317	48.3317	48.3317	48.3317	48.3317	0.0000	0
2	M5208-01	WP-SOIL-1	53.5516	53.5516	76.3138	72.8644	72.8644	72.8644	19.3128	84.8
3	M5208-01DUP	WP-SOIL-1DUP	58.3173	58.3173	80.3016	77.0904	77.0904	77.0904	18.7731	85.4

A = Final Empty Dish Weight (g)

B = Dish + Sample Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

Result % = (C - A) * 100 / (B - A)