

OVEN IN TEMP1: 103 °C

OVEN OUT TEMP1: 104 °C

DATE & TIME IN1: 03/19/2022 16:00

DATE & TIME OUT1: 03/21/2022 08:00

OVEN IN TEMP2: 104 °C

OVEN OUT TEMP2: 104 °C

DATE & TIME IN2: 03/21/2022 08:30

DATE & TIME OUT2: 03/21/2022 10:00

Run Number: LB119245

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB119245BL	LB119245BL	96.3871	96.3871	100	96.3873	96.3873	96.3873	0.0002	2
2	N1985-03	VACLOT-SOIL-1	89.8969	89.8969	100	89.9040	89.9040	89.9040	0.0071	71
3	N1985-06	VACLOT-SOIL-2	88.4327	88.4327	100	88.4410	88.4410	88.4410	0.0083	83
4	N2010-03	WC1-220316	92.4949	92.4949	100	92.5024	92.5024	92.5024	0.0075	75
5	N2010-03DUP	WC1-220316DUP	85.4487	85.4487	100	85.4565	85.4565	85.4565	0.0078	78

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

VB 1192415

WORKLIST(Hardcopy Internal Chain)

WorkList Name : ASTM TS N2010 WorkList ID : 157893 Department : Wet-Chemistry Date : 03-19-2022 11:37:51

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
03/29/2022	Solid	N1985-03	ASTM TS	Cool 4 deg C	NOBI03	N33	VACLOT-SOIL-1	03/14/2022	SM2540 B
03/29/2022	Solid	N1985-06	ASTM TS	Cool 4 deg C	NOBI03	N33	VACLOT-SOIL-2	03/14/2022	SM2540 B
03/24/2022	Solid	N2010-03	ASTM TS	Cool 4 deg C	AMOE01	N21	WC1-220316	03/16/2022	SM2540 B

Date/Time 03/19/22 12:00
 Raw Sample Received by: JB WCC
 Raw Sample Relinquished by: JB WCC

Date/Time 03/19/22 16:10
 Raw Sample Received by: JB WCC
 Raw Sample Relinquished by: JB WCC