



TOTAL VOLATILE SOLIDS SM2540 G

TEMP1 IN: 103 °C 04/29/2022 16:00 TEMP1 OUT: 104 °C 05/02/2022 07:30
TEMP2 IN: 104 °C 05/02/2022 08:00 TEMP2 OUT: 104 °C 05/02/2022 09:30
TEMP3 IN: 540 °C 05/02/2022 10:00 TEMP3 OUT: 540 °C 05/02/2022 11:30
TEMP4 IN: 560 °C 05/02/2022 12:00 TEMP4 OUT: 560 °C 05/02/2022 13:30

Run Number: LB119899

SUPERVISOR: apatel

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (mg/L)
1	LB119899BL	85.6174	85.6174	100	85.6174	85.6174	85.6174	85.6174	0.0000	0
2	N2624-01	92.4926	92.4926	100	92.5873	92.5873	92.5796	92.5796	0.0077	77
3	N2624-01DUP	96.9896	96.9896	100	97.0866	97.0866	97.0788	97.0788	0.0078	78

A = Sample Volume (ml)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{A} \times 1000000$

VB 119899

WORKLIST(Hardcopy Internal Chain)

WorkList Name: YVS N2624 W WorkList ID: 159142 Department: Wet-Chemistry Date: 04-29-2022 11:44:18

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
05/04/2022	Water	N2624-01	TVS	Cool 4 deg C	PSEG03	K11	N47992	04/29/2022	SM2540 G

Date/Time 04/29/22 13:00
Raw Sample Received by: JRC
Raw Sample Relinquished by: JRC

Date/Time 04/29/22 16:25
Raw Sample Received by: JRC
Raw Sample Relinquished by: JRC