

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 09/15/2022 16:15 TEMP1 OUT: 103 °C 09/16/2022 08:00
 TEMP2 IN: 103 °C 09/16/2022 08:30 TEMP2 OUT: 103 °C 09/16/2022 10:00
 TEMP3 IN: 540 °C 09/16/2022 10:30 TEMP3 OUT: 540 °C 09/16/2022 12:00
 TEMP4 IN: 560 °C 09/16/2022 12:30 TEMP4 OUT: 560 °C 09/16/2022 14:00

Run Number: LB122009

SUPERVISOR: Sohil

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB122009BL	48.9637	48.9637	48.9637	48.9637	48.9637	48.9637	48.9637	0.0000	0
2	N4630-03	53.5502	53.5502	76.5015	72.7396	72.7396	69.8637	69.8637	2.8759	15
3	N4630-03DUP	60.9396	60.9396	81.8341	78.2907	78.2907	75.8072	75.8072	2.4835	14.3
4	N4630-08	60.7991	60.7991	82.7807	79.7559	79.7559	77.8672	77.8672	1.8887	10
5	N4630-13	59.5545	59.5545	81.4497	77.7721	77.7721	75.4188	75.4188	2.3533	12.9
6	N4630-18	55.8886	55.8886	77.3975	74.2688	74.2688	72.0011	72.0011	2.2677	12.3
7	N4630-23	58.3180	58.3180	83.2123	78.8641	78.8641	76.1994	76.1994	2.6647	13

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

W 122009

WorkList Name : tvs n4630

WorkList ID : 163193

Department : Wet-Chemistry

Date : 09-15-2022 09:13:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Raw Sample Storage Location	Customer Sample	Collect Date	Method
09/19/2022	Solid	N4630-03	TVS	Cool 4 deg C	ROUX02	N11	WC-17-4-1	09/13/2022	160.4
09/19/2022	Solid	N4630-08	TVS	Cool 4 deg C	ROUX02	N11	WC-17-4-2	09/13/2022	160.4
09/19/2022	Solid	N4630-13	TVS	Cool 4 deg C	ROUX02	N11	WC-17-4-3	09/13/2022	160.4
09/19/2022	Solid	N4630-18	TVS	Cool 4 deg C	ROUX02	N11	WC-17-4-4	09/13/2022	160.4
09/19/2022	Solid	N4630-23	TVS	Cool 4 deg C	ROUX02	N11	WC-17-4-5	09/13/2022	160.4

Date/Time 09.15.22 12:10
 Raw Sample Received by: JP WCC
 Raw Sample Relinquished by: CP SM

Date/Time 09.15.22 16:30
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: JP WCC