



TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 06/15/2023 16:20 TEMP1 OUT: 103 °C 06/16/2023 07:30
TEMP2 IN: 104 °C 06/16/2023 08:00 TEMP2 OUT: 104 °C 06/16/2023 09:30
TEMP3 IN: 540 °C 06/16/2023 10:00 TEMP3 OUT: 540 °C 06/16/2023 11:30
TEMP4 IN: 560 °C 06/16/2023 12:00 TEMP4 OUT: 560 °C 06/16/2023 13:30

Run Number: LB125987

SUPERVISOR: Sohil

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB125987BL	65.4743	65.4743	65.4743	65.4743	65.4743	65.4743	65.4743	0.0000	0
2	O3282-03	58.2927	58.2927	81.8886	68.5333	68.5333	66.9481	66.9481	1.5852	15.5
3	O3282-03DUP	59.5309	59.5309	84.3436	70.2269	70.2269	68.4891	68.4891	1.7378	16.2
4	O3282-08	60.7759	60.7759	81.6779	70.0481	70.0481	68.3306	68.3306	1.7175	18.5

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

125987

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TVS O3282 WorkList ID : 170931 Department : Wet-Chemistry Date : 06-15-2023 15:03:47

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3282-03	WC-NEX-001	Solid	TVS	Cool 4 deg C	ENTA05	G11	06/14/2023	160.4
O3282-08	WC-NEX-002	Solid	TVS	Cool 4 deg C	ENTA05	G11	06/14/2023	160.4

Date/Time 06/15/23 15:10
Raw Sample Received by: JTC (Gm)
Raw Sample Relinquished by: JTC (Gm)

Date/Time 06/15/23 16:30
Raw Sample Received by: JTC (Gm)
Raw Sample Relinquished by: JTC (Gm)