



TOTAL VOLATILE SOLIDS SM2540 G

TEMP1 IN: 104 °C 07/19/2023 17:20 TEMP1 OUT: 103 °C 07/20/2023 08:00
TEMP2 IN: 103 °C 07/20/2023 08:30 TEMP2 OUT: 104 °C 07/20/2023 10:00
TEMP3 IN: 540 °C 07/20/2023 10:30 TEMP3 OUT: 540 °C 07/20/2023 12:00
TEMP4 IN: 560 °C 07/20/2023 12:30 TEMP4 OUT: 560 °C 07/20/2023 14:00

Run Number: LB126519

SUPERVISOR: Iwona

ANALYST: JIGNESH

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (mg/L)
1	LB126519BL	98.5624	98.5624	100	98.5624	98.5624	98.5624	98.5624	0.0000	0
2	O3670-01	98.4210	98.4210	100	98.5343	98.5343	98.5012	98.5012	0.0331	331
3	O3683-01	101.9151	101.9151	100	103.9648	103.9648	103.6211	103.6211	0.3437	3437
4	O3683-01DUP	91.3220	91.3220	100	93.2719	93.2719	92.9380	92.9380	0.3339	3339

A = Sample Volume (ml)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105 °C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105 °C (g)

Weight D = C - B

Result % = $\frac{D}{A} \star 1000000$

WORKLIST(Hardcopy Internal Chain)

18-12-6519

WorkList Name : tvs 03683

WorkList ID : 172019

Department : Wet-Chemistry

Date : 07-19-2023 16:43:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3670-01	N48909	Water	TVS	Cool 4 deg C	PSEG03	I11	07/19/2023	SM2540 G
O3683-01	NORTH-TURNPIKE	Water	TVS	Cool 4 deg C	PSEG03	I11	07/19/2023	SM2540 G

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

07-19-23 16:50

20 (COPI)

20 (COPI)

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

07-19-23

20 (COPI)

20 (COPI)