



TOTAL VOLATILE SOLIDS SM2540 G

TEMP1 IN: 104 °C 09/19/2023 15:50 TEMP1 OUT: 103 °C 09/20/2023 06:30
TEMP2 IN: 104 °C 09/20/2023 07:00 TEMP2 OUT: 104 °C 09/20/2023 08:30
TEMP3 IN: 540 °C 09/20/2023 09:00 TEMP3 OUT: 540 °C 09/20/2023 10:30
TEMP4 IN: 560 °C 09/20/2023 11:00 TEMP4 OUT: 560 °C 09/20/2023 12:30

Run Number: LB127365

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (mg/L)
1	LB127365BL	85.6947	85.6947	100	85.6947	85.6947	85.6947	85.6947	0.0000	0
2	O4474-04	98.4913	98.4913	100	98.6133	98.6133	98.5521	98.5521	0.0612	612
3	O4474-04DUP	94.8701	94.8701	100	94.9915	94.9915	94.9325	94.9325	0.0590	590

A = Sample Volume (ml)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{A} \star 1000000$

WORKLIST(Hardcopy Internal Chain)

VB 127365

WorkList Name : TVS 04474

WorkList ID : 173735

Department : Wet-Chemistry

Date : 09-19-2023 14:29:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4474-04	K H-2313-WATER	Water	TVS	Cool 4 deg C	PSEG03	D22	09/15/2023	SM2540 G

Date/Time 09.19.23 15:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 09.19.23 16:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]