

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 09/19/2024 16:00 **TEMP1 OUT:** 103 °C 09/20/2024 07:30
TEMP2 IN: 104 °C 09/20/2024 08:00 **TEMP2 OUT:** 104 °C 09/20/2024 09:30
TEMP3 IN: 540 °C 09/20/2024 10:00 **TEMP3 OUT:** 540 °C 09/20/2024 12:10
TEMP4 IN: 560 °C 09/20/2024 12:30 **TEMP4 OUT:** 560 °C 09/20/2024 14:40

Run Number: LB132521

SUPERVISOR: Iwona

ANALYST: Niha

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB132521BL	60.4732	60.4732	60.4732	60.4732	60.4732	60.4732	60.4732	0.0000	0
2	P4103-03	58.3229	58.3229	78.3751	77.0657	77.0657	76.6465	76.6465	0.4192	2.2
3	P4103-03DUP	59.5632	59.5632	79.5802	78.3934	78.3934	77.9750	77.9750	0.4184	2.2
4	P4103-06	53.5572	53.5572	73.6184	71.6939	71.6939	71.0605	71.0605	0.6334	3.5
5	P4103-09	78.4602	78.4602	98.9921	97.0058	97.0058	96.5329	96.5329	0.4729	2.5
6	P4103-12	59.4008	59.4008	77.121	74.5664	74.5664	73.9992	73.9992	0.5672	3.7
7	P4103-15	82.3491	82.3491	102.2205	99.9992	99.9992	99.4942	99.4942	0.5050	2.9
8	P4103-18	78.4007	78.4007	98.3124	95.6357	95.6357	95.2233	95.2233	0.4124	2.4

A = Sample Weight (g)
B = Final Dish + Samplewt Drying @550 (±50) °C (g)
C = Final Dish + SampleWt Drying @103-@105 °C (g)
D = Weight (g)
E = Final Empty Dish Weight (g)
F = Final Dish + SampleWt Drying @103-@105 °C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

LB132521

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TVS-09192024

WorkList ID : 183666

Department : Wet-Chemistry

Date : 09-19-2024 10:19:18

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4103-03	WC-22A	Solid	TVS	Cool 4 deg C	ENTA05	J11	09/17/2024	160.4
P4103-06	WC-14-5-7.5A	Solid	TVS	Cool 4 deg C	ENTA05	J11	09/17/2024	160.4
P4103-09	WC-14-5-7.5B	Solid	TVS	Cool 4 deg C	ENTA05	J11	09/17/2024	160.4
P4103-12	WC-14-7.5-10A	Solid	TVS	Cool 4 deg C	ENTA05	J11	09/17/2024	160.4
P4103-15	WC-14-7.5-10B	Solid	TVS	Cool 4 deg C	ENTA05	J11	09/17/2024	160.4
P4103-18	WC-23	Solid	TVS	Cool 4 deg C	ENTA05	J11	09/17/2024	160.4

Date/Time 09.19.2024, 15:00
Raw Sample Received by: NF(WC)
Raw Sample Relinquished by: NF(WC)

Date/Time 09.19.2024, 16:30
Raw Sample Received by: NF(WC)
Raw Sample Relinquished by: NF(WC)