

TOTAL VOLATILE SOLIDS SM2540 G

TEMP1 IN: 104 °C 10/11/2024 17:20 **TEMP1 OUT:** 103 °C 10/12/2024 08:00
TEMP2 IN: 104 °C 10/12/2024 08:30 **TEMP2 OUT:** 103 °C 10/12/2024 10:00
TEMP3 IN: 540 °C 10/12/2024 10:30 **TEMP3 OUT:** 560 °C 10/12/2024 11:30
TEMP4 IN: 540 °C 10/12/2024 12:00 **TEMP4 OUT:** 540 °C 10/12/2024 13:30

Run Number: LB132896

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: EXT OVEN-3

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (mg/L)
1	LB132896BL	85.9337	85.9337	100	85.9337	85.9337	85.9337	85.9337	0.0000	0
2	P4396-01	63.8046	63.8046	100	63.8854	63.8854	63.8346	63.8346	0.0508	508
3	P4396-01DUP	91.5480	91.5480	100	91.6287	91.6287	91.5801	91.5801	0.0486	486

A = Sample Volume (ml)
B = Final Dish + Samplewt Drying @550 (±50) °C (g)
C = Final Dish + SampleWt Drying @103-@105 °C (g)
D = Weight (g)
E = Final Empty Dish Weight (g)
F = Final Dish + SampleWt Drying @103-@105 °C (g)

Weight D = **C - B**

Result % = $\frac{D}{A} \star 1000000$

VB 132896

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TVS P496 WATER WorkList ID : 184377 Department : Wet-Chemistry Date : 10-11-2024 16:13:29

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4396-01	WASTE-WATER-FRAC-TANK	Water	TVS	Cool 4 deg C	PSEG03	K32	10/11/2024	SM2540 G

Date/Time 10-11-24 16:20
Raw Sample Received by: SD WBO
Raw Sample Relinquished by: CSN

Date/Time 10-11-24 17:40
Raw Sample Received by: CSN
Raw Sample Relinquished by: SD WBO