

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 11/06/2024 15:45 **TEMP1 OUT:** 103 °C 11/06/2024 08:30
TEMP2 IN: 104 °C 11/07/2024 09:00 **TEMP2 OUT:** 104 °C 11/07/2024 10:30
TEMP3 IN: 540 °C 11/07/2024 11:00 **TEMP3 OUT:** 540 °C 11/07/2024 12:50
TEMP4 IN: 560 °C 11/07/2024 13:20 **TEMP4 OUT:** 560 °C 11/07/2024 15:00

Run Number: LB133332

SUPERVISOR: jignesh

ANALYST: Niha

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB133332BL	58.3241	58.3241	58.3241	58.3241	58.3241	58.3241	58.3241	0.0000	0
2	P4722-03	53.5317	53.5317	73.528	71.7234	71.7234	69.7500	69.7500	1.9734	10.8
3	P4722-08	58.2955	58.2955	78.5182	76.0055	76.0055	74.3434	74.3434	1.6621	9.4
4	P4722-13	59.3717	59.3717	79.7698	77.3220	77.322	75.4595	75.4595	1.8625	10.4
5	P4722-13DUP	59.5330	59.5330	79.3178	76.7096	76.7096	75.0086	75.0086	1.7010	9.9

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

L3133332

WorkList Name : TVS-11062024

WorkList ID : 185176

Department : Wet-Chemistry

Date : 11-06-2024 11:29:34

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4722-03	WC-1(0-6)	Solid	TVS	Cool 4 deg C	WALS01	L23	11/05/2024	160.4
P4722-08	WC-2(0-6)	Solid	TVS	Cool 4 deg C	WALS01	L23	11/05/2024	160.4
P4722-13	WC-3(0-6)	Solid	TVS	Cool 4 deg C	WALS01	L23	11/05/2024	160.4

Date/Time 11-06-2024, 14:45
Raw Sample Received by: NPLWC
Raw Sample Relinquished by: NP (WLC)

Date/Time 11-06-2024, 16:00
Raw Sample Received by: NP CEE
Raw Sample Relinquished by: NPLWC