

TOTAL VOLATILE SOLIDS SM2540 G

TEMP1 IN: 103 °C 11/21/2024 17:00 **TEMP1 OUT:** 104 °C 11/22/2024 09:00
TEMP2 IN: 103 °C 11/22/2024 09:30 **TEMP2 OUT:** 104 °C 11/22/2024 10:30
TEMP3 IN: 540 °C 11/22/2024 11:00 **TEMP3 OUT:** 540 °C 11/22/2024 12:00
TEMP4 IN: 560 °C 11/22/2024 12:30 **TEMP4 OUT:** 560 °C 11/22/2024 13:30

Run Number: LB133591

SUPERVISOR: Iwona

ANALYST: Niha

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (mg/L)
1	LB133591BL	59.8745	59.8745	100	59.8745	59.8745	59.8745	59.8745	0.0000	0
2	P4947-01	85.4585	85.4585	100	85.5565	85.5565	85.5024	85.5024	0.0541	541
3	P4947-01DUP	91.6086	91.6086	100	91.7050	91.705	91.6511	91.6511	0.0539	539

A = Sample Volume (ml)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{A} \star 1000000$

WORKLIST(Hardcopy Internal Chain)

LB133591

WorkList Name : TVS-11212024

WorkList ID : 185658

Department : Wet-Chemistry

Date : 11-21-2024 14:38:40

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P4947-01	A3988	Water	TVS	Cool 4 deg C	PSEG03	L61	11/21/2024	SM2540 G

Date/Time 11-21-2024 16:00
Raw Sample Received by: NFWC
Raw Sample Relinquished by: NFWC

Date/Time 11-21-2024 17:30
Raw Sample Received by: NFWC
Raw Sample Relinquished by: NFWC