



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 12/27/2024

OVENTEMP IN Celsius(°C): 106
Time IN: 14:30
In Date: 12/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:03
Out Date: 12/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB134078

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P5368-01	YE624	1	1.18	8.60	9.78	9.24	93.7	
P5368-02	YE625	2	1.19	8.57	9.76	7.55	74.2	
P5368-03	YE626	3	1.16	8.40	9.56	7.98	81.2	
P5368-04	YE626MS	4	1.16	8.40	9.56	7.98	81.2	
P5368-05	YE626MSD	5	1.16	8.40	9.56	7.98	81.2	
P5368-06	YE627	6	1.15	8.82	9.97	8.73	85.9	
P5368-07	YE628	7	1.11	8.71	9.82	8.46	84.4	
P5368-08	YE629	8	1.15	8.84	9.99	8.64	84.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

134078

WorkList Name : %1-P5368

WorkList ID : 186599

Department : Wet-Chemistry

Date : 12-26-2024 08:03:35

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P5368-01	YE624	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-02	YE625	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-03	YE626	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-04	YE626MS	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-05	YE626MSD	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-06	YE627	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-07	YE628	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO
P5368-08	YE629	Solid	Percent Solids	Cool 4 deg C	USEP04	C21	12/19/2024	Chemtech -SO

Date/Time

12/26/24 13:35

Raw Sample Received by:

JP WOI

Raw Sample Relinquished by:

JP WOI

Date/Time

12/26/24

Raw Sample Received by:

JP WOI

Raw Sample Relinquished by:

JP WOI