

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 07/11/2025 16:00 **TEMP1 OUT:** 103 °C 07/14/2025 07:00
TEMP2 IN: 104 °C 07/14/2025 07:30 **TEMP2 OUT:** 103 °C 07/14/2025 08:00
TEMP3 IN: 550 °C 07/14/2025 08:30 **TEMP3 OUT:** 550 °C 07/14/2025 10:00
TEMP4 IN: 540 °C 07/14/2025 10:30 **TEMP4 OUT:** 550 °C 07/14/2025 12:00

Run Number: LB136449

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB136449BL	65.2317	65.2317	65.2317	65.2317	65.2317	65.2317	65.2317	0.0000	0
2	Q2578-02	78.4185	78.4185	99.9115	96.6456	96.6456	96.1234	96.1234	0.5222	2.9
3	Q2578-02DUP	82.3636	82.3636	102.0585	99.0655	99.0655	98.6000	98.6000	0.4655	2.8
4	Q2578-06	78.4792	78.4792	99.5985	94.1689	94.1689	93.5319	93.5319	0.6370	4.1
5	Q2578-10	53.5697	53.5697	76.1793	69.7568	69.7568	68.7883	68.7883	0.9685	6
6	Q2578-14	88.4181	88.4181	110.5384	106.9513	106.9513	106.5734	106.5734	0.3779	2
7	Q2578-18	90.0686	90.0686	113.2805	105.3776	105.3776	104.7636	104.7636	0.6140	4
8	Q2579-02	87.3613	87.3613	110.9608	104.2760	104.276	103.4899	103.4899	0.7861	4.6
9	Q2579-06	96.9996	96.9996	117.7224	114.0235	114.0235	113.7102	113.7102	0.3133	1.8

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

136449

WorkList Name : TVS Q2579 S WorkList ID : 190881 Department : Wet-Chemistry Date : 07-11-2025 13:45:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-02	WC-A5-01-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-06	WC-A2-09-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-10	WC-A2-10-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-14	WC-A2-11-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-18	WC-A2-12-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2579-02	WC-A2-13-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2579-06	WC-A2-14-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4

Date/Time 07-11-25 14:00
 Raw Sample Received by: SP WC1
 Raw Sample Relinquished by: CP SM

58
 Date/Time 07-11-25 14:16:30
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: SP WC1