

TOTAL VOLATILE SOLIDS SM2540 G

TEMP1 IN: 104 °C 07/17/2025 16:00 **TEMP1 OUT:** 103 °C 07/18/2025 07:30
TEMP2 IN: 104 °C 07/18/2025 08:00 **TEMP2 OUT:** 104 °C 07/18/2025 09:30
TEMP3 IN: 550 °C 07/18/2025 10:00 **TEMP3 OUT:** 550 °C 07/18/2025 11:30
TEMP4 IN: 540 °C 07/18/2025 12:00 **TEMP4 OUT:** 550 °C 07/18/2025 13:30

Run Number: LB136537

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (mg/L)
1	LB136537BL	141.8563	141.8563	100	141.8563	141.8563	141.8563	141.8563	0.0000	0
2	Q2633-02	156.5824	156.5822	100	156.5899	156.5898	156.5863	156.5862	0.0036	36
3	Q2633-02DUP	142.7994	142.7994	100	142.8068	142.8067	142.8032	142.8030	0.0037	37

A = Sample Volume (ml)
B = Final Dish + Samplewt Drying @550 (±50) °C (g)
C = Final Dish + SampleWt Drying @103-@105 °C (g)
D = Weight (g)
E = Final Empty Dish Weight (g)
F = Final Dish + SampleWt Drying @103-@105 °C (g)

Weight D = C - B

Result % = $\frac{D}{A} \star 1000000$

WORKLIST(Hardcopy Internal Chain)

101 AB 136527-58

WorkList Name : tvs q2632 w

WorkList ID : 190804

Department : Wet-Chemistry

Date : 07-17-2025 13:40:03

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2633-02	OX FIBER-GLASS-TANK	Water	TVS	Cool 4 deg C	PSEG03	D41	07/17/2025	SM2540 G

Date/Time 07/17/25 14:00

Raw Sample Received by: SA WDC

Raw Sample Relinquished by: JTCm7

Date/Time 07/17/25

Raw Sample Received by: JTCm7

Raw Sample Relinquished by: SA WDC