



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatelANALYST: JIGNESHDate: 05/24/2017DATE & TIME IN: 05/23/2017 17:00OVEN TEMP: 98 °CRun Number: LB87640DATE & TIME OUT: 05/24/2017 12:50OVEN TEMP: 105 °CBalanceID: WC SC-3OvenID: WC Oven-2

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB87640BL	LB87640BL	90.1853	90.1853	100	90.1853	90.1853	90.1853	0	0
2	I3291-01	2AVE-04	95.4889	95.4889	100	95.6324	95.6324	95.6324	0.1435	1435
3	I3303-01	WS-6	75.5536	75.5536	100	75.8045	75.8045	75.8045	0.2509	2509
4	I3303-01DUP	WS-6DUP	77.6311	77.6311	100	77.8825	77.8825	77.8825	0.2514	2514

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after drying @105°C(g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

2387640

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TS I3303 WorkList ID : 98814 Date : 5/23/2017 1:50:53 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Water	I3291-01-5	TS	Cool 4 deg C	DIST01		2AVE-04	05/19/2017	SM2540 B
	Water	I3303-01-5	TS	Cool 4 deg C	TULL02	I62	WS-6	05/22/2017	SM2540 B

Date/Time 05.23.17 1:50 PM
Received by: JP
Relinquished by: _____

Date/Time 05.23.17 4:20 PM
Received by: CR
Relinquished by: JP