

**TOTAL VOLATILE SOLIDS - 160.4**Run Number: LB90409SUPERVISOR: apatelANALYST: DHVANIBalanceID: WC SC-3OvenID: WC OVEN-2OVEN TEMP: 103 TIME IN: 09/28/2017 17:30OVEN TEMP: 540 TIME IN: 09/29/2017 10:50OVEN TEMP: 105 TIME OUT: 09/29/2017 10:30OVEN TEMP: 560 TIME OUT: 09/29/2017 15:00

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result %
1	LB90409BL	79.5157	79.5157	79.5157	79.5157	79.5157	79.5157	79.5157	0	0
2	I5450-01	57.1852	57.1852	80.1485	67.9409	67.9409	66.3012	66.3012	1.6397	15.2
3	I5450-01DUP	59.5644	59.5644	80.6334	69.3485	69.3485	67.8574	67.8574	1.4911	15.2
4	I5450-02	58.3187	58.3187	79.3125	71.813	71.813	70.5558	70.5558	1.2572	9.3
5	I5450-03	59.3961	59.3961	80.3825	70.1605	70.1605	69.1144	69.1144	1.0461	9.7
6	I5450-04	60.8268	60.8268	82.0697	72.6132	72.6132	71.4167	71.4167	1.1965	10.2
7	I5450-05	61.7533	61.7533	58.3307	74.5863	74.5863	73.604	73.604	0.9823	7.7
8	I5450-06	54.1481	54.1481	76.3442	64.595	64.595	63.4692	63.4692	1.1258	10.8
9	I5450-07	85.4495	85.4495	106.1067	95.5029	95.5029	93.3668	93.3668	2.1361	21.2
10	I5450-08	59.9813	59.9813	58.2128	73.8244	73.8244	72.1928	72.1928	1.6316	11.8
11	I5450-09	53.5534	53.5534	74.5073	64.1448	64.1448	62.6794	62.6794	1.4654	13.8
12	I5450-10	82.4741	82.4741	104.3315	92.7414	92.7414	91.8269	91.8269	0.9145	8.9
13	I5450-11	84.7594	84.7594	109.7055	98.0306	98.0306	96.5866	96.5866	1.444	10.9
14	I5450-12	79.9767	79.9767	101.1259	90.7433	90.7433	89.3752	89.3752	1.3681	12.7

A = Sample Volume (ml)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

$$\text{Result mg/L} = \frac{D}{F - E} \star 100$$

LB90409

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tvs092817

WorkList ID : 103392

Date : 9/28/2017 11:11:32 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I5450-01 ✓	TVS	Cool 4 deg C	TULL02	H42	20170660-A-C-1	09/20/2017	160.4
	Solid	I5450-02 ✓	TVS	Cool 4 deg C	TULL02	H42	20170661-A-C-2	09/20/2017	160.4
	Solid	I5450-03 ✓	TVS	Cool 4 deg C	TULL02	H42	20170662-A-C-3	09/20/2017	160.4
	Solid	I5450-04 ✓	TVS	Cool 4 deg C	TULL02	H42	20170663-A-C-4	09/20/2017	160.4
	Solid	I5450-05 ✓	TVS	Cool 4 deg C	TULL02	H42	20170664-A-C-5	09/25/2017	160.4
	Solid	I5450-06 ✓	TVS	Cool 4 deg C	TULL02	H42	20170665-A-C-6	09/25/2017	160.4
	Solid	I5450-07 ✓	TVS	Cool 4 deg C	TULL02	H42	20170666-A-C-7	09/25/2017	160.4
	Solid	I5450-08 ✓	TVS	Cool 4 deg C	TULL02	H42	20170667-A-C-8	09/25/2017	160.4
	Solid	I5450-09 ✓	TVS	Cool 4 deg C	TULL02	H42	20170668-A-C-9	09/25/2017	160.4
	Solid	I5450-10 ✓	TVS	Cool 4 deg C	TULL02	H42	20170669-A-C-10	09/25/2017	160.4
	Solid	I5450-11 ✓	TVS	Cool 4 deg C	TULL02	H42	20170670-A-C-11	09/25/2017	160.4
	Solid	I5450-12 ✓	TVS	Cool 4 deg C	TULL02	H42	20170671-A-C-12	09/25/2017	160.4

Date/Time 09/28/17 13:00

Received by: DPRelinquished by: CP

Date/Time 09/28/17 16:30

Received by: CPRelinquished by: DP