



TOTAL SOLIDS - SM2540B

SUPERVISOR: apatelANALYST: AparnaDate: 02/01/2018DATE & TIME IN: 01/31/2018 16:00OVEN TEMP: 103 °CRun Number: LB93037DATE & TIME OUT: 02/01/2018 10:00OVEN TEMP: 103 °CBalanceID: WC SC-3OvenID: WC Oven-2

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	1st Dish+Sample weight after Drying @103-@105°C (g)	2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB93037BL	LB93037BL	74.536	74.536	100	74.536	74.536	74.536	0	0
2	J1407-01	TW-01	84.0496	84.0496	100	84.1931	84.1931	84.1931	0.1435	1435
3	J1407-01DUP	TW-01DUP	74.1105	74.1105	100	74.2536	74.2536	74.2536	0.1431	1431

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after drying @105°C(g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TS013118

WorkList ID : 108135

Date : 1/31/2018 2:30:42 PM

21393034

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/01/2018	Water	J1407-01	TS	Cool 4 deg C	ENTA04	J13	TW-01	01/31/2018	SM2540 B

Date/Time 01/31/18 15:00
 Received by: AS
 Relinquished by: CP

Date/Time 01/31/18
 Received by: CP
 Relinquished by: AS