



TOTAL Dissolved Solids - SM2540C

Run Number: LB93859SUPERVISOR: apatelANALYST: AparnaDate: 03/14/2018BalanceID: WC SC-3OvenID: WC Oven-2/3

TEMP1 IN: 103 03/13/2018 16:00 TEMP OUT: 104 03/14/2018 07:45
TEMP2 IN: 182 03/14/2018 07:47 TEMP OUT: 182 03/14/2018 09:30
TEMP3 IN: 180 03/14/2018 10:00 TEMP OUT: 182 03/14/2018 12:30

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @180 (±2) °C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @180 (±2) °C (g)	Final Empty Dish+Sample weight after 1.5hr drying @180 (±2) °C (g)	Weight (g)	Result mg/L
1	LB93859BL	LB93859BL	95.5324	95.5324	100	95.5324	95.5324	95.5324	0	0
2	LB93859BS	LB93859BS	95.2352	95.2352	100	95.2445	95.2445	95.2445	0.0093	93
3	J1900-10	PT-SOL-WP	84.7629	84.7629	100	84.7889	84.7889	84.7889	0.026	260

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = 2nd Empty Dish + Sample weight after 1.5 hr drying @180 (±2) °C (g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$