



TOTAL Dissolved Solids - SM2540C

Run Number: LB96244

SUPERVISOR: apatel

ANALYST: Aparna

Date: 06/26/2018

BalanceID: WC SC-3

OvenID: WC Oven-2/3

TEMP1 IN: 103 06/25/2018 15:35 TEMP OUT: 103 06/26/2018 07:20
TEMP2 IN: 182 06/26/2018 07:23 TEMP OUT: 182 06/26/2018 09:10
TEMP3 IN: 182 06/26/2018 10:20 TEMP OUT: 182 06/26/2018 12:05

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @180 (±2) °C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @180 (±2) °C (g)	Final Empty Dish+Sample weight after 1.5hr drying @180 (±2) °C (g)	Weight (g)	Result mg/L
1	LB96244BL	LB96244BL	90.8176	90.8176	100	90.8176	90.8176	90.8176	0.0000	0
2	LB96244BS	LB96244BS	82.6260	82.6260	100	82.6354	82.6354	82.6354	0.0094	94
3	J3692-01	WC-02	84.5718	84.5718	100	84.6535	84.6535	84.6535	0.0817	817
4	J3692-01DUP	WC-02DUP	83.4801	83.4801	100	83.5599	83.5599	83.5599	0.0798	798

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = 2nd Empty Dish + Sample weight after 1.5 hr drying @180 (±2) °C (g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TDS062518

WorkList ID : 113755

Date : 6/25/2018 9:39:26 AM

17916249

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/29/2018	Water	J3692-01	F TDS	Cool 4 deg C	PKFM01	D52	WC-02	06/22/2018	SM2540 C

Fp - ID - 9823888

Date/Time

Received by:

Relinquished by:

06/25/18 14:00
AS
AS

Date/Time

Received by:

Relinquished by:

06/25/18 16:00
AS
AS