



TOTAL SUSPENDED SOLIDS - SM2540D

SUPERVISOR: apatel

ANALYST: jignesh

Date: 10/16/2018

TEMP1 IN: 104 10/16/2018 15:00 TEMP OUT: 104 10/16/2018 16:05

TEMP2 IN: 104 10/16/2018 17:00 TEMP OUT: 103 10/16/2018 17:30

TEMP3 IN: 103 10/16/2018 18:00 TEMP OUT: 104 10/17/2018 07:30

TEMP4 IN: 104 10/17/2018 08:05 TEMP OUT: 104 10/17/2018 09:30

Run Number: LB98640

BalanceID: wc-sc-3

OvenID: wc-oven-2

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB98640BL	LB98640BL	1.2698	1.2698	100	1.2698	1.2698	1.2698	0.0000	0
2	LB98640BS	LB98640BS	1.3654	1.3654	100	1.4202	1.4202	1.4202	0.0548	548
3	J5547-01	FRAC-TANK-DISCHARGE	1.4051	1.4051	150	1.4375	1.4375	1.4375	0.0324	216
4	J5547-01DUP	FRAC-TANK-DISCHARGEDUP	1.4019	1.4019	150	1.4359	1.4359	1.4359	0.0340	226.7

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

1308640

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tss j5547

WorkList ID : 118091

Date : 10/16/2018 3:51:55 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
10/17/2018	Water	J5547-01	✓ TSS	Cool 4 deg C	TULL02	D22	FRAC-TANK-DISCHARGE	10/12/2018	SM2540 D

Date/Time 10.16.18 4:00 PM
 Received by: Sn
 Relinquished by: RS

Date/Time 10.16.18 5:20 PM
 Received by: CS
 Relinquished by: SD