

CLIENT INFORMATION						PROJECT INFORMATION				BILLING INFORMATION									
COMPANY: Inframark ADDRESS: 310 West Service Road CITY: Staten Island ATTENTION: Kevin Russell PHONE: (718) 227-6333 FAX: (718) 227-6111						PROJECT NAME: Fresh Kills Landfill Leachate Treatment Plant PROJECT #: _____ PROJECT MANAGER: K. Russell E-MAIL: kevin.russell@inframark.com PHONE: (718) 227-6333 FAX: (718) 227-6111				PO# 140115 ADDRESS: P.O. Box 90176 CITY: Staten Island STATE: NY ZIP: 10309 ATTENTION: K. Russell PHONE: (718) 227-6333									
DATA TURNAROUND INFORMATION						DATA DELIVERABLE INFORMATION				ANALYSIS									
FAX: _____ DAYS* HARD COPY: _____ DAYS* EDD _____ 10 _____ DAYS* * TO BE APPROVED BY CHEMTECH STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS						☐ RESULTS ONLY ☐ USEPA CLP ☒ RESULTS * QC ☐ New York State ASP "B" ☐ New Jersey REDUCED ☐ New York State ASP "A" ☐ New Jersey CLP ☐ Other _____ ☒ EDD Format _____ PDF													
CHEMTECH SAMPLE ID	PROJECT IDENTIFICATION					SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles								
							Comp	Glab		DATE	TIME								
1.	Bi-Weekly Influent					WW	X			6/8/22	7:00 AM	7							
2.	Bi-Weekly Influent					WW		X		6/8/22	8:53 AM								
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																			
RELINQUISHED BY SAMPLER						RECEIVED BY						CONDITIONS OF BOTTLES OR COOLERS AT RECEIPT:							
1. [Signature]						[Signature] 6/8/2022 11:25						Compliant ☐ Non Compliant ☐ Cooler Temp 2.0 MeOH extraction requires an additional 4oz. Jar for percent solid Comments: ☐ Ice in Cooler?:							
RELINQUISHED BY						RECEIVED BY													
2. [Signature]						[Signature]													
RELINQUISHED BY						RECEIVED FOR LAB BY													
3. [Signature]						[Signature] 6.8.22 1218													
WHITE - CHEMTECH COPYFOR RETURN TO CLIENT												YELLOW - CHEMTECH COPY				PINK - SAMPLER COPY			
SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight												CHEMTECH: ☐ Picked Up ☐ Overnight				Shipment Complete ☐ YES ☐ NO			