

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	12/14/22
Project:	Former Schlumberger Site Princeton NJ	Date Received:	12/14/22
Client Sample ID:	OWBR-02-160-180-121422-H	SDG No.:	N6070
Lab Sample ID:	N6070-04	Matrix:	Water
Analytical Method:	SW8270SIM	% Solid:	0
Sample Wt/Vol:	960 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN023284.D	1	12/16/22 08:59	12/19/22 13:53	PB149692

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	0.080	U	0.080	0.21	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.25		30 (30) - 150 (150)	61%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.25		30 (30) - 150 (150)	61%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.33		30 (11) - 130 (175)	82%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.33		30 (10) - 130 (175)	83%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.23		30 (54) - 130 (171)	56%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	7230	7.999			
1146-65-2	Naphthalene-d8	23800	10.818			
15067-26-2	Acenaphthene-d10	14600	14.645			
1517-22-2	Phenanthrene-d10	32600	17.39			
1719-03-5	Chrysene-d12	25100	21.58			
1520-96-3	Perylene-d12	17900	24.027			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products