

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121922\
 Data File : BN023281.D
 Acq On : 19 Dec 2022 12:02
 Operator : CG/JU
 Sample : PB149692BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB149692BL

Quant Time: Dec 19 15:45:25 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN120822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 19 15:44:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.999	152	8904	0.400	ng	0.00
7) Naphthalene-d8	10.818	136	28123	0.400	ng	0.00
13) Acenaphthene-d10	14.645	164	17435	0.400	ng	0.00
19) Phenanthrene-d10	17.390	188	38498	0.400	ng	# 0.00
29) Chrysene-d12	21.580	240	26428	0.400	ng	0.00
35) Perylene-d12	24.027	264	19388	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.543	112	9396	0.567	ng	0.00
5) Phenol-d6	7.154	99	12090	0.573	ng	0.00
8) Nitrobenzene-d5	9.163	82	7571	0.409	ng	0.00
11) 2-Methylnaphthalene-d10	12.405	152	17845	0.374	ng	0.00
14) 2,4,6-Tribromophenol	16.136	330	1986	0.314	ng	0.00
15) 2-Fluorobiphenyl	13.276	172	24341	0.349	ng	0.00
27) Fluoranthene-d10	19.422	212	33448	0.371	ng	0.00
31) Terphenyl-d14	20.013	244	19618	0.457	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121922\
Data File : BN023281.D
Acq On : 19 Dec 2022 12:02
Operator : CG/JU
Sample : PB149692BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB149692BL

Quant Time: Dec 19 15:45:25 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN120822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 19 15:44:58 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.999 min Scan# 681
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02




Instrument :
BNA_N
ClientSampleId :
PB149692BL


Tgt Ion:152 Resp: 8904
Ion Ratio Lower Upper
152 100
150 154.8 125.6 188.4
115 60.3 49.0 73.4



#4
2-Fluorophenol
Concen: 0.567 ng
RT: 5.543 min Scan# 341
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02

Tgt Ion:112 Resp: 9396
Ion Ratio Lower Upper
112 100
64 54.1 44.4 66.6
63 29.3 23.7 35.5









#5
Phenol-d6
Concen: 0.573 ng
RT: 7.154 min Scan# 50
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02




Instrument :
BNA_N
ClientSampleId :
PB149692BL


Tgt Ion: 99 Resp: 12090
Ion Ratio Lower Upper
99 100
42 18.1 16.3 24.5
71 32.8 26.5 39.7



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.818 min Scan# 959
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02

Tgt Ion: 136 Resp: 28123
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.4
54 6.6 6.5 9.7
68 5.8 5.4 8.2









#8
Nitrobenzene-d5
Concen: 0.409 ng
RT: 9.163 min Scan# 806
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02




Instrument :
BNA_N
ClientSampleId :
PB149692BL


Tgt Ion: 82 Resp: 7571
Ion Ratio Lower Upper
82 100
128 42.6 31.4 47.2
54 47.6 41.0 61.4



#11
2-Methylnaphthalene-d10
Concen: 0.374 ng
RT: 12.405 min Scan# 1260
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02

Tgt Ion: 152 Resp: 17845
Ion Ratio Lower Upper
152 100
151 17.2 15.1 22.7









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.645 min Scan# 1489
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02




Instrument :
BNA_N
ClientSampleId :
PB149692BL


Tgt Ion:164 Resp: 17435
Ion Ratio Lower Upper
164 100
162 103.3 83.4 125.0
160 49.5 41.8 62.8



#14
2,4,6-Tribromophenol
Concen: 0.314 ng
RT: 16.136 min Scan# 1621
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02

Tgt Ion:330 Resp: 1986
Ion Ratio Lower Upper
330 100
332 96.2 77.3 115.9
141 38.3 33.5 50.3









#15
2-Fluorobiphenyl
Concen: 0.349 ng
RT: 13.276 min Scan# 1361
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02




Instrument :
BNA_N
ClientSampleId :
PB149692BL


Tgt Ion:172 Resp: 24341
Ion Ratio Lower Upper
172 100
171 34.0 27.4 41.0
170 22.1 17.9 26.9



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.390 min Scan# 1722
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02

Tgt Ion:188 Resp: 38498
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.9 6.1 9.1#









#27
Fluoranthene-d10
Concen: 0.371 ng
RT: 19.422 min Scan# 2111
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02




Instrument :
BNA_N
ClientSampleId :
PB149692BL


Tgt Ion:212 Resp: 33448
Ion Ratio Lower Upper
212 100
106 15.1 13.0 19.4
104 8.5 7.5 11.3



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.580 min Scan# 2421
Delta R.T. -0.000 min
Lab File: BN023281.D
Acq: 19 Dec 2022 12:02

Tgt Ion:240 Resp: 26428
Ion Ratio Lower Upper
240 100
120 12.0 10.1 15.1
236 27.8 22.2 33.4





#31

Terphenyl-d14

Concen: 0.457 ng

RT: 20.013 min Scan# 21

Delta R.T. -0.000 min

Lab File: BN023281.D

Acq: 19 Dec 2022 12:02

Instrument :

BNA_N

ClientSampleId :

PB149692BL





Tgt Ion:244 Resp: 19618

Ion Ratio Lower Upper

244 100

212 8.9 7.6 11.4

122 14.5 12.6 18.8



#35

Perylene-d12

Concen: 0.400 ng

RT: 24.027 min Scan# 3068

Delta R.T. -0.000 min

Lab File: BN023281.D

Acq: 19 Dec 2022 12:02

Tgt Ion:264 Resp: 19388

Ion Ratio Lower Upper

264 100

260 26.2 21.7 32.5

265 57.3 43.2 64.8

