



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P19A

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1232-06

Date(s) Analyzed: 01/20/2023 01/20/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDE	1	5.99	5.94	6.04	1.10	9.5
	2	5.15	5.10	5.20	1.00	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P19B

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1232-07

Date(s) Analyzed: 01/23/2023 01/23/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDE	1	6.00	5.95	6.05	0.88	0
	2	5.15	5.10	5.20	0.88	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P34AMS

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1233-02MS

Date(s) Analyzed: 01/21/2023
01/21/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDD	1	6.50	6.45	6.55	18.3	1.7
	2	5.70	5.65	5.75	18.0	
4,4'-DDE	1	5.99	5.94	6.04	18.6	1.6
	2	5.15	5.10	5.20	18.3	
4,4'-DDT	1	6.81	6.76	6.86	19.8	6.8
	2	5.96	5.91	6.01	18.5	
Aldrin	1	5.05	5.00	5.10	19.0	0.5
	2	4.14	4.09	4.19	18.9	
alpha-BHC	1	3.80	3.75	3.85	18.2	1.7
	2	3.19	3.14	3.24	17.9	
alpha-Chlordane	1	5.81	5.76	5.86	18.5	3.9
	2	4.96	4.91	5.01	17.8	
beta-BHC	1	4.32	4.27	4.37	17.7	2.3
	2	3.82	3.77	3.87	17.3	
delta-BHC	1	4.57	4.52	4.62	18.7	2.7
	2	4.05	4.00	4.10	18.2	
Endosulfan II	1	6.58	6.53	6.63	16.8	21.3
	2	5.84	5.79	5.89	20.8	
Endrin aldehyde	1	6.71	6.66	6.76	19.8	2
	2	6.03	5.98	6.08	19.4	
Endosulfan sulfate	1	6.94	6.89	6.99	18.6	1.6
	2	6.25	6.20	6.30	18.3	
Methoxychlor	1	7.29	7.24	7.34	18.8	1.6
	2	6.53	6.48	6.58	18.5	
Endrin ketone	1	7.42	7.37	7.47	18.4	0
	2	6.75	6.70	6.80	18.4	
gamma-BHC (Lindane)	1	4.13	4.08	4.18	18.5	2.7
	2	3.52	3.47	3.57	18.0	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P34AMS

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1233-02MS

Date(s) Analyzed: 01/21/2023 01/21/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Heptachlor	1	4.71	4.66	4.76	18.4	2.2
	2	3.86	3.81	3.91	18.0	
Heptachlor epoxide	1	5.48	5.43	5.53	18.3	1.1
	2	4.64	4.59	4.69	18.1	
Endosulfan I	1	5.86	5.81	5.91	18.2	2.2
	2	5.01	4.96	5.06	17.8	
gamma-Chlordane	1	5.73	5.68	5.78	18.3	2.2
	2	4.89	4.84	4.94	17.9	
Dieldrin	1	6.13	6.08	6.18	19.2	2.1
	2	5.28	5.23	5.33	18.8	
Endrin	1	6.36	6.31	6.41	19.0	3.6
	2	5.55	5.50	5.60	19.7	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P34AMSD

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1233-02MSD

Date(s) Analyzed: 01/21/2023
01/21/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2

ID: 0.32 (mm)

GC Column:(2): ZB-MR1

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Heptachlor epoxide	1	5.48	5.43	5.53	18.5	0.5
	2	4.64	4.59	4.69	18.4	
gamma-Chlordane	1	5.73	5.68	5.78	18.8	3.8
	2	4.89	4.84	4.94	18.1	
Endosulfan II	1	6.58	6.53	6.63	17.0	21.5
	2	5.84	5.79	5.89	21.1	
4,4'-DDD	1	6.50	6.45	6.55	18.6	2.2
	2	5.70	5.65	5.75	18.2	
4,4'-DDT	1	6.81	6.76	6.86	20.0	5.7
	2	5.96	5.91	6.01	18.9	
Endrin aldehyde	1	6.71	6.66	6.76	20.1	2
	2	6.03	5.98	6.08	19.7	
Endosulfan sulfate	1	6.94	6.89	6.99	18.8	1.1
	2	6.25	6.20	6.30	18.6	
Endrin ketone	1	7.42	7.37	7.47	18.6	0
	2	6.75	6.70	6.80	18.6	
alpha-BHC	1	3.80	3.75	3.85	18.4	1.6
	2	3.19	3.14	3.24	18.1	
gamma-BHC (Lindane)	1	4.13	4.08	4.18	18.8	3.2
	2	3.52	3.47	3.57	18.2	
Aldrin	1	5.05	5.00	5.10	19.3	1
	2	4.14	4.09	4.19	19.1	
beta-BHC	1	4.32	4.27	4.37	17.9	1.7
	2	3.82	3.77	3.87	17.6	
delta-BHC	1	4.57	4.52	4.62	19.0	2.7
	2	4.04	3.99	4.09	18.5	
Endosulfan I	1	5.86	5.81	5.91	18.4	2.2
	2	5.01	4.96	5.06	18.0	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P34AMSD

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1233-02MSD

Date(s) Analyzed: 01/21/2023 01/21/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
alpha-Chlordane	1	5.81	5.76	5.86	18.7	3.8
	2	4.96	4.91	5.01	18.0	
4,4'-DDE	1	5.99	5.94	6.04	18.9	1.6
	2	5.15	5.10	5.20	18.6	
Dieldrin	1	6.13	6.08	6.18	19.4	2.1
	2	5.28	5.23	5.33	19.0	
Endrin	1	6.36	6.31	6.41	19.3	3.1
	2	5.55	5.50	5.60	19.9	
Methoxychlor	1	7.29	7.24	7.34	19.0	1.6
	2	6.53	6.48	6.58	18.7	
Heptachlor	1	4.71	4.66	4.76	18.6	1.6
	2	3.86	3.81	3.91	18.3	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

B-P35A

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: O1232-08

Date(s) Analyzed: 01/20/2023 01/20/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
4,4'-DDE	1	5.99	5.94	6.04	1.10	0
	2	5.15	5.10	5.20	1.10	
4,4'-DDT	1	6.81	6.76	6.86	1.90	0
	2	5.96	5.91	6.01	1.90	
alpha-Chlordane	1	5.81	5.76	5.86	0.65	56.1
	2	4.96	4.91	5.01	0.36	
gamma-Chlordane	1	5.73	5.68	5.78	0.43	19.5
	2	4.89	4.84	4.94	0.35	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB150373BS

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: PB150373BS

Date(s) Analyzed: 01/20/2023
01/20/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2

ID: 0.32 (mm)

GC Column:(2): ZB-MR1

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Endosulfan II	1	6.58	6.53	6.63	14.2	20.3
	2	5.84	5.79	5.89	17.4	
4,4'-DDD	1	6.50	6.45	6.55	15.1	0.7
	2	5.70	5.65	5.75	15.2	
4,4'-DDT	1	6.82	6.77	6.87	14.5	3.4
	2	5.96	5.91	6.01	15.0	
Endrin aldehyde	1	6.71	6.66	6.76	16.4	0.6
	2	6.03	5.98	6.08	16.3	
Endosulfan sulfate	1	6.94	6.89	6.99	15.6	1.3
	2	6.25	6.20	6.30	15.4	
Methoxychlor	1	7.29	7.24	7.34	15.5	2.6
	2	6.53	6.48	6.58	15.1	
Endrin ketone	1	7.42	7.37	7.47	15.4	0.6
	2	6.75	6.70	6.80	15.5	
alpha-BHC	1	3.80	3.75	3.85	15.0	0.7
	2	3.19	3.14	3.24	15.1	
gamma-BHC (Lindane)	1	4.13	4.08	4.18	15.1	0
	2	3.52	3.47	3.57	15.1	
Heptachlor	1	4.71	4.66	4.76	15.2	1.3
	2	3.86	3.81	3.91	15.0	
Aldrin	1	5.05	5.00	5.10	15.5	0
	2	4.14	4.09	4.19	15.5	
beta-BHC	1	4.32	4.27	4.37	14.3	0.7
	2	3.82	3.77	3.87	14.2	
delta-BHC	1	4.57	4.52	4.62	15.2	1.3
	2	4.05	4.00	4.10	15.0	
Heptachlor epoxide	1	5.48	5.43	5.53	15.0	2
	2	4.64	4.59	4.69	15.3	



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB150373BS

Contract: loui01

Lab Code: CHEM

Case No.: O1232

SAS No.: O1232

SDG NO.: O1232

Lab Sample ID: PB150373BS

Date(s) Analyzed: 01/20/2023 01/20/2023

Instrument ID (1): ECD_L

Instrument ID (2): ECD_L

GC Column: (1): ZB-MR2 ID: 0.32 (mm)

GC Column:(2): ZB-MR1 ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
Endosulfan I	1	5.86	5.81	5.91	15.0	0
	2	5.01	4.96	5.06	15.0	
gamma-Chlordane	1	5.73	5.68	5.78	15.0	1.3
	2	4.89	4.84	4.94	14.8	
alpha-Chlordane	1	5.81	5.76	5.86	15.3	2.6
	2	4.96	4.91	5.01	14.9	
4,4'-DDE	1	5.99	5.94	6.04	15.3	2
	2	5.15	5.10	5.20	15.0	
Dieldrin	1	6.13	6.08	6.18	15.9	0.6
	2	5.28	5.23	5.33	15.8	
Endrin	1	6.36	6.31	6.41	15.7	5
	2	5.55	5.50	5.60	16.5	