

CALIBRATION FACTOR OF INITIAL CALIBRATION

Contract: loui01

Lab Code: CHEM Case No.: O1232 SAS No.: O1232 SDG NO.: O1232

Instrument ID: ECD_L Calibration Date(s): 01/20/2023 01/20/2023

Calibration Times: 14:41 15:36

GC Column: ZB-MR2 ID: 0.32 (mm)

LAB FILE ID:		CF 100 =	<u>PL080408.D</u>	CF 075 =	<u>PL080409.D</u>		
CF 050 =		<u>PL080410.D</u>	CF 025 =	<u>PL080411.D</u>	CF 005 =	<u>PL080412.D</u>	
COMPOUND	CF 100	CF 075	CF 050	CF 025	CF 005	CF	% RSD
4,4'-DDD	1905610000	1862000000	1887350000	1782240000	1722740000	1831990000	4
4,4'-DDE	2372610000	2301620000	2301670000	2141800000	2019030000	2227350000	6
4,4'-DDT	2121650000	2069360000	2105420000	2030590000	2061320000	2077670000	2
Aldrin	2860500000	2790820000	2808060000	2638150000	2581390000	2735780000	4
alpha-BHC	3459050000	3348520000	3326130000	3010010000	2696430000	3168030000	10
alpha-Chlordane	2569670000	2528060000	2582020000	2479710000	2461870000	2524270000	2
beta-BHC	1294560000	1302560000	1356950000	1344950000	1526100000	1365020000	7
Decachlorobiphenyl	1672970000	1677850000	1760440000	1790370000	1852150000	1750750000	4
delta-BHC	3060650000	3002620000	3011640000	2759300000	2640780000	2895000000	6
Dieldrin	2493900000	2438180000	2465990000	2329280000	2239460000	2393360000	4
Endosulfan I	2387790000	2351460000	2408380000	2317780000	2341910000	2361460000	2
Endosulfan II	2093230000	2100820000	2170130000	2223780000	2873670000	2292330000	14
Endosulfan sulfate	2062490000	2046210000	2111090000	2059180000	2070610000	2069910000	1
Endrin	2204570000	2155500000	2194160000	2079990000	2179270000	2162700000	2
Endrin aldehyde	1635600000	1625400000	1687620000	1663640000	1704770000	1663410000	2
Endrin ketone	2216140000	2194410000	2263130000	2186320000	2171720000	2206340000	2
gamma-BHC (Lindane)	3150720000	3065120000	3082440000	2837110000	2563450000	2939770000	8
gamma-Chlordane	2594350000	2547200000	2592760000	2465730000	2428580000	2525720000	3
Heptachlor	3043160000	2998050000	3040850000	2897830000	2796200000	2955220000	4
Heptachlor epoxide	2583000000	2553540000	2617140000	2527330000	2654290000	2587060000	2
Methoxychlor	1070870000	1072560000	1121380000	1119940000	1131700000	1103290000	3
Tetrachloro-m-xylene	2180590000	2154690000	2203650000	2127540000	2057690000	2144830000	3

CALIBRATION FACTOR OF INITIAL CALIBRATION

Contract: loui01

Lab Code: CHEM Case No.: O1232 SAS No.: O1232 SDG NO.: O1232

Instrument ID: ECD_L Calibration Date(s): 01/20/2023 01/20/2023

Calibration Times: 14:41 15:36

GC Column: ZB-MR1 ID: 0.32 (mm)

LAB FILE ID:		CF 100 =	<u>PL080408.D</u>	CF 075 =	<u>PL080409.D</u>		
CF 050 =		<u>PL080410.D</u>	CF 025 =	<u>PL080411.D</u>	CF 005 =	<u>PL080412.D</u>	
COMPOUND	CF 100	CF 075	CF 050	CF 025	CF 005	CF	% RSD
4,4'-DDD	2062880000	1990630000	1979590000	1798820000	1564090000	1879200000	11
4,4'-DDE	2603080000	2510310000	2474640000	2228870000	1977270000	2358830000	11
4,4'-DDT	2281330000	2209920000	2184000000	2010350000	1821830000	2101490000	9
Aldrin	3198240000	3090160000	3084560000	2816020000	2558890000	2949570000	9
alpha-BHC	3512950000	3389760000	3354830000	2995570000	2648950000	3180410000	11
alpha-Chlordane	2975110000	2908520000	2947310000	2785580000	2706870000	2864680000	4
beta-BHC	1331220000	1320290000	1367170000	1324970000	1329490000	1334630000	1
Decachlorobiphenyl	2264360000	2256580000	2379210000	2418120000	2594410000	2382540000	6
delta-BHC	3173510000	3070820000	3053200000	2725940000	2398720000	2884440000	11
Dieldrin	2915090000	2817980000	2814250000	2585500000	2392010000	2704970000	8
Endosulfan I	2719000000	2661400000	2696990000	2535860000	2393420000	2601340000	5
Endosulfan II	2247480000	2196770000	2218270000	2027050000	1729060000	2083730000	10
Endosulfan sulfate	2371950000	2330180000	2387060000	2290720000	2248450000	2325670000	2
Endrin	2455220000	2388810000	2416400000	2249330000	2096050000	2321160000	6
Endrin aldehyde	1820760000	1800700000	1844580000	1803290000	1861220000	1826110000	1
Endrin ketone	2628620000	2575270000	2643990000	2517280000	2400980000	2553230000	4
gamma-BHC (Lindane)	3253830000	3149320000	3144020000	2848560000	2540790000	2987310000	10
gamma-Chlordane	2995300000	2918520000	2933430000	2741630000	2582290000	2834240000	6
Heptachlor	3367270000	3281190000	3309620000	3080600000	2873130000	3182360000	6
Heptachlor epoxide	2894640000	2832800000	2871620000	2708730000	2603910000	2782340000	4
Methoxychlor	1210100000	1199400000	1243480000	1222610000	1191730000	1213470000	2
Tetrachloro-m-xylene	2253200000	2223250000	2272190000	2174740000	2058890000	2196450000	4