

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP012423\
 Data File : BP013581.D
 Acq On : 24 Jan 2023 21:02
 Operator : CG/JU
 Sample : 01232-09
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 B-P-35B

Quant Time: Jan 25 03:52:12 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP012323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 25 03:43:27 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.158	152	364997	20.000	ng	0.00
21) Naphthalene-d8	10.987	136	1463837	20.000	ng	0.00
39) Acenaphthene-d10	14.792	164	861008	20.000	ng	0.00
64) Phenanthrene-d10	17.545	188	1874321	20.000	ng	0.00
76) Chrysene-d12	21.622	240	1653014	20.000	ng	0.00
86) Perylene-d12	24.204	264	1474508	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.687	112	2522892	118.429	ng	0.00
7) Phenol-d6	7.299	99	3217837	112.233	ng	0.00
23) Nitrobenzene-d5	9.328	82	1768567	79.760	ng	0.00
42) 2,4,6-Tribromophenol	16.281	330	1168165	135.262	ng	0.00
45) 2-Fluorobiphenyl	13.422	172	4324210	68.938	ng	0.00
79) Terphenyl-d14	20.075	244	6925575	75.372	ng	0.00
Target Compounds						
						Qvalue
80) Butylbenzylphthalate	20.745	149	87159	2.166	ng	95
81) Benzo(a)anthracene	21.604	228	262158	2.276	ng	99
83) Chrysene	21.657	228	305322	2.772	ng	99
84) Bis(2-ethylhexyl)phtha...	21.510	149	198700	3.085	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP012423\
Data File : BP013581.D
Acq On : 24 Jan 2023 21:02
Operator : CG/JU
Sample : 01232-09
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
B-P-35B

Quant Time: Jan 25 03:52:12 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP012323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 25 03:43:27 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.158 min Scan# 846
Delta R.T. -0.006 min
Lab File: BP013581.D
Acq: 24 Jan 2023 21:02




Instrument :
BNA_P
ClientSampleId :
B-P-35B


Tgt Ion:152 Resp: 364997
Ion Ratio Lower Upper
152 100
150 153.2 122.4 183.6
115 57.8 46.1 69.1



#5
2-Fluorophenol
Concen: 118.429 ng
RT: 5.687 min Scan# 425
Delta R.T. -0.000 min
Lab File: BP013581.D
Acq: 24 Jan 2023 21:02

Tgt Ion:112 Resp: 2522892
Ion Ratio Lower Upper
112 100
64 55.5 45.4 68.0
63 28.6 24.1 36.1









#7
Phenol-d6
Concen: 112.233 ng
RT: 7.299 min Scan# 69
Delta R.T. -0.000 min
Lab File: BP013581.D
Acq: 24 Jan 2023 21:02




Instrument :
BNA_P
ClientSampleId :
B-P-35B


Tgt Ion: 99 Resp: 3217837
Ion Ratio Lower Upper
99 100
42 16.0 14.0 21.0
71 30.1 24.7 37.1



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.987 min Scan# 1326
Delta R.T. -0.006 min
Lab File: BP013581.D
Acq: 24 Jan 2023 21:02

Tgt Ion: 136 Resp: 1463837
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.4
54 8.1 6.6 9.8
68 6.1 4.5 6.7





#23

Nitrobenzene-d5

Concen: 79.760 ng

RT: 9.328 min Scan# 1044

Delta R.T. -0.006 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02

Instrument :





BNA_P

ClientSampleId :

B-P-35B

Tgt Ion: 82 Resp: 1768567

Ion	Ratio	Lower	Upper
82	100		
128	45.5	35.8	53.6
54	51.4	42.6	64.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.792 min Scan# 1973




Delta R.T. -0.006 min


Lab File: BP013581.D

Acq: 24 Jan 2023 21:02

Tgt Ion:164 Resp: 861008

Ion	Ratio	Lower	Upper
164	100		
162	101.4	80.1	120.1
160	44.8	35.9	53.9





#42

2,4,6-Tribromophenol

Concen: 135.262 ng

RT: 16.281 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02

Instrument :

BNA_P

ClientSampleId :

B-P-35B





Tgt Ion:330 Resp: 1168165

Ion Ratio Lower Upper

330 100

332 96.5 77.4 116.2

141 32.8 27.6 41.4



#45

2-Fluorobiphenyl

Concen: 68.938 ng

RT: 13.422 min Scan# 1740

Delta R.T. -0.006 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02




Tgt Ion:172 Resp: 4324210


Ion Ratio Lower Upper

172 100

171 35.3 27.8 41.8

170 23.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.545 min Scan# 2441
Delta R.T. -0.006 min
Lab File: BP013581.D
Acq: 24 Jan 2023 21:02




Instrument :
BNA_P
ClientSampleId :
B-P-35B


Tgt Ion:188 Resp: 1874321
Ion Ratio Lower Upper
188 100
94 9.0 7.2 10.8
80 9.8 8.2 12.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.622 min Scan# 3134
Delta R.T. -0.006 min
Lab File: BP013581.D
Acq: 24 Jan 2023 21:02

Tgt Ion:240 Resp: 1653014
Ion Ratio Lower Upper
240 100
120 10.8 8.6 13.0
236 26.0 21.3 31.9





#79

Terphenyl-d14

Concen: 75.372 ng

RT: 20.075 min Scan# 2873

Delta R.T. -0.006 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02

Instrument :

BNA_P

ClientSampleId :

B-P-35B





Tgt Ion:244 Resp: 6925575

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.2

122 11.3 9.2 13.8



#80

Butylbenzylphthalate

Concen: 2.166 ng

RT: 20.745 min Scan# 2985

Delta R.T. -0.006 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02




Tgt Ion:149 Resp: 87159


Ion Ratio Lower Upper

149 100

91 73.1 54.6 81.8

206 22.5 16.7 25.1





#81

Benzo(a)anthracene

Concen: 2.276 ng

RT: 21.604 min Scan# 31

Delta R.T. -0.006 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02

Instrument :

BNA_P

ClientSampleId :

B-P-35B





Tgt Ion:228 Resp: 262158

Ion Ratio Lower Upper

228 100

226 27.9 21.8 32.8

229 18.9 15.8 23.6



#83

Chrysene

Concen: 2.772 ng

RT: 21.657 min Scan# 3140

Delta R.T. -0.012 min

Lab File: BP013581.D

Acq: 24 Jan 2023 21:02




Tgt Ion:228 Resp: 305322


Ion Ratio Lower Upper

228 100

226 30.6 24.1 36.1

229 20.4 16.2 24.2









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 3.085 ng
 RT: 21.510 min Scan# 3119
 Delta R.T. -0.006 min
 Lab File: BP013581.D
 Acq: 24 Jan 2023 21:02

Instrument :
 BNA_P
 ClientSampleId :
 B-P-35B

Tgt Ion:149 Resp: 198700
 Ion Ratio Lower Upper
 149 100
 167 27.4 22.0 33.0
 279 4.4 3.5 5.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.204 min Scan# 3573
 Delta R.T. -0.012 min
 Lab File: BP013581.D
 Acq: 24 Jan 2023 21:02

Tgt Ion:264 Resp: 1474508
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.8 28.2
 265 21.6 17.4 26.2

