

Report of Analysis

Client:	Louis Berger U.S., Inc., A WSP Company	Date Collected:	01/23/23			
Project:	NYCDDC Phase II SCI Arthur Kill Road CEQR	Date Received:	01/23/23			
Client Sample ID:	PIBLK-FF011906.D	SDG No.:	O1233			
Lab Sample ID:	I.BLK-FF011906.D	Matrix:	Water			
Analytical Method:	8015D DRO	% Solid:	0	Decanted:		
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1	mL
Soil Aliquot Vol:			uL	Test:	Diesel Range Organics	
Extraction Type:				Injection Volume :		
GPC Factor :		PH :				
Prep Method :	SW3510					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FF011906.D	1		01/23/23	FF012323

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
DRO	DRO	7.00	U	7.00	50.0	ug/L
SURROGATES						
16416-32-3	Tetracosane-d50	13.6		29 - 130	68%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit